ECOLOGY AND ENVIRONMENT, INC.

DALLAS, TEXAS

MEMORANDUM

TO: Ed Sierra, RPO Region VI

THRU: K. H. Malone, Jr., FITOM

FROM: Bradley Morris, FIT Geologist BAM

DATE: February 13, 1989

SUBJ: Preliminary Assessment for KNUZ

Radio Tower, Houston, Texas.

(TXD987979275) TDD# F06-8812-22 PAN FTX0867PAA X-Rey SAVOL (

1. SITE INFORMATION

The KNUZ Radio Tower site is located at 315 North Ennis, Houston, Texas 77003. The geographic coordinates are Latitude 29°45′12″N, Longitude 95°20′48″W. The site is located approximately 1.5 miles east of downtown Houston, 3000 feet north of Buffalo Bayou, and diagonally across from Lead Products Company, Inc., 709 N. Velasco, Houston, Texas (Figure 1). The site is owned by Texas Coast Broadcasters - Clark Company, 2510 Times Boulevard, Houston, Texas 77005-3225. The site consists of a radio transmission tower, guywire anchors, and satellite dish (Figure 2).

2. BACKGROUND/OPERATING HISTORY

The site reportedly received discarded battery casings that were utilized as fill material from the nearby Lead Products Company facility. During the 1950s and 1960s, Lead Products Company contracted with the owner of the KNUZ Radio Tower property to provide these batteries (Reference 5).

Lead Products Company began operating as a lead smelting business in the 1930s. Lead was removed from discarded batteries and used to fabricate pipes and other equipment. After the lead was removed from the batteries, the battery casings were buried on the Lead Products property and the KNUZ Radio Tower site. The buried casings beneath the KNUZ Radio Tower site reportedly contain unknown quantities of lead residues (Reference 5).


The FIT conducted an off-site reconnaissance inspection on January 5, 1989. The site is surrounded by a chain link fence and secured by a locked gate. The site is nearly level and vegetated with weeds and grass (attached photographs).

PRELIMINARY REPORT This does not constitute final opinion of EPA

Date 3-1-89

JUL 21 1992

REORGANIZED



N 2000 ft.

FIGURE 1 SITE LOCATION CHILD'S TRUCK EQUIPMENT SITE HOUSTON, TEXAS




FIGURE 2 SITE SKETCH KNUZ RADIO TOWER HOUSTON, TEXAS TXD987979275

NOT TO SCALE

3. WASTE COMTAINMENT/HAZARDOUS SUBSTANCE IDENTIFICATION

An unknown quantity of battery casings containing residual lead were buried at an unknown location at the site for approximately 15 years (Reference 5). There are no records of waste quantity. No information concerning waste containment is available. The battery casings are assumed to have been dumped into an unlined trench or pit and covered with soil.

4. PATHWAY CHARACTERISTICS

- a. Air Pathway Characteristics. The gaseous and particulate mobility potentials at the KNUZ Radio Tower site are low due to the soil cover that was applied over the battery casings. Gaseous mobility is unlikely due to the nature of the contaminant (lead).
- b. Ground Water Characteristics. The principal aquifers in the study area are the Chicot and Evangeline aquifers. The Chicot includes all sedimentary deposits from land surface to the top of the Evangeline Aquifer, approximately 1000 feet thick (Reference 3). The Chicot is composed of interbedded sands, silts, and clays of the Willis Sand, Bently and Montgomery Formations, and the Beaumont Clay. The underlying Evangeline aquifer, with an approximate thickness of 2000 feet, is the primary source of ground water in the study area. The Evangeline Aquifer is approximately 2000 feet thick in the study area and extends from the base of the Chicot to the underlying Burkeville confining layer (References 1 and 3). The Evangeline is composed of the Goliad Sand and Fleming Formation and is characterized by layers of sand and gravel with interbedded clay and silt layers (Reference 3).

The City of Houston utilizes a combination of ground water and surface water to supply drinking water to residents within 4 miles of the KNUZ Radio Tower site (Reference 7). Four City of Houston water wells are located within 4 miles of the site (References 1 and 8). These wells are screened in the Evangeline aquifer at depths of 580 to 1160 feet (Reference 1). Net precipitation in the City of Houston is -6.5 inches per year (Reference 2).

c. Surface Water Characteristics. Surface water drainage from the site presumably flows north toward a drainage ditch which ultimately flows into Buffalo Bayou (Reference 10). The distance from the site to the point of entry into Buffalo Bayou is approximately 2500 feet (Reference 8).

Buffalo Bayou flows east - southeast and enters a turning basin 4 miles downstream of the site. From this point to Galveston Bay, the bayou becomes the Houston Ship Channel. Surface water along the 15-stream mile drainage path is used for limited recreation, navigation and industrial cooling water (Reference 10). There is no drinking water use of Buffalo Bayou or the Houston Ship Channel (Reference 10). The size of the drainage area is approximately the area of the site, 3.5 acres

(Reference 8). The average annual stream flow for Buffalo Bayou is 320 cfs (Reference 13). The two-year twenty-four hour rainfall is 5 inches (Reference 2). The potential for flooding is minimal (Reference 14).

d. On-Site Pathway Characteristics. Residual lead is suspected to be present beneath the site at an unknown depth. The utilization of either a proper liner or runoff diversion control system is doubtful, due to the time period in which the battery casings were disposed.

5. TARGETS

3

There are at least four water wells that serve the metropolitan Houston area with drinking water (Reference 1). The City of Houston's water supplies are obtained from a combination of ground water and surface water from Lake Houston, located 17 miles northeast of downtown Houston (Reference 7). The total population served by municipal water supplies within four miles of the site is 281,700 (Reference 9). Primary surface water use of Buffalo Bayou is industrial cooling water. Buffalo Bayou is primarily a storm water outlet with limited use (Reference 10).

The site is surrounded by a fence, preventing public access to on-site disposal areas. Located within 0.25 miles of the site are several single family residences, parks, and commercial – industrial areas (Reference 8). There are no critical habitats of endangered species or sensitive areas within 15 miles downstream of the (Reference 11).

6. OTHER REGULATORY INVOLVEMENT

No evidence exists of any permits or regulatory action at the KNUZ Radio Tower site. The owners of the adjacent Lead Products facility are currently negotiating with the City of Houston Health - Engineering Department and the Texas Water Commission to design a remedial action program to recover lead from contaminated soils at the Lead Products' property (References 5 and 15). ENSR Construction is currently collecting soil samples for the identification of waste quantity and migration at the Lead Products Company site (Reference 15). Lead Products Company does not have any current plans to take action at the KNUZ Radio Tower site (Reference 5).

7. CONCLUSIONS AND RECOMMENDATIONS

The KNUZ Radio Tower site received discarded battery casings from Lead Products Company, Inc. during the 1950s and 1960s. The battery casings contained an unknown quantity of lead residues and were buried at an unknown location and depth. The battery casings are currently covered with soil and thick, grassy vegetation. The site is secured by a fence and locked gate.

The potential for surface water contaminant migration is minimal. The batteries are covered with soil and no obvious on-site surface water drainage pathways exist. Buffalo Bayou, which ultimately receives site runoff, is primarily limited to navigation and industrial water cooling uses. The potential for contamination to ground water is minimal. The

aquifer of concern (Chicot Aquifer) is more than 500 feet deep. An alternate, unthreatened supply of drinking water is available within the study area.

The FIT recommends no further action at the KNUZ Radio Tower Site. Further information concerning the remedial cleanup at the adjacent Lead Products Company site is located in the Lead Products Company file.

vbt

DUW3/2/89

RELEASED

****CONFIDENTIAL****PRE-DECISIONAL DOCUMENT****

PRESCORE ANALYSIS HRS SCORESHEET

Site Name: KNUZ Radio Tower Site

EPA ID No:

TXD987979275 F06-8810-22

City: County: State: Houston Harris Texas

Site Evaluator:

Bradley Morris, FIT Geologist BAM

Region VI FIT (Title)

Date:

February 13, 1989

POTENTIAL RELEASES

Ground Water
Surface Water

[] Air

On-Site/Direct Contact

SCORING SCENARIOS		Preliminary	Projected
GROUNDWATER ROUTE SCORE (Sgw)	=	12.93	15.51
SURFACE WATER ROUTE SCORE (Sw)	=	5.31	7.97
AIR ROUTE SCORE (Sa)	=	0	0
TOTAL SCORE (Sm)	==	8.08	10.08

NEW HRS MODEL CONSIDERATIONS

GROUNDWATER ROUTE: The ground water route was evaluated for a 4-mile radius. A total of 4 municipal drinking water wells were located. An alternate, unthreatened supply of drinking water is available.

SURFACE WATER ROUTE: The 15-mile down slope drainage pathway has no drinking water intakes and has limited use (recreational, industrial cooling water).

AIR ROUTE: The potential for release to air is very low due to waste being buried, covered with soil, and unknown waste quantity.

ON-SITE ROUTE: The site is secured by fence and lockable gate. No public access to disposed waste is obvious.

SUPERFUND FILE

JUL 21 1992

REORGANIZED

08-Feb-1989 REVaw

******CONFIDENTIAL*****PRE-DECISIONAL DOCUMENT***** ***** GROUND WATER ROUTE WORKSHEET *****

		Preliminary	Reference	Projected	Reference
1.	OBSERVED RELEASE	0	Reference	0	Reference
2.	ROUTE CHARACTERISTICS				
	DEPTH TO AQUIFER OF CONCERN (x2)	0	1	0	1
	NET PRECIPITATION	1	2	1	2
	PERMEABILITY OF UNSATURATED ZONE	1	3, 4	2	3, 4
	PHYSICAL STATE	3	5	3	5
	ROUTE CHARACTERISTIC SCORE	5		6	
3.	CONTAINMENT	3	5	3	5
4.	WASTE CHARACTERISTICS				
	TOXICITY/PERSISTENCE	18	2, 5, 6	18	2, 5, 6
	HAZARDOUS WASTE QUANTITY	1	5	1	5
	WASTE CHARACTERISTICS SCORE =	19		19	
5.	TARGETS GROUNDWATER USE (x3)	6	7	6	7
	DISTANCE TO NEAREST WELL/POPULATION SERVE	20	1, 7, 8, 9	20	1, 7, 8, 9
	TOTAL TARGET SCORE =	26	7 7 7	26	
	(1x4x5) or $(2x3x4x5) =$				
	GROUNDWATER ROUTE SCORE	3			
	$(\frac{1x4x5) \text{ or } (2x3x4x5)}{57,330}$ x	100 = 12.93		15.51	

08-Feb-1989 REVaw



*****CONFIDENTIAL*****PRE-DECISIONAL DOCUMENT**** ***** SURFACE WATER ROUTE WORKSHEET *****

		Preliminary	Reference	Projected	Reference
1.	OBSERVED RELEASE	0		45	7, 10
2.	ROUTE CHARACTERISTICS				
	FACILITY SLOPE AND INTERVENING TERRAIN	0	8	0	8
	1-YEAR 24-HOUR RAINFALL	3	2	3	2
	DISTANCE TO NEAREST SURFACE WATER (×2)	4	8	4	8
	PHYSICAL STATE	3	5	3	5
	ROUTE CHARACTERISTIC SCORE	10		10	
3.	CONTAINMENT	3	5	3	5
4.	WASTE CHARACTERISTICS				
	TOXICITY/PERSISTENCE	18	2, 5, 6	18	2, 5, 6
	HAZARDOUS WASTE QUANTITY	1	5	1	5
	WASTE CHARACTERISTICS SCORE =	19		19	
5.	TARGETS SURFACE WATER USE (x3)	6	7, 10	6	7, 10
	DISTANCE TO A SENSITIVE ENVIRONMENT (x2)	0	11	0	11
	POPULATION SERVED/ DISTANCE TO DOWNSTREA WATER INTAKE	M 0	7	0	7
	TOTAL TARGET SCORE =	6		6	
	(1x4x5) or $(2x3x4x5) =$				
	SURFACE WATER ROUTE SCORE =	5.31		7.97	
	$(\frac{1x4x5) \text{ or } (2x3x4x5)}{64,350} \times$	100 =			

*****CONFIDENTIAL*****PRE-DECISIONAL DOCUMENT****

***** AIR ROUTE WORKSHEET

		Preliminary	Reference	Projected	Reference
1.	OBSERVED RELEASE	0		0	
	DATE AND LOCATION				
2.	WASTE CHARACTERISTICS				
	REACTIVITY AND INCOMPATIBILITY	1	6	1	6
	TOXICITY (x3)	9	6	9	6
	HAZARDOUS WASTE QUANTITY	1	5	1	5
	WASTE CHARACTERISTICS SCORE =	11			
3.	TARGETS				
	POPULATION WITHIN FOUR MILES	21	9	21	9
	DISTANCE TO SENSITIVE ENVIRONMENT (x2)	0	11	0	11
	LAND USE	3	8	3	8
	TOTAL TARGET SCORE =	24		24	
	(1x2x3) =				
	AIR ROUTE SCORE =	0		0	
	$\frac{(1\times2\times3)}{35,100}$ x 100 =				

08-Feb-1989 REVaw




Preliminary S_m WORKSHEET

	S	s ²
Groundwater Route Score (Sgw)	12.93	167.18
Surface Water Route Score (Ssw)	5.31	28.20
Air Route Score (Sa)	0	0
$Sgv^2 + Ssv^2 + Sa^2$		195.38
$(Sgv^2 + Ssv^2 + Sa^2)^{1/2}$		13.98
$(Sgv^2 + Ssv^2 + Sa^2)^{1/2} / 1.73 = S_{H} =$		8.08

Projected S_m WORKSHEET

	S	s ²
Groundwater Route Score (Sgw)	15.51	240.56
Surface Water Route Score (Ssw)	7.97	63.52
Air Route Score (Sa)	0	0
$Sgw^2 + Ssw^2 + Sa^2$		304.08
$(Sgv^2 + Ssv^2 + Sa^2)$ 1/2		17.44
$(Sgv^2 + Ssv^2 + Sa^2)^{1/2}$ /1.73 = S_{M} =		10.08



Reference Number Description of the Reference 1 Gabrysch, R. K., et al., 1974. Ground Water Data for Harris County, Texas, Vol. 11 Records of Wells, 1892-1972. Texas Water Development Board, Report 178. 2 Uncontrolled Hazardous Waste Site Ranking System, A User's Manual. 47FR31219-31243. July 16, 1982 (Appendix A, CERCLA). 3 Jorgensen, D. G., 1975. Analog-Model Studies of Ground Water Hydrology in the Houston District, Texas. Texas Water Development. Report 190. Baker, E. T., 1979. Stratigraphic and Hydrogeologic Framework of Part of the Coastal Plain of Texas. Texas Department of Water Resources. Report 236. 5 Letter. From: Robert Simonds, President, Lead Products Company, Inc. To: U.S. EPA, Region VI, Sites Notification. October 11, 1988. Re: CERCLA Section 103C - Notification of Hazardous Waste Site.

- Sax, N. Irving, 1984. Dangerous Properties of Industrial Materials, Sixth Edition. Van Nostrand Reinhold Company, New York.
- 7 ROC. To: Don MacInnes, Houston Public Works/Water Production Office. From: Kelly L. Bowles, FIT Geologist, EPA Region VI. Re: Ground Water and Surface Water Use - City of Houston. January 5, 1989.
- 8 USGS. 7.5 Minute Topographic Map. Quadrangles: Houston Heights, Texas (1982), Settegast, Texas (1982). Bellaire, Texas (1982). Park Place, Texas (1982).
- 9 1980 Census of Population and Housing, Census Tracts, Housion, Texas. U.S. Department of Commerce, Bureau of the Census. July 1983.
- 10 ROC. To: Dr. Herbert McKee, City of Houston Health/Engineering. From: Kelly L. Bowles, FIT Geologist, EPA Region VI. Re: Buffalo Bayou/Houston Ship Channel Use.
- 11 ROC. To: Julie Massey, U.S. Fish and Wildlife Services. Ecological Services. From: Kelly Bowles, FIT Geologist, EPA Region VI. Re: Sensitive Environments along Buffalo Bayon. January 9, 1989.

- 12 1980 Census of Population, Number of Inhabitants, Texas. U.S. Department of Commerce, Bureau of the Census. March 1982.
- 13 Letter. To: Kelly Boules, FIT Geologist, EPA Region VI. From J. C. Fisher, Supervisory Hydrologist, Water Resources Division, U.S. Geological Survey. Re: Daily Mean Discharge Buffalo Bayou. January 12,
- ROC. To: Henry Flemming, Technician, Army Corps of Engineers.
 From: Brian Boerner, FIT Chemist, EPA Region VI. Re: Flood Plains near Buffalo Bayou. January 10, 1989.
- 15 ROC. To: Eddie Elliot, Texas Water Commission. From: Frances Verhalen, FIT Environmental Scientist, EPA Region VI. Re: Regulatory History of Lead Products Company. January 3, 1989.

TEXAS WATER DEVELOPMENT BOARD

REPORT 178

GROUND WATER DATA FOR HARRIS COUNTY, TEXAS

VOLUME II

RECORDS OF WELLS, 1892-1972

By

R. K. Gabrysch, W. L. Naftel, Gene D. McAdoo, and C. W. Bonnet United States Geological Survey

This report was prepared by the U.S. Geological Survey under cooperative agreement with the Texas Water Development Board and the City of Houston

January 1974

GROUND-WATER DATA FOR HARRIS COUNTY, TEXAS VOLUME II

RECORDS OF WELLS, 1892-1972

By

R. K. Gabrysch, W. L. Naftel, Gene D. McAdoo, and C. W. Bonnet United States Geological Survey

INTRODUCTION

The collection of hydrologic data in Harris County, Texas, was begun by the U.S. Geological Survey on a more or less continuing basis in 1929. The current data-collection program is in cooperation with the Texas Water Development Board and the city of Houston.

The data-collection program consists of an inventory of new large-capacity and other selected wells,

the collection of water samples from wells for chemical analyses, an inventory of ground-water pumpage, water-level measurements in observation wells, pumping tests on large-capacity wells, and a compilation of information on land-surface subsidence.

This report presents records of 2,635 wells in 10 areas (Figure 1) in Harris County that have been collected as part of the inventory from 1929 to 1972. Data on geology, hydrology, pumpage, water levels, and




Figure 1.-Location of Areas in Harris County

chemical quality of ground water in Harris County may be obtained from previous publications, some of which are listed in the selected references in this report.

WELL-NUMBERING SYSTEM

The well-numbering system in Texas was developed by the Texas Water Development Board for use throughout the State. Under this system and 1-degree quadrangle is given a number consisting of two digits. These are the first two digits in the well number. Each 1-degree quadrangle is divided into 7%-minute quadrangles which are given 2-digit numbers from 01 to 64. These are the third and fourth digits of the well number. Each 7½-minute quadrangle is divided into 2½-minute quadrangles which are given a single digit.

number from 1 to 9. This is the fifth digit of the well number. Finally, each well within a 2½-minute quadrangle is given a 2-digit number in the order in which it was inventoried, starting with 01. These are the last two digits of the well number.

Only the last three digits of the well number are shown at each location on Figures 2.11: the first four digits are shown in the northwest corner of each "4-minute quadrangle."

In addition to the 7-digit well number, a 2-letter prefix is used to identify the county. The prefix for Harris County is L.J. The prefix is not included with the well numbers in the table because all wells are in Harris County.

•	0.001	Petites	ter.	711	51	100		1112	Above (+) letter tand entities date (11.)		****	11:	::	
es-13-#33	2. Any Schermott	4. (Srysty business	1000	.,,,	:	633		40	294	•	1969	Sub , t.	ter	gramme of the second section of the second
901	Liquid Carbonic Corp.	Tearn Water Selle	1933	221	"	307 923		51	1477				5	140 (4 of city) to take 10 oct
902	Techington Laundry	4. Chrysty buhlants	1958	487	:	430	а	34	197	19.1	23, 1950		,7	November 100 to 160 to §
903	City of Houston Control Bell C-19	Total Baller Bells.	1941	1,980	24 13 13	627 1 000 1 900		5.2	357 3	100	17: 1949 19: 1971	11	*	1,900 it Reported yield 2 480 gpm at the old of drawform wood drallet
204	City of Howaton Control Well C-20	-tu	1949	1 . 19911	#	1 .940	•	**	355 5	7.1	22; 1949 23; 1971	1.1	*	40. if of orest below 1.01. and 1.910 is Reported picted, 2.425 apparents of it drawn when drilled 1
903	City of Bounton Control Ball Coll	40	1957	2,020	15	2 020			342.1	7.6	31, 1937 32, 1971	7 A 250	*	410 ft of screen between 245 and 2 mod to Reported yorld 2,919 gps eith /2 ft dreedown eten detilled 1
904	Top Dairy	Layes Trasa Co.	1933	314		314	a	31	"	Apr	1993	10	lind	Serve true 4-2 to 3-1 II Reported yield 120 gre with 20 it decides
907	Samuel Singhes and Son Samufacturing Curp.	Tesse teter bupply Co.	1940	4 244	:	165	α	50				1,4	ind	
908	Senitary Fare Dairy	Bulleters and Possersy	1935	390	:	190	α	57				1 . L	Ind	121 (A. 11) 24 (A. 14)
909	Creents turp	du	1927	250		230	a	42	67	**r	4, 1931		-%	64 11 -) Sires (three 173 and 2-4 27
910	Fidelity Chemical Corp.	Und more to	1917	465		493	cı.	47	810	Jen	23, 1931		,	
•11	Selft and Company	Layes Trees Co.	1017	670	10	670	a	30		Jan	23, 1931		1 11.1	60 11 - (
912	Mounton Cutton Oll Co.	G. C. Varnieche	1893	240		**		31	10.7	100	11, 1931			
*14	City of Bouston	Una nowa	1917	330	24	330		59	20	int.	19. 1920		N	**. 11 10 -1 1
*13	•	Layne Besler Co.	1010	1,463	10			59	1.	***	1918			• H destroyed
1	Morlock Ice Co.	, . selling	1925	140		340		\$ect.	140 6	Jan	23 . 1911 12 , 1900		N	•11 1-1
917	Henke and Pillot	G. C. Maralecae	ola	375		375		340	14 0 14 2	Jen Apr	22 1931 19 1943			*ell Solomed 1
•••	-	sessers and Possersy	1929	211		3/1	u	55	110 3	June	22 : 1931 10 : 1940		>	4-11-11 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
•10	Fidelity Products Co.	tayes Bueler to.	1906	330		330	a	27	102 3	:::	25, 1931 3, 1947	*	,	Server from \$10 to 10 11 will destroyed
920	-	Und nowin	1020	*25		825		52	177 1	Jan mar	23, 1931 6, 1947			well destroyed
921	Steedard Sice Co.	Layne Bueler Cu	1909	*53		653		50	**	ien Nov	25, 1931 7, 1930		*	Section from Nove for eight 11. To 11.

•		.seat		-	o pris A di Hillion	1 44	Degith (II)	-11	11111	111.1	bat 	MI.		11.	 	
p-11	703	Trinity Postland	layer faces to	1931	112	":	412	1.8	1.00	191	141		1951			From the contract of the contr
		itts on Houseless		191	4-1	24 12	513		20.	1 P 4 12 1 H		22				The way to the same of the
	fire.	Southern Paritie	treas Bates Wells.	\$14.pm	1 500	12	1 122		77							
	ton	Concent Lauren	tapes faces to	1936	11	3	18-0 235	-11	- 11		Start.					V and the second second
	110	End to the state of	de.	19539	340		523						1911	1.		2.0
	m	Southern Pariti-	44	1917	76	1.2	932	* 11	-	-						mint - probability
	712	Southern Partin	A1	121)	-	"	(ar.)	4	-	110	ter	•	1.011			(4) 11 1 11 1 1 1 1 1 1
	71.1	pathioni to		1741						-In	140		1711	-		the transfer of the transfer of the
	714	Bouet-or Lighting		1419		1	633		33		441	,	37.69	1.	1	# 1
		Sell 2	, a setting	191	1		12.			41	144		1,111	1	1 4	Company of the State of the Sta
	n.	Cold Storege Co.	Millerton and Posterny	145					540	1	1				1	4.54.0.1
	714	Name that day	Layer Tobas to	193				1.	10		Sum	10	19,00		1	975 41 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
	710	Please Selly		19.5		-	: 5		-	-	Max	29	\$10.00	1	1	Sent a series for security of the second of
	119	tel and Gas Bellding	fram Mater Supply	190		-		1.	1	1 9	191	17	. 1:4	12		(1.11) (1
	720	-	Layne Tours Co.	19			: 1:		1 3	4	ini	. 23	3 174	1	1	11 - 1
	721	tomacion mulding		1.0		-		72		1 11-				10		Jesti a
	/22	Building	Tease Bater Dompte Corp	19	14	-								1:		desile i
1	n	hiele Esperant	-	19	40		:	100	1	1				1:	1.	Tribe if and the death of

一年 できる あいかっているできる

. 97 .

•	(Ama;	petiter	:=:. :=:.	orpin of orbit the	ы — (1-	Bapth (fr.)		111 h t lend t lend (111-1	alicon (a)	~**			-1	-:-	
5-14-724	Uptoen Theatre	tayer less (o	1935	101	":	494	11		***		I	1905	*	F	victa because the state region
741	Model Leatedry	Southern togethe and Pump Co.	Det	1 67	^	1.070	· t	1.	102.2	100	ě.				# 1 1 1 1 1 1 1 1 1 1
120	ficeston for and Cold Storage Co	J. A. W 110a	1915			*/5	17.8	10					1.5		*- II
741	North-east Boll 1	W Mexists and Pumeruy	1991	1 11/-	12) #7m	£		ài.		¥.				Land and Angle of the Land and
728	Wing Hotel Well 1	layer brains to	191.6	1 10.	:	1,221	t	- 1							A TOTAL CONTRACTOR
129	#11.0 Mc1-1	J 4 Welling	1976	#.N.	15 12 10			- 54					^	-	•11
7.20	Bineser Periffe	topow toreles to	1347	¥ 12m		1 3%1	,	1-						-	Treatment of the
731	Houston helt and Tereinal Estirond	Schoolers and Posercy	1931	lun	1.	700		544	12.1	7•n	2	1717	9	-	The transmit approximation
***	Tesse Ratirond	tayor frame to	1910	1,545	":		. / .	.40	3.7		ű.				• ((4: +: +: +:
734	Sellding		1925	***	:	823 993		Set	1000 100	1.4	2.	17.11			Ter 5- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1
737	Moveton Fighting and Power Co. Cable St. Bell 1	Teplor and Subgets	1922	•11	:	255	•		10:1	int.	11, 1		*	*	ma inches
739	Houston Lieutric Co.	Con versus	1910	1,350		1,359		111	917	iau aepi					Hart Control Control
710	Southern Pecific Building	Taylor and Solerte	1923	***	:	791		***						K.	Maria and trues
741	Sen Jeciato Matel	4.	1907	***	:			-	121 · 210 ·	lut.					bearing a series of the series
743	Ambanadur Apartmenta	tena less to	1910	nen	:	***		,441	-						5-14-1 (1 No. 1 - 14)
144	Aress building	der.	1913	+42		542	**	Sas		***	4	1111			plants and the second
747	Central Bell C-16	4.	1925	1 .535	10	1 535		35		tul:	• 1				los o solo de la composición del composición de la composición de la composición del composición de la composición del composición de la composición del composición del composición de la composición del composición del composición del composición del composición del composición del
/**	City of Bone ton Central Well D-17	she	192.	790-1	24 10	151		For	2.2	Wer					Weit the other
749	Teaser inc partiring	I t Minute	1917	1.145	:	1,329		,111	50 H 55 Z	in pi	21 25				# D

8


· •_-|

	.	I Mari	bettler	bete	(mpin		I bepth			3.77 m	ater to se					1
			3-111-1	iete d	of	:1:1	iti.)		711-1	In the same same same same same same same sam	-			ed 11ti	-1 -1	
-5-14	130	Burkhart Laundry	Schoolers and Poserny	1931	1 102	:	1 402	٠	.44	-				1 1 20	41-1	Begant 1 to 1 1 to 1 1 1 1 1 1 1 1 1 1 1 1 1
	121	I I bettie bitling	layer bealer to	1943	10-1	:	252 363	11	i to				1 12 1			#1 11 +1
	15.1	torold But Wash	taxes fores to	1921	1 17	:	1 192		"					5	. 1-	deposits to a fit the greater office.
	754	Zero lie to	tape meder to	1923	**1	10	145	11.1	ju.	-	***	2)	l'tle	8		
	755	Well 1		1901	1 1	5	. 610		l+	.62	1-1-		1736			Property of the transfer of th
	I.m	themeton Packing Co. Well 3	layer has to	1410	-61%	":	619	**	4.0	102 103 ,	Jul. Jul.	30	1941	1,1	I=L	101 () 1 2 2 2 2 2 2 2 2 2
	121	Bouston Parking Co Sell 2	M. Masters and Pomercy	1:918	117		417	(L	10	16.2	lan Sepil	29	1711			Million of the service of the servic
	730	Houston Parking Co	Layne Trace to	1930	421	13	239 424	12	10	n	Dec	23.	1910	1.	test	Const. I report to the design of the act. Const. Report to the design of the act.
	224	Northeast	der	1930	1,241	12	1,291	4,11	1"	251 1		14.				led to a contract to recent to 1 and 1 december 1 and 1 december 1
	20-11	Cora Cola mottling Co.		1933	***		821	4,0	549	20.4	Arra		1934			
	702	Lead Products to	H. L. Jackson Co.	1923	258		230	11.	10	110		24	1900	*	10	Secrete distance and distance distance and an armined
	703	Momental Depties	layer Trace Co	1903	1 , 5000	":	1.300		52	2*4	***		194.1		"	148 it of server televis to the act 1 4 no. 1. Reported and id fit are even 12 it to a down the attird
	704	Fillborg's Laundry	4-	1932	374	:	93e		31	249	***	2"	1912		5	brief, tree 904 to 500 ft Reported yield the gaw with 900 it decided when trited well decided 2
	783	Inends Laundry	Taylor and Solerte	1910	91.		975		544							• 11 de 11000 d'
	801	Southern Pacific Mailroad Well 1	Teams Mater Wells.	1951	1 200	10	1.204		59	110	-4.1	•	15/0	1.1	11-1	1 Will applies by the start
	902	Southern Parille Railroad Well 2		1954	1,201	10	1,000		349	***	1= t		1970		1	Mill I carry betagn total and Const. Supplies logic and sail
	003	The base Co.	McMaulers and Pomerty	1950	234		350	11.	**	134 134	u.,		1900	11	1 10-1	
	***	Welkewoogh Cement to	Teres Water Welle.	1962	****	12	800			244	***	•	1302	1.1		194 II capable she della
	***	Seingerien's bakery	Layre Tales to	1937	3913	10	*93 905	1	12	232	Nat		1:057	1.1	1 10-1	Mil 11 -1 septem to be a 825 and 900 at

See footnotes at end of table



8



•	0441	Desti.e	Bete (==- lette	711	Bi-	(ft.)	teer tee	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	televice eriteria	-		::.	::	
3-31-31+	City of Southerde Place Well 3	Schoters and Preservy	1015		:	::0		30	100	722"	122	w		bd ft of electric piels 420 apa est. 42 ft disadded electric piels 420 apa est. 42 ft disadded electric piels
210	Place Pail 3	do.	1941	•••	":	279 004	11.1	5m ·	190 3	; ;;	.: (21)		74	120 ft of creek balance 481 and 889 ft Reported yield 4nd greets 33 it headens een drilled self dealers d
220	university Place	J. 4. 1011114	1832	1.40		030	.6.	5/	::;	Aug	3, 1940			•cH destroyer)
221	-	Una nuen	1931	#0 0		900		60	46 3 53 2	Dec.	21, 1936 10, 1941			• didestropi j
222	University Place	Layne Tease Co.	1941	1.072	12			33	103	June	14, 1941	1 h	*	198 ft of more between 1,200 end 1,813 ft Reported yield 2,000 gpm eith m2 ft drawdown whom drilled
223	City of West University Place West 3	-	1030	700	1)	700	N, CL	33	51	•••	11, 1916	30	٠	he ft of wreen between h32 and 13m it heported yield 330 app with 13 ft drawdown even drilled 2
224	City of West University Place Well 4	-	1939	1,202	1:	1,103		35	74	Nuv	20, 1939	123		15: ft of extrem between 944 and 1 in 9 tt Reported yield 1,5:0 gra- eten detti-d 2"
***	City of Southeide Place	Touse Vater Selle.	1000		12	*00		3*	2002	***	16, 1901	Sut: 1 100		ind it. of more interestil and uss ft separted yield to 7 gap with 25 it medien even drilled test bele drilled to 1,000 ft 2'
301	City of Moveton South End Bell 7	Layre Teres to	1944	1,750	11	1,750		") 143 321 7	***	18: 1878			234 ft. of errors between 1,365 end 1,735 ft. Reported yield 2,251 gpm with 110 ft. drawdown oben drillied. Test not drilled for 2,50s ft. Plugg beck to 1,756 ft. 1 2/
302	City of Houston Bouth End Boil 8	Total Writer Solle,	1023	1.070	13	1,676			310 6	Sept Peb.	10, 1931	7 E		325 (t. of ecoses leteres fin and 1,850 ft. Beauard steld 1,865 ag- eith 32 ft. desenden bept. 12, 1968
303	City of Houston South End Wall 9	El Pseu Drilling Co.	1954	1.03	13	610	•	"	312 1	fee.	10; 1971	7, k	*	325 ft. of exceen between 680 and 1,870 ft. Beasured yield 1,2-7 gim with 31 ft. drawdown Sept. 12, 1866
304	City of Mounton South End Bell 10	Tesse Water Walle,	1950	3,190	13	593 4 , 100	•	30	322 :	700	1; 1971	7 A 230	*	400 ff of screen between 795 and 2,170 ft. Beautred yield 1,804 ga- eith 29 ft. draeduen Sept. 12, 180m
305	Dr. Allaly	M. L. Jackson Co.	1951	219	,	279	a	31	103	446	6, 1951	1.1	10	Reported 20 ft of pareen
306	City of Mouston South End Fall 11	Tosse Seter Selle.	1002	2,215		390	•	"	316 4	===	6; isri	3w6 , &	•	440 ft of Autom between fint and 2,195 ft Beaustral yield 1 4-4 gre- eith 19 ft dreaden Sept 13, 10-6 Tret hale utilled to 2,314 ft 1/2
347	Herees Muspitel	Layne Tesse Co.	1937	***	10	292 617	11	"	127 2 207 1	ret.	19 1951 27 1970	1,1	*	Screen from him to 415 ft. Reported pield 460 goweth 30 ct. orthogone when dellied 1' 2'
300	Parklane Apartments	Tease Vater Supply Corp.	1939	-	:		it		4				*	Service date to the district to product

See featnetes at end of table

122.

		e-111-1			. 500	Dopik			A (1)	T bets of	-	100	
Ì	i i i i i i i i i i i i i i i i i i i			of well (ft.)	110.1	(ft.)		1111	10.3	~	::.	-1	
3-41-91	Gulf Gil Co	L. Patteraus	1935	370	,	120	a	nes.				74	to the state of the confit and
917	Producting Co.	tayer feras to	190-8	17/1	":	150		- 11	211	ml, 2 170.0	1.	11	45/ II reported problem of process.
910	Cossist States Les Producting (o. Well 2	J	1900	34:11	":	269		**1	10.7	tog / 1908	1.	11	94 II of views between 201 and 31 (I separted yield 041 person 37 II shouldon stee Jerlier lest have defined to 453 II 2
213	Tease brine Corp.	de		4301	-			***	-	-			ecti setured
923	Tesse Brise Curp.	Leunerd Wirkelson	1202	401	12	105	**	-1	140	wer 20, 1969	1.	tred	Factor (1776-17) = 191-1 (179-1)
924	Sanda Petruleum Cy.	Laty Scilling to.	1909		14	*10	11.1	641	254	Hey 28, 1942	TI	Fred	Facility of Street Line 2 Model Rev. 11
923	Porke Co.	A thrysty Autieson	1976	-	:	324	**	31	210	Sept 21, 1970	347r.1	test	Service from the foreign of
926	Bryan Jackson Co.	Lucry Catur Cells	1909	239	1	211	a	540	132	in 10, 1909	3 ut. 1	1 1	action from 210 to 22 (1) (2)
927	C. B. Movery	C. L. Bowery	1922	21111		200	ii.	35					• 11 · · · · · · · · · · ·
22-101	Perco Bubber Co.	Lowery Water Wells	1053	434	:	134	· L		-	**	-	tu-t	n2 t1 of server between \$11 to 1 42c 11
102	University of Sweeten Test Tell 1		1957	2,436				**	-			-	from will class compaction test details to test of the contract of the contrac
103	City of Moneton Scott Street Well 4	Layre Trues (w	1903	2,157	13	2,157		+>	257 : 320 2	101 16 1971			lim it of server between Dec and 2,100 it because district 3 00 t growth for it drawdows when dealled
104	Seven-Up Buttling Co.	•	1937	,**	1	296 366		"	6-6	7, 1437			Service time 110 to 186 ft. Reported tield 25 ape with 26 ft. Resident when delilled 2
105	Sehi Builling Co.	failing brilling to	1994	545		305	11	"			1 .		Service from the first of the expected with the page on 1911
100	Scott Street Poll 3	Layer Teass to	1930	w57	12	157		"	235 6	No. 15 19.10 War 16 1963	1 1 1 1 1 1 1 1 1 1 1	*	745 II deported valid 1 000 appoint 32 I redoctor of 100 II let 1
147	tten Curie	Texas Pater Supply Corp.	1939	Saist		500	11	"	-		14	10	wires them that to Some fr
100	Henard Sakuetts	3.	1940	285		205	a.	"	-		11	10	30 4 5 4 10 11 12 11 11 11 11 11 11 11
109	C. W. bdeards	M. Masters and Pomercy	1930	355		303	"	••	-		14	h	11 11 -1 interes 1/0) 54 - 10 - reported pické 105 apm s dratted
1100	then Tauli	Trace Coter Supply Corp.	1940	291	:	205		411			14'	le .	printed for any even detter
***	Albert Flueser	*	19.50	745	;	745			-	-			Server les e sens du II ; 11 evil destinant
113	Interior Bell and	B. Masters and Posservy	1924	•17		•32			-				• 11 de 11 1

. 128 .

•	Owner	Deitler	=	•1	Blas- eter (10.)	Bepth (ft.)		**************************************	Above (1) below land ourland datum (11.)	-	1		11.	u	
13-32-136	City of Mounten Scott Street Boll 7	Tease Pater selle,	1-3	1,725	24 12	1,725	٠	45	275 7 343 0	:::		1071	300	۲	Jul 11 of access to tech 2705 and 1,715 ft. Bessured yield 2,919 gim with 43 ft. drawdown when drilled
131	Dison Packing Co.	Peercy Grilling to	**	Pou		₩00		"	247			1903	1.4	1 mal	
133	Blue Silden Pecking	*	1000	703	:	331	1.01	"	210	•••	u,	1 == 4	best t	11-4	MR 41 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0
133	Port City Stuck tarde	W J Setcement to		122	:	***	a	35	26.0	1-1y	17.	14-8	3ub . k 20	3	become to a so to all it separated pield 190 gas ento 32 of diseases when drilled 27
201	christenson Courts	M. L. Jeckson Co.	1040	335		235	a	34	-		**		T		Separted to it of come separted
242	Manne Streeting Co.	Layer Tesas (o.	1947	1,133	10	1,133		37	194	Sept	•	1947			180 ft. f erren between nin and 1,000 ft. Separted rield 933 gre
203	Hughes Tool Co.	**	1940	1,120	10 10	322 843 1,120	•	*	194	Sept	20.	1940	7.4	test	150 ft of wreen between 807 and 1,105 ft Reported steld 900 app at 64 ft drawdom when drilled
204	Able Supply Co.	Briggs Nump Service	1933	207	•	382	a	39	114	Sept		1953	3nt 1	i mi	Screen from 272 to 282 tt
203	Reed Buller Bit Co. Sell 3	Layne Touse to.	1941	1,115	17		•	40	120	Nov	24.	1441	7,1 60	1 004	10 of the Report of the STO grade of ST ft. drawdown shem drilled.
200	Houston Golf Club	40	1030	1,131	13	1,131		10	••	June	•.	1838			Screen from 1,000 to 1,121 ft = 0-11
207	Houston Golf Club	do.	1034	***	10	334	8,CL	36	45			1934			25 ft of series between tot and
200	J. B. Mier		1934	309	:	366	a	40	42	OCT.		1934			Screen true 2:9 to 297 ft
209	Wrs. L. F. Stee	Bellesters and Pomerny	1940	300	:	196	cr.	25	•7	**,	20.	1940	•		30 ft of a result leave bil and 381 ft beposted yield 140 gpm shee 4ctiles
210	Hughes Tool Co.	Layer Tesas Co	1934	1,123	10	205		37							127 ft of second to town 6:1 and 1,1-1 ft formerly supplied culf brooking to 10:1 destroyed 2
an	Hughes Toul Cu.	•-	1926	3 ,000	:	162		40	211 0 225 4	June		1926			139 ft. of a reco between \$10 and 1,006 ft. well destroyed 2 2
313	Reghes Tool Co. Bell 1		1933	***	10	.::	a.,	40	:::	***		1943		*	of ft lest but dillet to bot in
313	Gulf Comrete Pipe Co.	1. d. Borney	1941	270	1	23m 276	a	12			••		3,4	1-4	Screen from 200 to 270 ft
214	Sevetus Golf Club	Layne Bueler Co.		***	**	***		33	21 1	:::		1901			• H. A. G. C. C.
213	Marehell Ice Cu.	Schoolers and Pomeruy	1920	500	10	500	a	**	62	June		1941			Af it of the base for the sell the fit or the sell the se

See footnotes at end of table.

130.

Uncontrolled Hazardous Waste Site Ranking System

A Users Manual (HW-10)

Originally Published in the July 16, 1982. Federal Register

United States Environmental Protection Agency

1984

TEXAS WATER DEVELOPMENT BOARD

REPORT 190

ANALOG-MODEL STUDIES OF GROUND-WATER HYDROLOGY IN THE HOUSTON DISTRICT, TEXAS

By

Donald G. Jorgensen U.S. Geological Survey

This report was prepared by the U.S. Geological Survey under cooperative sgreement with the Texas Water Development Board and the City of Houston

ebruery 1975

Second Printin

ANALOG-MODEL STUDIES OF GROUND-WATER HYDROLOGY IN THE HOUSTON DISTRICT, TEXAS

INTRODUCTION

Purpose and Scope of the Project

Continual declines of water levels in wells, land-surface subsidence, and salt-water encroachment are problems related to ground-water pumping in the Houston district that necessitate additional studies of the hydrologic system.

This study was begun in 1970 by the U.S. Geological Survey in cooperation with the city of Houston and the Texas Water Development Board. The principal purpose was to develop a means for forecasting declines in the altitudes of the potentiometric surfaces (levels to which water will rise in tightly cased wells) under various conditions of pumping. Because of the complexity of the hydrologic system, an electric analog model was chosen as the most suitable device for analyzing the system and simulating future responses.

This report presents the results of the geologic and hydrologic studies, discusses the theory and construction of the analog model, and presents the simulation of the declines in the altitudes of the potentiometric surfaces as determined by using the model.

Most of the data upon which this report is based are available in reports by the U.S. Geological Survey and the Texas Water Development Board (see references) or in the files of the U.S. Geological Survey in Houston. Data are obtained through a continuing cooperative program of the U.S. Geological Survey, the Texas Water Development Board, the city of Houston, and the city of Galveston.

For those readers interested in using the metric system, metric equivalents of English units of measurements are given in parentheses. The English units used in this report may be converted to metric units by the following conversion factors:

Fro	m	Mutiply	To obtain				
Unit	Abbre- viation	by	Unit	Abbre-			
cubic foot	113	0.028317	cubic meter	m ³			
foot	ft	0.3048	meter	m			

From		Mutiply	To obtain		
Unit	Abbre-	by	Unit	Abbre- vietion	
foot per day	ft/day	0 3048	meter per day	m/dev	
foot squared per day	11 ² day	0 0929	per day	m ² /day	
nch	·n	2.540	entimeter	cm	
million	10° gai	3,785	cubic meters	m³	
squere mile	mi ²	2.590	square	·m²	

Description of the Area

The Houston district, as used in this report, consists of all of Harris, Waller, and Fort Bend Counties and parts of Galveston, Montgomery, Brazona, Chambers, and Liberty Counties (Figure 1). The area of the district is apprecated to the district is apprecated to the country of the country



Figure 1. - Location and Extent of the Houston District

Except for a small area in Montgomery and Waller Counties, the land surface is nearly flat and featuraless;

The land is generally treeless in the rural areas from Houston southeast to Galveston.

The climate of the Houston district is characterized by mild winters and not summers. The lowest temperature recorded at Houston was 15°F 19.5°C) and the maximum temperature was 108°F 142°C1. The mean annual temperature is 69.2°F 20.6°C). The 30-year average (1931-60) raintall at Houston was 45.95 inches (116.7 centimeters); monthly raintall is distributed uniformly throughout the year.

The Houston district has a large and diversified industrial economy, but also has extensive agricultural developments. Large amounts of water are used by industry for processing and cooling purposes and by rice and cotton growers for irrigation. The rapid growth and development of the district are due in part to the availability of large amounts of inexpensive ground-water supplies. The locations of the major pumping areas are shown on Figure 2.

Previous Studies

Among the more comprehensive earlier reports describing the geology and hydrology of the Houston district is the report by Lang and others (1950). Petrit and Winslow (1957) summarized the geology and ground-water resources of Galveston County. The relation of salt water to fresh ground water in Harris County was discussed by Winslow and others (1957). Land-surface subsidence and its relation to the withdrawal of ground water in the Houston-Galveston area was first reported by Winslow and Dovel (1954) and later by Gabrysch (1969).

Previous ground-water investigations were made in Waller County (Wilson, 1967); Liberty County (Anders and others, 1968); Montgomery County (Popkin, 1971); Fort Bend County (Wesselman, 1972); Brazoria County (Sandeen and Wesselman, 1973); and Chambers County (Wesselman, 1971). These studies provided relatively recent data on the ground-water resources and ground-water development in most of the Houston district exclusive of Harris and Galveston Counties.

A report containing data on ground-water withdrawals and water-level declines in Galveston and Harris Counties was prepared by Gabrysch (1972), and the role of groundwater in the development of the water system for the city of Houston was described in reports by Turner, Collie and Braden, Inc. (1966, 1972).

A report by Wood and Gabrysch (1965) describes the results of the first analog-model study of ground-water hydrology in the Houston district. The astruiness of the first analog model was limited because the simulations required that the adulfers be operated ndependently of each other and because the results of bumping in the western part of the area could not be limited. Evaluation of the decropmance of the first model indicated that improvement in adulter designation has needed and that the transmissivity of the adulters and vertical leakage between the adulters were not adequiately modeled.

Acknowledgments

The author expresses his appreciation to Mr. D. E. VanBuskirk of the city of Houston Water Department and to the well owners and drillers who supplied pertinent information for this study. The aquifers in the district were mapped by John Wesselman, U.S. Geological Survey, and the model was designed and constructed by William Bruns, U.S. Geological Survey.

GEOHYDROLOGY

The geologic formations from which cost of the ground water is pumped in the Houston district are composed of sedimentary deposits of gravel, sand, silt, and clay. The formations, from oldest to youngest, that form important hydrologic units are: The Catahoula Sandstone and Fleming Formation of Miocene age; the Goliad Sand of Pliocene age; the Willis Sand, Bentley and Montgomery Formations, and Beaumont Clay of Pleistocene age; and alluvium of Quaternary age (Table 1). Correlation of the hydrologic units from northern Montgomery County to the Guif of Mexico is shown by the chart on Figure 3.

With exception of the advision and the Goliad Sand, the formations crop out in belts that are nearly parallel to the shoreline of the Gulf of Mexico. The younger formations crop out nearer the Gulf and the older ones farther inland. All the formations thicken downdip so that the older formations at note steeply than the younger ones. Locally, however, the occurrence of salt domes and faults may cause reversals of the regional dip and thickening or thinning of individual beds.

Salt domes are cylindrical structures resulting from the upward movement of salt masses that are probably of Mesozoic age. In some areas, the salt domes penetrate the uppermost aquifer and nearly reach the surface. In

Table 1.—Geologic and Hydrologic Units Used in This Report and in Recent Reports on Nearby Areas

		This report		Gabryach (1965)	Sandeen and Wesselman (1969)	(1967)	(1971)	and White (1.50)		0.0	etters (1960)	1121-1
System	Sertes	Stratigraphic unit	Aquifer	Houston district	brezoria County	Austin and Waller Counties	Manty-secry County	Hometon, district	date at an county	Construction to the fortists to the fortists to the fortists to the fortists of the fortists o	Titority compty	r of E. E. au Chant
****	Holocene	dusternary alluvium Beaumont Clay Muntgomery Formation Bentley formation Willis Sand	c h Upper c anit t Lower i unit r	Confining layer and Alta ions Sand of Rose (1943)	t Haper c ounit t	Attention of the Bracos hiver	G 1	Allowial droyalta c c d droyalta c d d droyalta c d d d d d d d d d d d d d d d d d d	track and duns soul be a substitute of the soul loss to sand the soul loss the soul loss to sand the soul loss the	to the second se		to the state of th
	: : : : :	Polisal Send	E v a a a a a a a a a a a a a a a a a a	Heavily pumped layer	traugeline equifer	thay contain unidentified Chicot equifer along the flood plain or along sout	# # # # # # # # # # # # # # # # # # #	Some 5		transference	s was a law.	****
;	H 1 0 c	Fleming Formation	Burkevill confining layer			Burkeville aquiclude	Burkeville aquiclude			manaciti mpiciste	out-rills apiciols	incres ville
			J a lippe a q unit a u p i e f Lowe r a unit			'naper aquifer	J a Upper a q part of a u Jasper p i e f lower r e part of r Jasper	Zone 4 Zone 3 Zone 2 Zone 1			41010	apilie.

most instances, nowever, the domes pierce only the ower squiters. Ground-water directation within the inclinity of the domes may result in salt water-contamination.

Faults in the area may have several hundred feet of displacement, in the older Tertiary formations, but displacement lends to decrease upward so that the faulting may not be apparent at the surface, generally, the declocic units containing fresh water are not displaced endum to disrupt hydraulic continuity.

Description of the Water-Bearing Units

Chicot Aquifer

The Chicot aquifer is composed of the Willis Sand, Bentley Formation, Montgomery Formation, Beaumont Clay, and Quaternary alluvium (Table 1). The Chicot includes all deposits from the land surface to the top of the Evangeline aquifer (Figure 4).

The basis for separating the Chicot aquifer from the underlying Evangeline aquifer is primarily a difference in hydraulic conductivity, which in particular to the difference in the altitudes of the potentiometric surfaces in the two aquifers.

In most of the Houston district, the Chicot aquifer consists of discontinuous layers of sand and clay of about equal total thickness, and in some parts of the district, the aquifer can be separated into an upper and lower unit. Throughout most of Galveston County and southeast Harris County, the basal part of the lower Chicot aquifer is formed by a massive sand section with high hydraulic conductivity. (See Figure 4.) This sand unit, which is heavily pumped, is known locally as the Alta Loma Sand. In many previous reports, the unit is identified as the Alta Loma Sand of Rose (1943). The term Alta Loma Sand is not often used in this report because the stratigraphic relationships are not clear.

If the upper unit of the Chicot aquifer cannot be defined in a particular area, the aquifer is said to be undifferentiated. The areal extent of the upper unit roughly corresponds to the areal extent of the Beaumont Clay. The areas in which the aquifer cannot be differentiated into units are mostly in the northern part of the district (Figure 5).

Wells that are completed in the uppermost sand layers of the Chicot aquifer and that have water levels that are distinctly higher than water levels in wells completed in the underlying sand layers are considered to produce water from the upper unit.

The transmissivity of the Chicot adulfer ranges from zero to about 20,000 ft day (feet squared per day) or 1,858 m² day (meters squared per day). The storage coefficient ranges from 0,0004 to 0,20 (Figure 6). The larger values of the storage coefficient occurs in the northern part of the district where the adulfer is partly or totally under water-table conditions.

Evangeline Aquifer

The Evangeline adulfer, which is the most important source of fresh ground water in the Houston metropolitan area, consists of layers of sand and clay that are present throughout the district except where the unit is pierced by sait domes (Figure 7). The aquifer is underlain by the Burkeville confining layer.

The transmissivity of the Evangeline aquifer ranges from less than 5,000 ft $^2/\text{day}$ (460 m $^2/\text{day}$) to about 15,000 ft $^2/\text{day}$ (1,400 m $^2/\text{day}$). (See Figure 8.) In general, the horizontal hydraulic conductivity of the Evangeline aquifer is less than the horizontal hydraulic conductivity of the Chicot aquifer, but because the Evangeline is generally thicker than the Chicot, it is generally more transmissive.

The storage coefficient of the Evangeline ranges from about 0.0005 to 0.0002 where it occurs under artesian conditions; in the outcrop area, where the aquifer is under water-table conditions, the storage coefficient ranges from greater than 0.002 to 0.20.

Burkeville Confining Layer

The Burkeville confining layer, which in the outcrop area is in the upper part of the Fleming Formation of Tertiary age, is composed mostly of clay but contains some layers of sand. The Burkeville restricts the flow of water except where it is pierced by salt domes and in the northeastern part of the district where it contains many water-yielding sand layers. The Burkeville is underlain by the Jasper aquifer.

Declines in the Altitudes of the Potentiometric Surfaces

Records of ground-water withdrawals in the Houston district date back to 1887, and records exist for probably 90 percent c. the total withdrawals.

Use of ground water increased slowly until about when rapid industrialization increased the rate of In 1955, surface water from the San Jacinto River ake Houstoni became available, and the use of ground par remained relatively constant until 1962. From 1970, the use of ground water increased to 1970, the use of ground water increased to 1975 mgd (million gallons per day) or 2.2 million of day (cubic meters per day). The historic withdrawais of ground water for 1890-1970 and the predicted withdrawais for 1971-80 are shown on Figure 9.

The pumping of large quantities of ground water has caused large declines in the altitudes of the potentiometric surfaces in the adulers, except in the upper unit of the Chicot. The declines from 1890 to 1953, from 1890 to 1960, and from 1890 to 1970 in the lower unit of the Chicot aguifer and in the Chicot aguifer undifferentiated are shown on Figures 10, 11, and 12. Figures 13, 14, and 15 show the decline of the altitude of the potentiometric surface in the Evangeline aguifer for the same periods.

By 1970, the altitude of the potentiometric surface had declined a maximum of about 330 leet (100 meters) in the lower unit of the Chicot aquifer and Chicot aquifer undifferentiated and about 430 feet (130 meters) in the Evangeline aquifer.

Not enough data are available to map the decline of the altitude of the potentiometric surface in the upper unit of the Chicot adulfer.

Houston Area

Nearly all the ground water pumped in the Houston area (Figure 2) is from wells screened in the Evangeline or Chicot aguifers, and many of the wells are screened in both aguifers. (The reader should not that the Houston area is only a part of the Houston district.) The declines of water levels in wells screened in each of the adulfers are shown on Figure 16. Locations of the wells are shown on Figure 2.

Declines in the Evangeline aguifer and the lower unit of the Chicot aguifer have been the greatest. The upper unit of the Chicot is relatively undeveloped; therefore, the decline of water levels shown on Figure 16 for the upper unit of the Chicot is due in part to the discharge of water to the lower unit.

Pasadena Area

The Pasadena area is an industrialized area east of the Houston area and mostly west of the San Jacinto

River (Figure 2). Most of the ground water pumped in this area is from the Evangeline adulfer, but a considerable amount is withdrawn from the lower unit of the Chicot in the southeastern part of the area, A imail and mostly unrecorded amount is pumped from the upper unit of the Chicot.

Figure 17 shows the decline or water levels in three wells, each of which is screened in a different water-bearing unit. The decline of the affitude of the potentiometric surface in the upper unit of the Chicot is not as great as the decline in either the Evangeline or the lower unit of the Chicot. The decline in the upper unit of the Chicot is attributed to discharge to the lower unit and to a small amount of pumping.

Katy Area

The Katy area is an agricultural area west of the Houston area and includes the northern and western parts of Harris County, about half of Waller County, and northern Fort Bend County (Figure 2).

Ground water is used exclusively in the Katy area and most of it is used for rice irrigation. Most of the water pumped is from the lower unit of the Chicot aquifer, the Chicot aquifer undifferentiated, and the Evangeline aquifer. In the northern part of Fort Bend County, along the Brazos River, some water is pumped from the alluvium, which is a part of the upper unit of the Chicot aquifer.

Figure 18 shows the water-level declines in well LJ-65-04-507, completed in the Chicot aquifer undifferentiated and well LJ-65-04-607, completed in the Evangeline aquifer. Declines are greater in wells screened in the Evangeline aquifer than in wells screened in the Chicot aquifer undifferentiated.

Baytown-LaPorte Area

The Baytown-LaPorte area extends eastward from the Pasadena area to the Chambers County line (Figure 2). It is primarily an industrial area, in which most of the ground water used is a mped from the lower unit of the Chicot aduler.

Figure 19 shows the water-level declines in well LJ-65-24-606, screened in the Evangeline aquifer and in well LJ-65-24-501, screened in the lower unit of the Chicot aquifer. Although most withdrawals in the area are from the lower unit of the Chicot, the rate of decline in the Evangeline is nearly as large as the decline in the lower unit of the Chicot.

a result of pumping. The northern part of the district also has the highest vertical leakage, which allows water to move easily from the surface to the Chicot aquifer.

Limitations on Use of the Analog Model

The values of the parameters modeled are rational values for the hydrologic system. Further investigation and new data will allow retinements to be made and will allow more accurate determination of the values for the parameters modeled.

The model was not designed to simulate the effects of one well over a short period of time. The model was designed to simulate the effects of withdrawal of water from a well field for periods of a year or longer.

*

The model was not designed to predict subsidence accurately; although, the simulation of clay compaction was included. Declines in the altitudes of the potentiometric surfaces are simulated, and these values can be used in calculations to predict subsidence.

Caution should be used in applying the modeled values in equations to predict short-term specific capacity of an individual well. The model simulates leaky-aquifer conditions with clay storage for time intervals greater than 1 year.

Data Required for Improvement of the Model

Observation wells that are screened in only one water-bearing unit are needed for better calibration of the model. The areas where measurements from such observation wells are needed are determined easily by noting the areas in which no potentiometric measurements are shown on Figures 12 and 15.

The accuracy of the model could be improved by better delineation of the water-bearing sands above the basal sand (Alta Loma Sand of Rose, 1943) of the lower unit of the Chicot in the Texas City area. To improve the correlation of observed and measured declines in the altitude of the potentiometric surface in the Texas City area, it was necessary to program extra pumpage.

More data are needed on the quantity of ground water pumped for irrigation in the vicinity of Dayton an? Liberty and on the quantity of water discharged from flowing and pumped wells prior to 1930 in Galveston County. The model could be modified to simulate clay compaction more accurately if the storage coefficient for clay compaction is determined accurately for each adulfer. In the present model, the storage coefficient for clay compaction is modeled as existing entirely between the land surface and the centerline of the lower unit of the Chicott adulfer and the Chicott adulfer and the Chicott adulfer undifferentiated. To distribute the storage coefficient accurately, more data concerning the characteristics of these clay layers are needed. These data can be obtained from consolidation tests on core samples, records of clay compaction from compaction recorders, and possibly from studies or various types of geophysical logs.

The present model could be modified to be one of the elements of a hybrid analog-digital model that could be used for detailed studies of such problems as salt-water encroachment and land-surface subsidence.

SUMMARY


The Houston district has two major aquifers above the Burkeville contining layer. The uppermost aquifer is the Chicot aquifer, which consists of sand and clay layers that dip gently toward the Gulf of Mexico. In places in the Houston district, the Chicot aquifer can be separated into an upper and a lower unit.

The upper unit, which is not an important source of water for most of the district, can be defined the altitude of the potentiometric surface differs from the altitude of the potentiometric surface in the lower unit. Where the upper unit cannot be defined, the aguifer is said to be undifferentiated.

The Evangeline equitor, which is the major aquifer in the district, underlies the Chicot aquifer and consists of sand and clay layers that dip toward the Gulf of Mexico.

The Burkeville confining layer consists mostly of clay layers that form an effective the rier to ground-water flow at nearly all locations except at and near the outcrop of the Evangeline aquifer in Montgomery County.

The large cones of depression in the potentiometric surfaces in the lower unit of the Chicot aquifer undifferentiated, and the Evangeline adulfer are caused by large withdrawals of water. Water now flows toward the center of these cones, creating a reversal of the original hydraulic gradient in most areas south of Houston. This reversal of the hydraulic gradient has resulted in salt-water encroachment toward the centers of the cones, but





Catholic Control of the Control of t

TEXAS DEPARTMENT OF WATER RESOURCES

REPORT 236

STRATIGRAPHIC AND HYDROGEOLOGIC FRAMEWORK OF PART

OF THE COASTAL PLAIN OF TEXAS

Ву

E. T. Baker, Jr. United States Geological Survey

This report was prepared by the U.S. Geological Survey under cooperative agreement with the Texas Department of Water Resources.

STRATIGRAPHIC AND HYDROGEOLOGIC FRAMEWORK OF PART OF THE COASTAL PLAIN OF TEXAS

INTRODUCTION

1. 750

.

43

77

This report has been prepared to illustrate the stratigraphic and hydrogeologic framework of a part of the Coastal Plain of Texas from the Sabine River to the Rio Grande. It is the outgrowth of a project that has as its ultimate objective the construction of a digital ground-water flow model, if feasible or desirable, of at least a part of the Miocene adulfers in the Gulf Coastal Plain of Texas. The model would serve as a tool for planning the development of the ground-water supplies. Work on the project is being done by the U.S. Geological Survey in cooperation with the Texas Department of Water Resources.

During the course of delineating the Miocene aquifers, which is basic to the design and development of the model, the scope of the study was broadened to include delineations of other hydrogeologic units, as well as delineations of stratigraphic units. As a result, units ranging in age from Paleocene to Holocene were delineated (Table 1). A relationship of stratigraphic units to designated hydrogeologic units was thus established statewide.

Eleven dip sections and 1 strike section are included in this report. The dip sections are spaced about 50 miles (80 km) apart with the most easterly one being near the Sabine River and the most southerly one being near the Rio Grande. Each dip section is about 100 miles (161 km) long and extends from near the coastline to short distances inland from the outcrop of the oldest Miocene formation-the Catahoula Tuff or Sandstone. The strike section, which is about 500 miles (804 km) long (in three segments), extends from the Sabine River to the Rio Grande and joins the dip sections at common control points. This section is from 50-75 miles (80-121 km) inland from the Gulf of Mexico and is essentially parallel to the coastline. The location of the sections and the Catahoula outcrop are shown on Figure 1.

The sections extend from outcrops at the land surface to maximum depths of 7,600 feet (2,316 m)

below sea level. Selected faunal occurrences, where known or inferred by correlation from nearby well logs, are included. The extent of sand that contains water having less than 3,000 mg/l (milligrams per liter) of dissolved solids was estimated from the electrical characteristics shown by the logs. This information is included on all of the sections.


Although faulting is common in the Coastal Plain and is complex in some areas, all faults have been omitted from the sections to maintain continuity of the stratigraphic and hydrogeologic boundaries. The disadvantage of such omission is, of course, the representation of an unrealistic and simplistic picture of unbroken strata with uninterrupted boundaries. In reality, many of the faults have not only broken the hydraulic continuity of the strata but more importantly have become barriers to fluid flow or conduits for cross-formational flow. The sections are presented in this report as Figures 2-15.

Acknowledgements

The author wishes to express his appreciation to C. W. Holcomb (Exxon Co., USA), C. B. Phillips (Mobil Oil Corp.), and G. C. Hardin, Jr. (Ashland Exploration Co.) of Houston, Texas: J. G. Klatt (Mobil Git Corp.) and J. C. Wyeth (Continental Cil Co.) of Corpus Christi. Texas: H. C. Hixson (Mgbil Oil Corp.) of Denver, Colorado: and D. C. Bebout (Bureau of Economic Geology, University of Texas at Austin), for discussing correlation problems. Their assistance does necessarily constitute an endorsement of the views expressed by the author in this report. The assistance of V. E. Barnes (Bureau of Economic Geology, University of Texas at Austin), who provided unpublished geologic maps of South Texas areas; of R. H. Wallace, Jr., J. B. Wessell an, and R. E. Taylor (U.S. Geological Survey) of Bay St. Lewis, Mississippi; of P. H. Jones (Department of Geology, Louisiana State University), Baton Rouge, Louisiana, who provided log data, is also appreciated D. G. Jorgensen (U.S. Geological Survey) of Lawrence, Kansas (formerly of Houston, Texas) and W. R. Meyer

Table 1 .- - Stratigraphic and Hydrogeologic Framework of Part of the Coastal Flain of Texas

Era	System	Series	Stratigraphic Unita	Hydrogeologic Units	Selected Faunal Markers	Remark.
	Suter-	Holocene Pleistocene	Alluyium Bessment Clay Restaugency formation Bentley Pormation Utilis Send	Chicor equifer		quaternary System andlifer- entlated on sections.
		Pliocene	Gollad Sand	Evangeline aquifer		Lotied Sand overimpped cast of
910			Fleming Formation Cabville Sendatone	scheville contining system	Pertamake mateent Big mema makhastisa vat eliverta Big mema humbh Imphietigasa sp	canville Sandstone Included to Fleming Formation cast of Washington Gounty
CENDEDIC	ertlery	Niucrae	5 Upper part of Cataboula Tuff or Sandstone Anahuac Formation A C Trio" Formation Surface Subaurface	Cataboula confining system (restricted)	Discorder, normade Discorder, gravelli Heterotte grav gr Margondina aktoriciphic fi straktas mirato gippi mira fi straktas mirato gippi mira	natabooks build designated as tastabooks send store east of tastas County. Analose and "Fito" remailments be offiguene to age. Fito they overlapped at not
	ā	Oligocene(?)	Prio Cley Vicksburg Group squireling Clay Henber Sending Clay Henber Sending Callithen Sendatone Hember Callithen Sendatone Hember Debugs Embers Finisher Sending Committee Clay Henber Committee Clay Henber Committee Clay Henber Cadell Fermation Ingue Permation Togue Permation Conductal Permation Sending Condu	Not discussed as hydrologic units in this report.	Macquidina con ouerris Lextolana hos kleperist Mavilina pratti Écetularia dibulleriori Nomini lla cos klip kli mio Discublos pepanenti Lipomilo pepanenti Erratobolimina e cinia	troughland on suffice each of live Oak County. Indicated members of Whitsett Formation apply to south- central Teams. Whitsett Formation each of Sannes County may be, in part on in whole, Oligonous on age.
		Paleocene	Owen City Sand Bellew Permittion Carriso Sand Viles Group Hidway Group			



audisurface correlations of the Catahoula-Fleming contact, as well as formation thicknesses, will continue to differ.

Burkeville Confining System

The Burkeville contining system, which was named as Wesselman (1967) for outcroos near the town of burkeville in Newton County, Texas, is delineated on the sections from the Sabine River to near the Rio Grance. It separates the Jasper and Evangeline adulters and serves to retard the interchange of water between the two adulters.

The Burkeville has been mapped in this report as a rock-stratigraphic unit consisting predominantly of silt and clay. Boundaries were determined independently from time conceots although in some places the unit appears to possess approximately isochronous boundaries. In most places, however, this is not the case. For example, the entire thickness of sediment in the Burkeville confining system in some areas is younger than the entire thickness of sediment in the Burkeville in other places.

The configuration of the unit is highly irregular. Boundaries are not restricted to a single stratigraphic unit but transgress the Fleming-Oakville contact in many places. This is shown on sections 0-0° to G-G° and 3-J° (Figures 5-8 and 11). Where the Calmille Sandstone is present, the Burkeville crops out in the Fleming but dips gradually into the Oakville because of facies changes from sand to clay downdip.

The typical thickness of the Burkeville ranges from about 300 to 500 feet (91 to 152 m). However, thick sections of predominantly clay in Jackson and Calhoun Counties account for the Burkeville's gradual increase to its maximum thickness of more than 2,000 feet (610 m) as shown on section F-F' (Figure 7).

The Burkeville contining system should not be construed as a rock unit mat is composed entirely of sill and clay. This is not typical of the unit, although examples of a predominance of silt and clay can be seen in some logs in sections H H' and I-l' (Figures 9-10). In most places, the Burkeville in composed of many individual sand layers, which com as fresh to slightly saline water; but because of its relatively large percentage of silt and clay when compared to the underlying Jasper aguifer and overlying Evangeline, the Burkeville functions as a confining unit.

Evangeline Aquiter

The Evangeline aguifer, which was named and defined by Jones Llones, Turcan, and Skibitzke, 1954) for a ground-water reservoir in southwestern Louisiana, has been mapped also in Texas, but heretofore has been delineated no farther west than Washington, Austin, Fort Bend, and Brazoria Counties. Its presence as an adulfer and its hydrologic boundaries to the west have been a matter of speculation, D. G. Jorgensen, W. R. Mever, and W. H. Sandeen or the U.S. Geological Survey (written commun., March 1, 1976) recently refined the delineation of the adulfer in previously mapped areas and continued its delineation to the Rio Grande. The boundaries of the Evangeline as they appear on the sections in this report are their determinations.

The Evangeline aguifer has been delineated in this report essentially as a rock-stratigraphic unit. Although the aquifer is composed of at least the Goliad Sand, the lower boundary transgresses time lines to include sections of sand in the Fleming Formation. The base of the Goliad Sand at the outcrop coincides with the base of the Evangeling only in South Texas as shown in sections H-H' to K-K' (Figures 9-12). Elsewhere, the Evangeline at the surface includes about half of the Fleming outcrop. The upper boundary of the Evangeline probably follows closely the top of the Goliad Sand where present, although this relationship is somewhat speculative.

The Evangetine aquifer is typically wedge shaped are characteristically tens of feet thick. Near the outcrop, the aquifer ranges in thickness from 400 to 1,000 feet (122 to 305 m), but near the coastline, where the too of the aquifer is about 1,000 feet (305 m) deep, its thickness averages about 2,000 feet (610 m). The Evangetine is noted for its abundance of good quality ground water and is considered one of the most prolific aquifers in the Texas Coastal Plain. Fresh to slightly saline water in the aquifer, however, is shown to extend to the coastline only in section J-J (Figure 11).

Chicot Aquifer

The Chicot aquifer, which was named and defined by Jones (Jones, Tilican, and Skibitzke, 1954) for a ground-water reservoir in southwestern Louisiana, is the years, the aquifer in the Coastal Plain of Texas. Over the years, the aquifer gradually was mapped westward from Louisiana into Texas where, hieretofore, its most

westerly mapped limit was Austin, Fort Bend, and Brazoria Counties. In this report, the delineation of the Chicot was refined in previously mapped areas and extended to near the Rio Grande by D. G. Jorgensen, W. R. Meyer, and W. M. Sandeen of the U.S. Geological Survey (written commun., March 1, 1976).

it is believed that the base of the Chicot in some areas has been delineated on the sections in this report as the base of the Pleistocene. Early work in Southeast Texas indicates that the Chicot probably comprises the Willis Sand. Bentley Formation, Montgomery Formation, and Beaumont Clay of Pleistocene age and any overlying Holocene alluvium (Table 1). The problem that arises in this regard is that the base of the Pleistocene is difficult to pick from electrical logs. Thus any delineation of the base of the Chicot in the subsurface as the base of the Pleistocene is automatically suspect. At the surface, the base of the Chicot on the

rections has been bicked at the most landward edge of the oldest undissected coastwise terrace of Quaternary age, in practice, the delineation of the Chicot in the subsurface, at least on the sections in Southeast Texas, has been based on the presence of a higher sand-clay ratio in the Chicot than in the underlying Evangeline. In some places, a prominent clay layer was used as the boundary. Differences in hydraulic conductivity or water levels in some areas also served to differentiate the Chicot from the Evangeline.

The high percentage of sand in the Chicot in Southeast Texas, where the aquifer is noted for its abundance of water, diminishes southwestward. Southwest of section G-G' (Figure 8) the higher clay content of the Chicot and the absence of fresh to slightly saline water in the unit is sharply contrasted with the underlying Evangeline aquifer that still retains relatively large amounts of sand and good quality water.

Lead Products Co.

Jabricators

PHONE (713) 224-9546

709 NORTH VELASCO

PO BOX 1341

HOUSTON, TEXAS 77251-1341

October 11, 1988

U.S. EPA Region 6 Sites Notification First Interstate Tower 1445 Ross Avenue Dallas, Texas 75202

Re: CERCLA Section 103(c) Notification

Dear Sir or Madam:

For the past several years, various lead companies in Houston have been negotiating with the Texas Water Commission concerning the hazardous nature of discarded lead batteries. We have recently learned that the TWC has decided that the lead batteries and lead-contaminated soils are not considered as a "by-product" under the TWC regulations. We have been advised that inasmuch as the batteries contain lead, the disposal of these substances may be regulated under CERCIA. Our lawyers have further advised us that under Secion 103(c) of CERCIA, our company was to have notified the EPA by June 9, 1981, of the location of all faci ties in which hazardous substances were disposed. Inasmuch as we are unable to locate any company records that indicate that such notification was given, we are providing the requested notification herein.

By way of background information, the following is a brief history of the operations of the company. Lead Products Company, Inc. is a small corporation which began as a lead smelting business in the 1930's. Lead was removed from discarded batteries and utilized to make pipes and other equipment. After the majority of lead was removed from the batteries, they were used as fill material at our plant site and two other nearby locations. It is our understanding that all of the lead could not be removed from the batteries and therefore the buried batteries contain some residual lead. We believe this type of disposal ceased in the mid-1960's.

We have attached for your information three sets of the notification form that was published in the April 15, 1981, Federal Register. We have provided forms for the following locations:

Beceined

OCT 20 1988

6W-EA

Lead Products Co.

Fabricators

PHONE (713) 224-9546

709 NORTH VELASCO

PO BOX 1341

HOUSTON, TEXAS 77251-1341

U.S. EPA Region 6 October 11, 1988 Page 2

- (1) Lead Products Company, Inc. facility located at 709 N. Velasco in Houston. This is our present plant site. We believe the disposal activities occurred at this location from approximately 1945 until sometime in the 1950's.
- (2) Childs Truck Equipment Inc. site located in the 800 block of N. Velasco in Houston. Prior to being located at the present address, the company rented this site from its owners. We understand that lead batteries may have been used for fill material at this site from approximately 1935 until 1945.
- (3) KNUZ Radio Tower site located at 315 North Ennis in Houston. During the 1950's and 1960's, our company contracted with the owner of the Radio Tower to provide batteries for fill material for the property.

At the present time Lead Products is undertaking an investigation to determine the extent of contamination at the plant site. We are currently involved in negotiations with the City of Houston on this matter and will be contacting the Texas Water Commission to determine the proper remedial action to be performed. We are also attempting to obtain permission from the present owners of the Childs site to obtain samples from that location. Lead Products presently does not have any plans to take any action at the Radio Tower site.

We trust the information provided herein will be sufficient to meet the notification requirements under the regulations. If you require any additional information, please do not hesitate to call me at (713) 224-9546.

Very truly yours,

LEAD PRODUCTS COMPANY, INC

Robert Simonds, President

REGEIVER

327 Notification of Hazardous Waste Site

Washington 9C 20460

This of the neothesteen information is required by Section 103(c) of the Comprehensive Environmental Response. Companisation and Labihty Act of 1980 and must be maited by June 9, 1989.

	Lead Products Company, Inc.
er engineration required to nepty	Sires P. O. Box 1341
	Co Houston Sem TX 1960 77251
Site Location:	Lead Products Company Facility
actual location of the site	709 N. Velasco ? 0 tox -131 77061
	Houston Courte Harris State TX 10 Come 77003
Person to Contact	Robert Simonds, President
Enter the name little (if applicable), and business telirobine number of the person to contact regarding information submitted on this form	Pone (713) 324-9546
Dates of Weste Handling:	\i
Enter the years that you estimate waste treatment, storage, or disposal began and ended at the site.	Approx. 1945 Sometime in 1950's.
	Site Location: Enser the common name of known) and actual rocation of the site Person to Contact: Enter the name title (if applicable), and business teliophine number of the person to contact reparting information submitted on this form Dates of Weste Handling: Enter the years that you estimate waste treatment, storage, or disposal began and

you to her know the general waste types or source you are encouraged to describe the site in Item 1. Description of Site

General Type of Weste.
Place an X in the appropriate boxes. The categories listed overlay Check each applicable CALEGORY

Source of Weste Place an X in the appropriate

16 11 Lib Hospital

Recovery Operations


17 1 Unanown 18 x: Other (Specify) Lead Smelting

1 C Organics	1 Mining
2 7 Inorganics	2 Construction
3 () Solvens	3 (i Testilies
4 () Posticidos	4 13 Fertiliger
5 XX Heavy metals	5 11 Paper Printing
6 Cl Acres	6 "Leather Tanning
7 G Bases	7 han Steel Foundry
6 D PCBs	8 11 Chamical Quineral
9 [] Mined Municipal Waste	9 Plating Polishing
Q C Unaness	10 : M Mary Ammunition
1 G Other (Specify)	11 Electrical Conductors
	. 12 C Transformers
	. 13 C. Utility Companies
	. 14 ': Sanitary Refuse
	15 Protoficien

Resource Conservation and Recovery Act (RCRA) Section 3001 regulations (40 CFR Part 261)

Specific Type of Waste: EPA has assigned a four-digit number to each hazardous weste listed in the regulations under Section 2001 of RCRA. Enser the appropriate four-digit number in the boxes provided. A copy of the list of hazardous visates and codes can be obtained by contacting the EPA Region serving the State in which the site is furnated.

[5006]	
	ļ
1	




BECEINED

96T 20 1988 6W-EA

-	The second secon	Ma. No. 72 / "Indeeday. A	pril 13. 1301 / Holicas
	Notification of Hazardous Waste Site	Side Two .	
	Waste Quentity	Facility Type	Total Facility Waste Amount
	Place on X in the appropriate busine in indicate the facility types found at the site.	1 C Files .	care Thknown
	in the "total facility waste amount spage	2 C Land Treatment 3xS Landid	Unknown
	ove the estimated combined quantity volumes of heardbus wester at the site	4 C Tanha	Total Facility Area
	-ung cubic foot or gallens.	5 🗆 Impoundment	Unknown
	in the "total facility area, space give the estimated area size which the facilities."	6 C Underground Injection 7 C Drums, Above Ground	Approx. 4
	accupy using square feet or acres	8 C Drume, Below Ground	
		9 @ Other (Seecify)	
	Known, Suspected or Likely Releases to Place an X in the appropriate toxes to indicate or likely reteates of westers to the environment	any known, suspected.	☐ Known 전쟁 Suspected ☐ Likely ☐ N
	Note: Nems Hand I are optional. Completing hazardous weste sites. Although completing	these items will assist EPA and State the items is not required, you are en	e and local governments in locating and asset occurriged to do so
	Sketch Map of Site Location: (Optional	1	
	Sheeth a mae showing streets, highways, routes or other greminent landmarks near		
	the site Mace an X on the map to initicate the site incation. Orang an arrow showing		
	the direct in nurth You may substitute a publishing map showing the site location	Please se	e attached map.
			RECEIVE
			IU
			OCT 2 0 1988
			001 20 1500
			CIME
			6W-EA
	Description of Site: (Optional)		
	Describe the history and present conclitions of the site Give directions to the site and describe any nearby willis springs, takes, or housing Include such information as how waste was disposed and where the waste came from Provide into other information or comments which may help describe the site conditions.		latter for explanation
		See cover	letter for explanation
	Signature and Title:		
-	The person or authorized representative (such as plant managers, superintendents)	Robert Simonds	X Owner, Prese
-	tristees or attorneys) of persons required	P. O. Ox 1341	C Owner Past
-	to post to much son the form and records		
	mailing address of different then acktress		C Operator Pre
	to notify must sign the form and provide a mailing oddless if Offerent INEN address in item A). For other persons providing mitification, the signature is opinional. Check the boxes which best describe the	Houston su	TX terms 77251 C Operator Pas

1_|

-



Dangerous Properties of Industrial Materials

Sixth Edition

N. IRVING SAX

4 ssisied by

Benjamin Feiner Joseph J. Pitzgeraid/Thomas J. Haley, Elizabeth K. Weisburger



1688 LAURYLPYRIDINIUM LAURYLXANTHATE

-		
164	SYNS:DODECANETHIOL M-DODECYL MERCAPTANDODECYL MERCAPTAN	M-LAURYL MERCAPTAN 1-MERCAPTODODECANE NCI-C60935
Td one	TOXICITY DATA: syt-rat-thi 5020 ug/m3/16W	CODEN: BZARAZ 27,102,74
TI DI	Reported in EPA TSCA Inv. THR: See mercaptans. MUT Fire Hazara: Low. To Fight Fire: Alcohol foam. Disaster Hazara: When heat fumes of SO ₂ .	data
11	LAURYLPYRIDINIUM LA	URYLXANTHATE
n D	CAS RN: 14917965 mf: C ₁₇ H ₃₀ N·C ₁₃ H ₂₅ OS ₂ ; m	NIOSH #: UU 5775000 aw: 509.98
CT.		

TOXICITY DATA: CODEN: skn-rbt 500 mg/24H MOD 28ZPAK -,174,72 eye-rbt 20 mg/24H SEV 28ZPAK -,174,72 orl-rat LD50:802 mg/kg 28ZPAK - 174.72

THR: MOD ori. A skn. eve irr.

Disaster Hazard: When heated to decomp it emits very tox fumes of NO, and SO,

LAURYL SULFATE, SODIUM SALT, CONDENSED WITH 3 MOLES OF ETHYLENE OXIDE

NIOSH #: OF 5725000

SYNS:

SODIUM SALT OF SULFATED BROAD-CUT COCONUT ETHOXY(3EO) ALCOHOL

SODIUM SALT OF SULFATED ETHOXYLATE . PROAD-CUT LAURYL ALCOHOL

TOXICITY DATA: skn-rbt 10 mg MLD skn-rbt 230 mg/5W open MLD skn-gpg 115 mg/5W open MLD CODEN: ISCCAS 22.411.71 JSCCA5 22,411,71 JSCCA5 22,411,71

THR: A skn irr. Disaster Hazard: When neated to decomp it emits tox fumes of SO,

LAVANDIN OIL

CAS RN: 8022159

NIOSH #: OF 6097500

Main constituent is Linalool; found in plant Lavanoula Hybrida Reverchon; prepared by steam distillation of the flowering stalks of the plant.

SYN: OIL OF LAVANDIN

TOXICITY DATA: tkn-rbt 500 mg/24H MLD

CODEN: FCTX* : 443.76

Reported in EPA TSCA Inventory, 1910. THR: A skn irr.

Disaster Hazard: When heated to decomp it emits acrid smoke and fumes.

LAVATAR

NIOSH #: OF 6097840

Coal tar distillates in a shampoo base.

TOXICITY DATA: mma-sat 25 ug/plate

CODEN TOLEDS 3.325.79

THR: MUT data.

Disaster Hazard: When heated to decomp it emits acr smoke and fumes.

LAVENDER ABSOLUTE

NIOSH =: OF 610000

Found in the flowers of Lavandula Officinalis chaix. Th main constituent is Linalyl Acetate: prepared from alco holic extract of a residue, which is extracted from plan material using an organic solvent; a dark green liquid

TOXICITY DATA: skn-rbt 500 mg/24H MLD orl-rat LD50:4250 mg/kg

CODEN: FCTXAV 14,443,76 FCTXAV 14(5),443,76

THR: LOW orl; A skn irr.

Disaster Hazard: When heated to decomp it emits acrid smoke and fumes.

LAVENDER OIL

CAS RN: 8000280

NIOSH #: OF 6110000

Main constituent is linally acetate. Found in the plant Lavandulaofficinalif choix (Fam. Labiate). Prepared by steam distillation of the flowering stalks of the plant.

SYNS:

LAVENDEL GEL (GERMAN)

OIL OF LAVENDER

TOXICITY DATA: skn-rbt 500 mg/24H MLD ort-rat LD50:9040 mg/kg

CODEN: FCTXAV 14.443.76 PHARAT 14.435,59

Reported in EPA TSCA Inventory, 1980.

THR: LOW orl. A skn irr.

Disaster Hazard: When heated to decomp it emits acrid smoke and fumes.

I D.813

CAS RN: 64083052

NIOSH #: OF 6730000

Commercial mixture of aromatic amines containing approx. 40% MOCA

CODEN: TOXICITY DATA: 3 ori-rat TDLo: 37 gm/kg/2Y-C: CARC TXAPA9 31,159,75

THR: An exper CARC. See also aromatic amines. Disaster Hazard: When heated to decomp it emits tox fumes of NO.

LEAD

CAS RN: 7439921

NIOSH #: OF 7525000

mf: Pb; mw: 207.19

Bluish-gray, soft metal. mp: 327.43°, bp: 1740°, d: 11.34 @ 20°/4° vap. press: 1 mm @ 973°.

SYNS: C.I. 77575

LEAD FLAKE

LEAD SZ OLOW (POLISH)

	A 22 S	
!		
, ,		
+_		

OXICITY DATA: 3	CODEN
rat TDLo 790 mg/kg (MGN)	AEHLAU 23.102.71
ort-rat TDLo-1140 mg/kg (14D pre-	PHMCAA 20,201.78
ori-mus IDLo-1120 mg/kg (MGN)	ASHLAU 23.102.71
ori-mus IDLo 6300 mg/kg (1-21D	EXPEAM 31.1312.75
	EXPEAM SILISIE.
preg)	
ori-mus TDLo 12000 mg/kg (1-21D)	EXPEAM 31.1312.75
preg)	
ri-mus TDLo 4800 mg kg 11-10D	BECTA6 18.271.77
preg)	
vn-ham TDLo 50 mg/kg/ISD	EXPEAM 25,55.69
pregi-TER	
ort-dom TDLo: 662 mg/kg (1-21W	TXAPA9 25.466.73
preg)	
ivn-ham TDLo 50 mg/kg/(8D	EXPEAM 25.56.69
preg): TER	EAFEAM 23,30,09
orl-wmn TDLo:450 mg/kg/6Y:CNS	JAMAAP 237,2627,77
ipr-rat LDLo: 1000 mg/kg	EQSSDX 1,1,75
ori-pen LDLo: 160 mg/kg	HBAMAK 4.1289.35

Carcinogenic Determination: Indefinite IARC ** 23. 325,80.

TLV: AIR: 0.15 mg/m3 DTLVS* 4,243.80: Toxicology TRBMAV 33(1),85,75; **PGMJAO** 51(601),783.75; JDSCAE 58(12),1767.75; IRXPAT 12.1,73; CTPHBG 55,147.71; CTOXAO 6(3),377.73; QURBAW 7(1),75,74; RREVAH 54,55,75; JAVMA4 164(3),277,74; AEMBAP 40,239,73; CTOXAO 5(2),151,72; FOREAE 7,313,42; KOTTAM 11(11),1300,75; GEIGAI 20(3),291,73; STEVA8 2(4),341,74; CLCHAU 19.361,73; AJMEAZ 38.409.65; 85DHAX PB.254,72; PDTNBH 6,204,77; AMTODM 3,209,77. OSHA Standard: Air: TWA 200 ug/m3 (SCP-O) FEREAC 39,23540,74. Occupational Exposure to Inorganic Lead recm std: Air: TWA 0.10 mg(Pb)/m3 NTIS . "NIOSH Manual of Analytical Methods" VOL 1 102,191,195,200,206, 14,262, VOL 3 S341. Reported in EPA TSCA Inventory,

THR: See lead compounds. A hmn CNS. HIGH ori: MOD irr. A common air contaminant. It is a ± CAR of the lungs and kidney and an exper TER.

Fire Hazard: Mod, in the form of dust when exposed to heat or flame. See also powdered metals.

Explosion Hazard: Mod. in the form of dust when exposed to heat or flame.

Incomp: NH4NO3, CIF3, H2O2, NaN3, Na2C2, Zr. disodium acetylide; oxidants.

Disaster Hazard: Dangerous; when heated, emits highly tox fumes; can react vigorously with oxidizing materials.

For further information see Vol. 1, No. 1 of DPIM Report.

LEAD ACETATE

CAS RN: 301042 NIOSH #: AI 5250000 mf: C.H.O. Pb: mw: 325.29

Trihydrate, colorless crystals or white granules or powder. Slightly acetic odor; slowly effloresces; d: 2.55; mp: 75° when rapidly heated. Decomp above 200°; very sol in glycerol. Keep well closed.

SYNS: ACETIC ACID LEAD (2-) SALT LEAD DIBASIC ACETATE CETATE DE PLOMB IFRENCHI ORMAL LEAD ACETATE BLEIACETAT (GERMAN) PLUMBOUS ACETATE LEAD (2+) ACETATE SALT OF SATURN LEADIN ACETATE SUGAR OF LEAD LEAD DIACETATE CODEN: TOXICITY DATA: PSEBAA 143,440.73 ins-rat-ipr 50 ug/kg om-mus-par i zm/kg ARTODN 46.159.80 ori-rat TDLo 7854 mg kg 10-16D FCTXAV 13.629.75 ori-rat TDLo: 1800 mg/kg (1-22D TOLED5 7.373.80 preg/14D post) orl-rat TDLo:113 gm/kg (70D pre-PBBHAU 8,347,78 21D post) ori-mus TDLo: 3150 mg/kg (1-21D CRSBAW 170.1319.76 preg) ori-mus TDLo: 4800 mg/kg (1-8D CRSBAW 172,1037,78 preg) CRSRAW 170,1319,76 ori-mus TDLo:9 gm/kg (7-21D preg) ipr-mus TDLo:35 mg/kg (8D preg) RIMDB3 30,223,79 FXMPA6 7.208.67 vn-ham TDLo: 50 mg/kg/(8D preg): TER **EXPEAM 25.56.69** vn-ham TDLo: 50 mg/kg (8D preg) pr-pgn LDLo: 150 mg/kg ARTODN 46,265,80 cyt-hmn lym | mmol/L/24H TXCYAC 10.67.78 cyt-mus-ori 16800 mg/kg/4W JTEHD6 2.619,77 cyt-mky-ori 5760 mg/kg/64W MUREAV 45,77,77 BIMDB3 30.223,79 ipr-mus TDLo: 15 mg/kg/(8D pres): TER EXMPA6 7,208,67 ivn-ham TDLo: 50 mg/kg/(8D preg): TER BJCAAI 16,283,62 orl-rat TDLo: 250 gm/kg/47W. JPETAB 38.161.30 pr-rat LDLo: 204 mg/kg COREAF 256,1043.63 pr-mus LD50: 120 mg/kg orl-dog LDLo: 300 mg/kg HBAMAK 4,1289.35 scu-dog LDLo: 80 mg/kg HBAMAK 4.1289.35 iva-dog LDLo: 300 mg/kg EQSSDX 1.1.75 HRAMAK 4.1289.15 scu-cat LDLo: 100 mg/kg HBAMAK 4,1289,35

Carcinogenic Determination: Animal Positive IARC ** 23,325,80; Human Suspected IARC ** 23,325,80. Toxicology Review: ADTEAS 5,51,72; ENVRAL 13,36,77; 85DHAX Pb.256,72. OSHA Standard: Air: TWA 200 ug(Pb)/m3 (SCP-O) FEREAC 29,23540,74. Occupational Exposure to Inorganic Lead recm std: Air: TWA 0.10 mg(Pb)/m3 NTIS**. Reported in EPA TSCA Inventory, 1980.

EQSSDX 1,1,75

HBAMAK 4,1289,35

THR: MUT data. An exper + CARC, TER, ETA. A susp hmn CARC; HIGH ipr. orl. scu. ivn. See also lead compounds. A poison. An insecticide.

Disaster Hazard: When heated to decomp it emits tox fumes of Pb.

Incomp: KBrO3; acids, sol sulfates, citrates, tartrates, chlorides, carbonates, alkalies, tannin phosphates, resorcinol, salicylic acid, photol, chloral hydrate, sulfites, vegetable infusions, tinctures.

For further information see Vol. 1, No. 4 of DPIM Report.

LEAD ACETATE, BASIC

scu-rbt LDLo: 300 mg/kg

scu-frg LDLo: 1600 mg/kg

ive-rbt LDLo: 50 mg/kg

NIOSH #: OF 8750000 CAS RN: 1335326 mf: C.H10O.Pbs: mw: 807.71

RECORD OF COMMUNICATION	(Record of Ite		ld Trip
Houston Public Works	From:	Date: 1/5/89	
Water Production Office: 105 Sabine, Houston, TX (713) 227-6558		Time: 1:00 pm	
SUBJECT: Ground Water a	nd Surface Water U	se - City of Hous	ston
SUMMARY OF COMMUNICATION			
Q. Where does the public	water supply for	the study area in	n the City of
Houston come from?			
A. Drinking water for th	at area is a mixtu	are of surface was	ter and ground
water. Surface water	comes from Lake H	louston, 17 miles	north. Ground
water comes from City	of Houston water	supply wells, for	ur of which are
located within four m	iles of your area	of concern: Cen	tral #19,
Central #20, Central	#21 and Scott Stre	et #6. Approxima	ately 60% comes
from surface water an	d 40% from groundw	ater (see attach	nent).
Q: What are the uses of	Buffalo Bayou?		
A. Buffalo Bayou is prim	arily a storm sewe	r outlet with lim	nited recreational
uses - such as canoei	ng. There is no s	urface water with	ndrawn from Buffalo
Bayou for public wate	r supply use in th	e City of Houston	n. It is not
used for irrigation e	ither.		
CONCLUSIONS, ACTION TAKE	N OR REQUIRED		
INFORMATION COPIES TO:			

EPA FORM 1300-6 (7-72)
Replaces EPA HQ Form 5300-3 which may be used until Supply is Exhausted.

OVERSIZE DOCUMENT

The page that occupies this position in the paper document is:


Oversized document number:

7x0987979175 SF SA VOL 02

on the roll of 35mm film.

Titled:


R6-HS-R-TXMCOI





1_





1_












HC80-2 134

Census Tracts

HOUSTON, TEX.

STANDARD METROPOLITAN STATISTICAL AREA

Section 1 of 2



U.S. Department of Commerce BUREAU OF THE CENSUS



Census Tracts

HOUSTON, TEX.

STANDARD METROPOLITAN STATISTICAL AREA

PHC80-2-184

Section 1: Tables P-1-P-17

Issued July 1983



U.S. Department of Commerca
Malcolm Baldrige, Secretary
Robert G. Dederick,
Under Secretary for
Economic Affairs

BUREAU OF THE CENSUS Bruce Chapman, Director

tale P-1 General Characteristics of Persons: 1980—Con.

	Coveneer (C)	P Horms I		: eer Por	a city marris	County	57 44 0 21.3.	erwood any	->	iton arv (pr)	-arms Count	,
ansus Tracts	:230 01•	::0 04	360 01	. ×1 . ×2 0?	350 03°	150 04F	361• 1		×1	.01 01	201 02	102
a a			NIII					. ,				
**** pursue	7 932	3 185 1	· 587	1 343 - 47 - 30 - 27 - 4 - 97	5 221	4 497		*:1	: 145	1 185 - 37 - 79 - 17	137 24 48 273	1 184
: # : + : + : - : : : : : : : : : : : : : :	::6	34	3	30	20	436 477				37	-8	105
'0 (4 vion	35 30 37	121	-31	-27	.20	177			-8		=73	154
7 17 1905	37	51.4	.78	74	.78	451			: 37	.39	-36 -36 -59	354
'0 14 MOS	15	214 1	:01	197	:79	347	2.0		2	75	:59	226
70 54 VP971	114	-57 1	148	96	:96	-46			. 79	59	4.2	:01
7 (4 HOT) 7 34 HOT) 7 34 HOT) 7 34 HOT) 7 34 HOT) 7 34 HOT)	اند و:	÷0 1	-81 -58 -78 -78 -78 -78 -48 -79 -15	196 196 15 19	-45 -79 -63 -96 -74	270 251 247 227 246 232 27	-	- 11	202 202 203 203 204 3	:3 :9 :5 :33 :59 :50 :76	110	1 184 188 105 104 104 104 105 104 107 107 107 107 107 107 107 107
	15						~ 1					
16 4 1607 1607 and Over 1607 and Over 1607 and Over 1607 and Over	: 552 : 128 4 851 : 30	2 426 1 2 426 1 2 60 1 2 9 1 3 7 1	33 136 771	736 138 899 153	176	081 381 313 37	•)		975	: 443	208 277 277 240 342	405 045 406 1045 1045
101 ard over	5 128	1 426 1	771	: 338	237	: 381	- 1	- 1	932		277	045
rears and over	:30	39	: 822 :38 :48	1 579	237 237 232 17	37		:	975 932 751 130 183		342	. 98
-tars and over		:07				47	-)			:84		
**	:5 6	.571	:7.9	27.4	:5.5	25.1			14 3	:8.3	:48	23.5
F	4 002	4 594 176 123 156 184	2 281	4 159	2 541	2 215	-1		552	1 844 12 17	2 766	1 897 437 412 421 404 105 160 272 123 318 195 78
er 5 years	123 153 165 410	423 1	2 281 221 212 229 20 28 24 28 25 21	4 159 109 178 453 454 454 190 802 273 454 133 30 33	2 541 252 274 254 259 204 343 251 89 36 27	2 215 204 218 225 223 223 222 224 214 216 29 45	- 1	- 11	13		2.766 2.48 2.63 2.31 2.49 2.55 2.79 2.46 2.49 2.52 2.49	112
14 vees	.55	356 (129	153	:54	:25	- 1		.1	55	.31	421
2 24 1997	405	-31	- 8	.90	:34	:22				55 76 72 74 74 74 75 79	35	:65
3 34 MOS	117	75 1	34	502	:43	414	-		:8		9	:60
7 54 4407	37	-071	.25	454	39	216			3	: 4	:49	123
7 54 vecn	37 36 13	.30 !	31	:33	36	20	- 1		.0		:52	318
1 i 4 veri	13	15 1 15 1 15 1 15 1 15 1 15 1 15 1 15 1	35	13	ii		-	:	78 15 10 12 12	29	115	78
	79	741	91	143	107	81	-		,	56	:01	184
13 4 Years	2 884 2 708 2 477 153	309 3119 2776 408 340	580 503 439 188	2 912 2 730 2 501 196	602 485 73	31 1 519 1 428 1 287 97 76	:	= 1	474 466 438 105 92	56 412 327 218 397 350	944 944 985 711 472 437	2 544 2 377 2 154 424 357
ven ext over	2 477	2 776	439	2 501	485	287	- 1		438	218	711	2 154
161 ed or	153	408	188	196	73	97	:	= 1	105	397	492	424
•	26.7	25.8	28.2	27.9	25.5	25.1			35.8	32.6	27.2	23.7
The second secon												
SEIGLE TYPE AND RELATIONSHIP	7 922		4 587	1 343	1 201	4 407			7 145	1 105	1 197	. 184
wards	7 932 7 932 2 671 2 150 521 423 1 872 3 186 203	9 385 9 385 3 358 2 526 832 714 2 139 3 627 261	4 587 4 511 1 397 1 274 123 104 1 159 1 881 74 76		5 221 5 221 1 527 1 408 119 94 1 304 2 305 85	4 497 4 497 1 421 1 190 231 173 962 1 954 138		=	2 145 1 116 741 154 587 541 114 185 76 456 573	3 384 3 384 245 798 447 420 320	5 127 5 129 1 708 1 184 604 553 509 2 477 155	8 186 8 163 2 111 1 773 338 261 1 367 4 335 330
Formir benediction	2 671	2 526	274	8 343 2 544 2 321	527	190	:	- 1	154	798	184	1773
Hardway householder	521	332	23	223	119	231	:	-	587	447	604	338
Uring 600	1 8772	2 139	1 159	2 040	1 304	967	-1	-1	114	120	509	387
W restaurant	3 184	1 627	1 581	3 632	2 305	1 956	-	-	185	662	2 677	4 135
1 of spinores		.61	76	76	55	38	:1	:1	456	11/		350
n grae exerci	-	-1	-	-	-		-	-	573	. 1	i	23
's ser femily	2 97 3 35	2 79	1 23	3 28	1 42	1 16	-		1 51	2 68	2.87	1.87
Penses 65 years and over												
	143	400 305 142 140 97 65	200 129 55 25 25 25 20 29	186 100 43 42 38 35	72 72 31	105 54 13 13 29 22	-		212 170 141 123 117 16 4 9	503 502 380 203 194 55 46	233 220 104 49	518 518 327 116 108 109 77 5
contents incompating	11	305	35	110	31	54		-1	141	380	233	327
Undag atoms	11	40	25	42	5	13	=	-	117	194	220	100
w michael	76 39	351	20	38 15	5 5 14 26	77	-	: !		46	49	77
	-	21	.5	3	1	-	-	-		21	16	5
n 9'00 0.0767		-		-	-	:	=	:	28	ī	1	-
Y TYPE BY PRESENCE OF OWN CHILDREN												
Feets	2 150	2 536	1 274	2 221	1 400	1 190	-	-	154	798	1 184	1 773
on didden under 18 years	2 150 1 172 2 452	2 536 379 2 653	1 274 548 1 543	2 221 1 534 2 862	005 875	1 190 774 1 493	=		156 52 123	796 386 818	1 184 628 1 500	1 773 1 113 2 756
									114			
m chiera mer 18 voer	1 672 1 182 2 147	2 139 1 133 2 222	770 1 416	1 147 1 328	729 754	617 1 215	=	-	14	130	197 454	1 387 594 2 298
						161			23	415		
n children under 18 years	194 152 239	201 201 153	74 56 91	184 241	57 89	128 235	:	=	40	238 528	594 404 789	285 189 403
N. STATUS												1
15 years and are	2 845 707 1 930	1 543	1 597	1 725	1.786	1 410	-	=	1 501 630 289 114 97	1 072	1 548	2 952
Total Association and Associat	930	2 220	300 186	2 102	143 1327	1 610 424 1 010	=		530	176	570	712
1	42	60	19	15	11	27	-1		114	86	110	13
	20 20	1 548 217 2 220 60 45 281	75	576 2 102 15 17	11 9 76-	27 10 139	=	-	97 371	1 072 443 376 86 76 91	1 548 638 570 118 107 135	2 952 974 713 33 62 120
Seeds 15 men est ent											2 004	2 497
	2 %1 590 1 922 42 135 272	3 367 472 2 226 65 263 321	1 619 205 1 179 31 127 77	3 019 543 2 111 47 132 166	1 741 256 1 338 22 47 78	1 548 278 1 018 44 43 165	=	=	461 106 177 51 77 70	1 450 459 353 143 321	2 634 619 554 223 365 263	2 627 588 1 527 106 254 154
*** **********************************	42	2 726	1179	2 111	338	1 018	- 1	-	177	153	223	1 527
	135	283	127	132	47	2		=	77	321	365	254
	272	121	77	184	78	144			70	174	743	154 1

Die P-1 General Characteristics of Persons: 1980-con.

					ns of ferms s									
					-0	uston atv lot). Harms Cax	mry—Con						
usus Tracts	102 99	:33 01	:33.02	123 03	. x1	205 01	205 02	705 03	367 10 601	206 02	227 01	:27 01	:37 02	207
Total partons	42	1779	_: 153	: 43	1 111 19 19	4 020	5 757	: 431	3 512	3 524	: 549	: 549	2 753 218 218	2 6
7 Years		0	- 15	31 58 315 325 325 327 327 327 327 327 327 327 327 327 327	- 0	307 126 127 126 127 127 128 132 138 403 135 53	34 09 53 34 49 34 87 78 77	37	3 512 25 26 26 27 20 20 25 26 27 20 25 26 27 20 25 25 26 27 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20		549 53 26 14	53	118	2 4
14 YEATS		158	35 33 36 13 170	.23	49	337	.09	37 8 54 20 52 4 .58 .71	25	25 45 42 42 28 22 27 29	36	36	31	
	1.0		:00	25	-74	. 93	53	.54	76	35			51 58 54 51 51 51	
J4 vers	1	31	-70	-	36 -20 -91 -64 -01 -97 -39	34	49	52	197	-42	21	21	- 58	- 1
44 years		141 122 122	114		:91	132	:34	4	120	. 4	25 48 25 26	:55	:44	- 1
54 years		241	38 54 .00		64	188	37	.58	35	228	-48	-48	:61	
14 mm		122	30		97	115	277	705	:03	172		- 23 24		
n ene over			25	- 5	39	63	91	61	50	50	19	19	10	,
		47	***		25	120	120	22	34	12	:6	74	24	
n en over	+2	: 567	53 479 344 400 39	212 492 441 159		38 361 3699 3458 574 593	4 092 3 865 532 343	20 20 20 583 483 425	537 : 381 : 40 : 20 : 45	13 1462 1309 1078 153	938 999 497 239 230	338	162 115 429 158	. 6
n ere over		416	479	492	310	: 699	3 865	720	: 381	: 309	. 79	:99	5.5	1 6
n end over	- 2	: 416 : 84 476	. 344	141	: 258	: 458	332	:83	. 40	2 078	197	192	429	
Li dag over.		404	***	. 37	73	503	719	425	:45	24	- 20	- 20	.35	- 1
	:1 6	:5.7	12.1		12.0	27.6	27.3	.79	27 3				:2.1	2
***************************************		12.7	.2.1	23.3	12.0	.7.6	17.3	.79	2/3	:5 8	13.5		.2.1	4
Female	21	1 906	: 857	1 229	1 445	2 061	3 131	1 300	1 895	1 781	1 184	1 384	1 543	1.1
years		97 97 89 34 70	108	1 229 38 18 25 34	10	2 061 95 95 95 84 87 76 92 94	264	1 308 07 94 32 38 39 46 02 43 52 22 22 03	47	37	1386 -174 -45 -48 -56 -57 -44 -42 -55 -59 -48 -12	.124	1 543 28 43 60 08 37 229 50 58	1:
yeen	-	89	06 277 38 27 25 27 25 29	8	31	55	264 287 276 211	74	47	37 59 12 24 50 120 10 10 10 10 10 10 10 10 10 10 10 10 10	45	45	43	
4 1907	-	34	38	75	22	54	:76	32	63		18	48	50	
7 Years	1				31	3/		38	27	**	30	30	.06	
4 1907		176	115	57	. 8	.92	49	14	: 50	:10	**	**	119	
4 1907)		.76 52 73		26	51	54	:36	22	16	0	42	42	50	
4 4073		73	: "5	25	37	214	328	43	21	-6	25	25	58	
Y901		34	37	18	58	.17	233	52	211	54	*	29	10	
4 veers		34 30 78		97 26 25 98 39	22 51 25 25 25 25 25 25 25 25 25 25 25 25 25	86	136 128 133 106	22	47 47 63 96 97 90 16 91	13	18	18	32	
				46	24	*1			18	30				
vegs	-	71	126	47	50	66	2 245 2 118 1 927 475 199	47 942 875 293 259	56	273 1 188 1 078 289 258	48	48	51 977 570 159	
and over	21	298 232 131 281	838	317	285	1 480	2 245	1 001	400	273	339	339	369	1.0
and over	19	232	597	761	229	399	2 118	942	321	1 188	369	369	977	9
1 and out	13	1 131	494	594	1 146	1 298	1 927	875	1 156	1 078	772	772	570	9
1 and over	13	281	838 697 494 261 223	47 317 761 594 56	285 229 146 403 374	1 480 1 399 1 298 376 132	475	793	56 400 321 186 307 271	287	349 772 117	117	134	
		246					.,,,							
	21.8	26.8	22.6	24.5	13.6	28.6	27.5	33.0	28.4	27.8	24.3	24.3	24.9	×
BIOLD TYPE AND RELATIONSHIP														
BIOLD ITTE AND IGLATIONSING														
Total parsons	42	3 779 3 770 1 147 843 284 233 620 1 844 137	5 853 5 852 1 466 260 206 1 69 1 043 3 226	2 443	1 111 3 105 723 503 447 143 400	4 000 4 013 1 440 903 537 446 471 1 915	5 757 5 757 2 061 1 359 722 647 723 2 740 213	2 431 2 429 939 585 154 304 248 1 123	3 512 3 410 1 201 834 345 329 436 1 659 1 14 40 62	3 534 3 524 093 835 258 216 469 621	2 609	2 609	2 753 2 753 790 644 146 126 310 1594	2 6 7 6 1 1 1 1 3 1 3
	-	3 770	5 852	2 463 2 463 590 536 154 135 441 1 278	3 105	4 013	5 757	2 429	3 410	3 524	2 689 783 623 160 139 403 1 445 58	2 689	2 753	2 5
		1 147	466	590	726	1 440	2 061	939	201	093	783	783	790	7
		284	280	336	123	703	134	383	534	535	023	023	144	9
Lides etces		233	169	135	200	24	447	104	179	714	139	139	124	i
	-	620	1 043	441	143	471	723	248	434	449	403	403	310	3
Mana		1 866	3 226	278	400	1 915	2 740	1 123	1 659	521	1 445	1 445	1 594	1 3
			117	54	136	187	213	99	114	141	58	58	57	
d new/ren	42	;		-	-	:	-	2	40	-	-		-	
900 QUETET	42		,	-	6	,	-	-	62	-	-		-	
per touskold	-	3 29	1.99	3.57 4.21	2.53	2.79	2.77	3.38	2 84 3 51	1 22	1 43			3
per terrety	-	3 88	4 39	4 21	3.41			3.38				1.43	3.44	
Prome to man out over	-	144				3.64	1.33		3.51	1.74	1 97	1.43	3.48	•
			104					***						
		340	305					346 345						
dends heast-ster		340	305 305 306					346 345 795						
	:	340 233 107	305 305 206 85					344 345 295 163						
United attacks	:	340 233 107 101	305 305 306 85 80					366 365 795 163						
ling date	:	340 233 107 101 57	305 205 206 85 80 53					365 295 163 148 40						
Jring dans	:	340 233 107 101 57	305 205 206 85 80 53 42					346 345 295 163 148 40			197 155 155 111 48 46 24			
iring does		340 233 107 101 57 44	305 305 306 85 80 53 42 4	191 191 131 167 133 23	406 486 359 161 151 83 38	498 497 349 181 164 63 57	548 548 548 402 177 145 98 54	346 345 295 163 148 40		422 422 258 94 90 97 40			175 175 114 179 133 31 27	
rising		340 233 107 101 57 44	305 305 206 85 80 53 42 4					346 345 295 163 146 40 17	353 317 230 101 92 43 36 8 31 5					
		340 233 107 101 57 44	305 305 306 35 85 80 53 42 4					346 345 295 163 148 40 17						
		340 213 107 101 57 44	305 305 306 85 80 53 42 4					366 365 295 163 148 40 17						
TYPE BY PRESENCE OF OWN CHELDRIN		•		191 191 131 67 64 133 23	406 484 359 161 151 83 38 6	498 497 349 181 164 63 57 28	548 548 402 177 145 98 54		153 117 230 101 92 43 36 8 31 5	422 422 288 94 90 87 40 7	155 155 111 48 46 24 19	155 155 111 48 46 24 19	175 175 114 39 33 31 27 3	2 2 1
TYPE BY PRESENCE OF OWN CHELDRIN		•		191 191 131 67 64 133 23	406 484 359 161 151 83 38 6	498 497 349 181 164 63 57 28	548 548 402 177 145 98 54		153 117 230 101 92 43 36 8 31 5	422 422 288 94 90 87 40 7	155 155 111 48 46 24 19	155 155 111 48 46 24 19	175 175 114 39 33 31 27 3	2 2 1
TYPE BY PRESENCE OF OWN CHELDRIN		•		191 191 131 67 64 133 23	406 484 359 161 151 83 38 6	498 497 349 181 164 63 57 28	548 548 402 177 145 98 54		153 117 230 101 92 43 36 8 31 5	422 422 288 94 90 87 40 7	155 155 111 48 46 24 19	155 155 111 48 46 24 19	175 175 114 39 33 31 27 3	2 2 1
TYPE BY PRESENCE OF OWN CHEMEN Fundam address under 18 years or of own children under 18 years		843 473 1 183	1 246 327 2 109	191 191 131 67 64 133 23 4 	406 486 399 351 151 53 38 6 	498 497 349 181 164 63 57 28 1	548 548 402 177 145 98 54 12 	585 243 501	153 317 230 101 92 43 36 8 31 5	422 422 258 94 90 87 40 7 7	155 155 111 48 46 24 19 1 1 1 2 2 3 175 838	155 155 111 46 24 19 1 1 - -	175 175 114 39 33 31 27 3 3 	2 2 2 1
TYPE BY PRESENCE OF OWN CHEADEN Fundam under 18 years	:	843 473 1 183	1 246 327 2 109	191 191 131 67 64 133 23 4 	406 486 399 351 151 53 38 6 	498 497 349 181 164 63 57 28 1	548 548 402 177 145 98 54 12 	585 243 501	153 317 230 101 92 43 36 8 31 5	422 422 258 94 90 87 40 7 7	155 155 111 48 46 24 19 1 1 1 2 2 3 175 838	155 155 111 46 24 19 1 1 - -	175 175 114 39 33 31 27 3 3 	2 2 2 1
TYPE BY PRESENCE OF OWN CHILDREN Fundam Address under 18 years of own children under 18 years		843 473 1 183	1 246 327 2 109	191 191 131 67 64 133 23 4 	406 486 399 351 151 53 38 6 	498 497 349 181 164 63 57 28 1	548 548 402 177 145 98 54 12 	585 243 501	153 317 230 101 92 43 36 8 31 5	422 422 258 94 90 87 40 7 7	155 155 111 48 46 24 19 1 1 1 2 2 3 175 838	155 155 111 46 24 19 1 1 - -	175 175 114 39 33 31 27 3 3 	2 2 2 1
TYPE BY PRESENCE OF OWN CHEADEN	:	843 473 1 183		191 191 131 67 64 133 23	406 484 359 161 151 83 38 6	498 497 349 181 164 63 57 28	548 548 402 177 145 98 54		153 117 230 101 92 43 36 8 31 5	422 422 288 94 90 87 40 7	155 155 111 48 46 24 19	155 155 111 46 24 19 1 1 - -	175 175 114 39 33 31 27 3	4 11 6 2 2 4
TYPE BY PRESENCE OF OWN CHELDRIN Fundles children under 18 voors or door children under 18 voors through fundles children under 18 voors	:	843 473 1 183 439 355 879	1 246 327 2 109 1 643 721 1 857	191 191 107 64 34 23 4 536 342 846 441 278 742	406 486 359 161 151 53 38 6 723 318 689 308	498 497 349 181 164 57 28 	568 402 177 165 409 99 90 1706 1509 728 335 672	585 243 501 266 95	353 317 220 101 92 43 36 8 31 5 5	422 422 794 90 67 40 7 7 7 - - - - - - - - - - - - - - - -	155 555 111 44 46 46 24 19 1 1 - - - 823 375 838	155 155 111 48 46 24 19 19 1 1 - - - - 53 828 468 233 375 838	175 175 175 114 39 33 31 27 3 3 3 3 1 27 3 3 3 1 3 1 3 7 3 1 3 7 3 1 3 1 3 1 3	4 11 6 2 2 4
TYPE BY PRESENCE OF OWN CHILDREN Fundiss Labeles under 18 voors of own children under 18 voors Marchael ongels fundiss Labeles under 18 voors of own children under 18 voors	:	843 473 1 183 439 355 879	1 246 327 2 109 1 643 721 1 857	191 191 107 64 34 23 4 536 342 846 441 278 742	406 486 359 161 151 53 38 6 723 318 689 308	498 497 349 181 164 57 28 	568 402 177 165 409 99 90 1706 1509 728 335 672	585 243 501 266 95	353 317 220 101 92 43 36 8 31 5 5	422 422 794 90 67 40 7 7 7 	155 555 111 44 46 46 24 19 1 1 - - - 823 375 838	155 155 111 48 46 24 19 19 1 1 - - - - 53 828 468 233 375 838	175 175 175 114 39 33 31 27 3 3 3 3 1 27 3 3 3 1 3 1 3 7 3 1 3 7 3 1 3 1 3 1 3	4 11 6 2 2 4
TYPE BY PRESENCE OF OWN CHEADEN Fundam under 18 years	:	843 473 1 183 439 355 579	1 246 327 2 109	191 191 131 67 64 133 23 4 	406 486 399 351 151 53 38 6 	498 497 349 181 164 63 57 28 1	548 548 402 177 145 98 54 12 	585 243 501	153 317 230 101 92 43 36 8 31 5	422 422 258 94 90 87 40 7 7	155 155 111 48 46 24 19 1 1 1 2 2 3 175 838	155 155 111 48 46 24 19 19 1 1 - - - - 53 828 468 233 375 838	175 175 114 39 33 31 27 3 3 	4 3 6 2 4
TYPE BY PRESENCE OF OWN CHELDRIN Faultus debiting under 18 years of own debition under 18 years of own debition under 18 years faultus	:	843 473 1 183 439 355 879	1 246 327 2 109 1 643 721 1 857	191 191 107 64 34 23 4 536 342 846 441 278 742	406 486 359 161 151 53 38 6 723 318 689 308	498 497 349 181 164 57 28 	568 402 177 165 409 99 90 1706 1509 728 335 672	585 243 501 266 95	353 317 220 101 92 43 36 8 31 5 5	422 422 258 94 90 57 40 7 7 7 7 7 83s 416 958 447 7 790 497	155 555 111 44 46 46 24 19 1 1 - - - 823 375 838	155 155 111 48 46 24 19 19 1 1 - - - - 53 828 468 233 375 838	175 175 175 114 39 33 31 27 3 3 3 3 1 27 3 3 3 1 3 1 3 7 3 1 3 7 3 1 3 1 3 1 3	4 3 6 2 4
TYPE BY PESSENCE OF OWN CHEADER Fundiss I deliver under 18 voors If own cytiste under 18 voors Marchael-march fundiss Marchael-march fundiss Marchael-march fundiss Marchael-march fundiss Marchael-marchael-march fundiss Marchael-marchael-	:	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 107 64 34 23 4 536 342 846 441 278 742	406 486 359 161 151 53 38 6 723 318 689 308	498 497 349 181 164 57 28 	568 402 177 165 409 99 90 1706 1509 728 335 672	585 243 501 266 95	353 317 220 101 92 43 36 8 31 5 5	422 422 258 94 90 57 40 7 7 7 7 7 83s 416 958 447 7 790 497	155 555 111 44 46 46 24 19 1 1 - - - 823 375 838	155 155 111 48 46 24 19 19 1 1 - - - - 53 828 468 233 375 838	175 175 175 114 39 33 31 27 3 3 3 3 1 27 3 3 3 1 3 1 3 7 3 1 3 7 3 1 3 1 3 1 3	4 3 6 2 4
TYPE SY PESSENCE OF OWN CREATER I delike under 18 vern It delike under 18 vern It delike under 18 vern I delike under 18 vern I delike under 18 vern Constitut under 18 vern I delike under 18 vern	:	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 131 67 64 33 23 23 4 536 342 846 441 278 742	723 318 647 723 723 318 647 723 318 647 363 308 366 355	490 497 181 161 64 63 57 728 	568 568 402 177 165 98 56 12 1706 1509 728 335 672 532 672	585 243 501 266 95 193 264 130 273	133 317 230 101 92 43 43 11 16 8 31 11 5 5 8 439 992 436 439 422 441 471	422 422 288 94 90 57 40 7 	1535 1555 1511 148 46 46 46 24 19 1 1 1 233 175 838 233 538 178 225 270	155 155 151 148 48 48 49 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	175 175 114 39 33 31 27 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TYPE SY PESSENCE OF OWN CHEMIN Fundaments I delates under 18 years I delates under 18 years Internal major tendina Internal major tendina I delates under 18 years Fundaments Fundaments I delates under 18 years	:	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 131 67 64 33 23 23 4 536 342 846 441 278 742	723 318 647 723 723 318 647 723 318 647 363 308 366 355	490 497 181 161 64 63 57 728 	568 568 402 177 165 98 56 12 1706 1509 728 335 672 532 672	585 243 501 266 95 193 264 130 273	133 317 230 101 92 43 43 11 16 8 31 11 5 5 8 439 992 436 439 422 441 471	422 422 288 94 90 57 40 7 	1535 1555 1511 148 46 46 46 24 19 1 1 1 233 175 838 233 538 178 225 270	155 155 151 148 48 48 49 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	175 175 114 39 33 31 27 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3366
TYPE SY PESSENCE OF OWN CREATER I delike under 18 vern It delike under 18 vern It delike under 18 vern I delike under 18 vern I delike under 18 vern Constitut under 18 vern I delike under 18 vern	n	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 131 67 64 33 23 23 4 536 342 846 441 278 742	406 406 407 139 161 151 33 38 6 6 723 318 607 343 308 309 166 355	490 497 181 161 64 63 57 728 	568 568 402 177 165 98 56 12 1706 1509 728 335 672 532 672	585 243 501 266 95 193 264 130 273	133 317 230 101 92 43 43 11 16 8 31 11 5 5 8 439 992 436 439 422 441 471	422 422 288 94 90 57 40 7 	1535 1555 1511 148 46 46 46 24 19 1 1 1 233 175 838 233 538 178 225 270	155 155 151 148 48 48 49 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	175 175 114 39 33 31 27 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TYPE SY PESSENCE OF OWN CREATER I delike under 18 vern It delike under 18 vern It delike under 18 vern I delike under 18 vern I delike under 18 vern Constitut under 18 vern I delike under 18 vern	:	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 131 67 64 33 23 23 4 536 342 846 441 278 742	406 406 407 139 161 151 33 38 6 6 723 318 607 343 308 309 166 355	498 497 149 181 164 53 57 28 -1 1 988 469 1 026 471 223 473 152 20 246	568 568 402 177 165 98 56 12 1706 1509 728 335 672 532 672	585 243 501 266 95 193 264 130 273	133 317 230 101 92 43 43 11 16 8 31 11 5 5 8 439 992 436 439 422 441 471	422 422 288 94 90 57 40 7 	1535 1555 1511 148 46 46 46 24 19 1 1 1 233 175 838 233 538 178 225 270	155 155 151 148 48 48 49 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	175 175 114 39 33 31 27 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TYPE SY PESSENCE OF OWN CREATER I delike under 18 vern It delike under 18 vern It delike under 18 vern I delike under 18 vern I delike under 18 vern Constitut under 18 vern I delike under 18 vern	n	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 131 67 64 33 23 23 4 536 342 846 441 278 742	725 318 6 7 7 7 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	498 497 149 181 164 53 57 28 -1 1 988 469 1 026 471 223 473 152 20 246	568 568 402 177 165 98 56 12 1706 1509 728 335 672 532 672	585 243 501 266 95 193 264 130 273	133 317 230 101 92 43 43 11 16 8 31 11 5 5 8 439 992 436 439 422 441 471	422 422 288 94 90 57 40 7 	1535 1555 1511 148 46 46 46 24 19 1 1 1 233 175 838 233 538 178 225 270	155 155 151 148 48 48 49 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	175 175 114 39 33 31 27 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2221
TYPE SY PESSENCE OF OWN CREATER Fundamental a voice in a voice in a control a voice in	n	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 107 64 34 23 4 536 342 846 441 278 742	406 406 407 139 161 151 33 38 6 6 723 318 607 343 308 309 166 355	490 497 181 161 64 63 57 728 	568 568 402 177 165 98 56 12 1706 1509 728 335 672 532 672	585 243 501 266 95 193 264 130 273	133 317 230 101 92 43 43 11 16 8 31 11 5 5 8 439 992 436 439 422 441 471	422 422 288 94 90 57 40 7 	155 555 111 44 46 46 24 19 1 1 - - - 823 375 838	155 155 151 148 48 48 49 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	175 175 175 114 39 33 31 27 3 3 3 3 1 27 3 3 3 1 3 1 3 7 3 1 3 7 3 1 3 1 3 1 3	2 2 3 1 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3
TYPE BY PRESENCE OF OWN CREATER Fundaments In delicities under 18 years In delicities under 18 years International under 18 years International under 18 years International under 18 years Fundaments International under 18 years Fundaments International under 18 years International under 18 year	n n	843 847 1183 428 355 877 192 110 285	1 246 527 2 109 1 643 1 857 1 857 1 956 51 1 866 51 1 82 49 49 49	191 191 191 191 194 194 194 194 194 194	723 118 50 723 118 128 128 128 128 128 128 128 128 128	498 497 349 181 164 43 57 28 - 1 1 1 22 28 491 22 493 352 28 491 22 493 352 493 352 466	1 239 709 1 250 1	585 243 501 288 75 193 244 214 273 273 289 317 295 91 74 74	133 317 220 101 101 27 43 43 43 43 43 43 43 43 43 43 43 43 43	422 422 422 788 94 90 97 7 7 7 7 7 7 835 416 958 449 947 77 179 179 179 179 179 179 179 179 179	1555 155 1111 446 464 179 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	155 155 151 146 46 46 47 47 17 17 175 175 175 175 175 175 177 178 178 178 179 179 179 179 179 179 179 179 179 179	175 175 175 174 174 174 175 175 175 175 176 176 176 176 176 176 176 176 176 176	2 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
TYPE SY PESSENCE OF OWN CREATER Fundamental a voice in a voice in a control a voice in	n n	843 847 1183 428 355 877 192 110 285	1 246 527 2 109 1 643 1 857 1 857 1 956 51 1 866 51 1 82 49 49 49	191 191 191 191 194 194 194 194 194 194	723 118 50 723 118 128 128 128 128 128 128 128 128 128	498 497 349 181 164 43 57 28 - 1 1 1 22 28 491 22 493 352 28 491 22 493 352 493 352 466	1 239 709 1 250 1	585 243 501 288 75 193 244 214 273 273 289 317 295 91 74 74	133 317 220 101 101 27 43 43 43 43 43 43 43 43 43 43 43 43 43	422 422 422 788 94 90 97 7 7 7 7 7 7 835 416 958 449 947 77 179 179 179 179 179 179 179 179 179	1555 155 1111 446 464 179 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	155 155 151 146 46 46 47 47 17 17 175 175 175 175 175 175 177 178 178 178 179 179 179 179 179 179 179 179 179 179	175 175 175 174 174 174 175 175 175 175 176 176 176 176 176 176 176 176 176 176	2 2 3 1 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3
TYPE SY PESSENCE OF OWN CHEMIN Fundam Subtime under 18 years Manufacture under 18 years Manufacture under 18 years Manufacture under 18 years Manufacture under 18 years Fundam benedichter, no bendend presser or of own Chemin under 18 years or of own Chemin under 18 years or of own Chemin under 18 years Matter Status Matter	11 21 21	843 847 1183 428 355 877 192 110 285	1 246 527 2 109 1 643 1 857 1 857 1 956 51 1 866 51 1 82 49 49 49	191 191 191 191 194 194 194 194 194 194	723 118 50 723 118 128 128 128 128 128 128 128 128 128	498 497 349 181 164 43 57 28 - 1 1 1 22 28 491 22 493 352 28 491 22 493 352 493 352 466	1 239 709 1 250 1	585 243 501 288 75 193 244 214 273 273 289 317 295 91 74 74	133 317 220 101 101 27 43 43 43 43 43 43 43 43 43 43 43 43 43	422 422 422 788 94 90 97 7 7 7 7 7 7 835 416 958 449 947 77 179 179 179 179 179 179 179 179 179	1555 155 1111 446 464 179 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	155 155 151 146 46 46 47 47 17 17 175 175 175 175 175 175 177 178 178 178 179 179 179 179 179 179 179 179 179 179	175 175 175 174 174 174 175 175 175 175 176 176 176 176 176 176 176 176 176 176	2 2 3 1 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3
TYPE SY PESSENCE OF OWN CREATED Fundam Individual nature 18 years Fundam Individual nature 18 years Individual	n n	843 847 1183 428 355 877 192 110 285	1 246 527 2 109 1 643 1 857 1 857 1 956 51 1 866 51 1 82 49 49 49	191 191 191 191 194 194 194 194 194 194	723 118 50 723 118 128 128 128 128 128 128 128 128 128	498 497 349 181 164 43 57 28 - 1 1 1 22 28 491 22 493 352 28 491 22 493 352 493 352 466	1 239 709 1 250 1	585 243 501 288 75 193 244 214 273 273 289 317 295 91 74 74	133 317 220 101 101 27 43 43 43 43 43 43 43 43 43 43 43 43 43	422 422 422 788 94 90 97 7 7 7 7 7 7 835 416 958 449 947 77 179 179 179 179 179 179 179 179 179	1555 155 1111 446 464 179 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	155 155 151 146 46 46 47 47 17 17 175 175 175 175 175 175 177 178 178 178 179 179 179 179 179 179 179 179 179 179	175 175 175 174 174 174 175 175 175 175 176 176 176 176 176 176 176 176 176 176	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
LY TYPE BY PESSENCE OF OWN CHEENEN Funding was delivery under 18 years to develop under 18 years therefore under 18 years therefore under 18 years therefore under 18 years from the under 18 years from the under 18 years the of own cheenen under 18 years the of own cheenen under 18 years the of own cheenen under 18 years that STATUS Made, 15 years and own TAL STATUS	11 21 21	843 847 1183 428 355 877 192 110 285	1 246 527 2 109 1 643 1 857 1 857 1 956 51 1 866 51 1 82 49 49 49	191 191 191 191 194 194 194 194 194 194	723 118 50 723 118 128 128 128 128 128 128 128 128 128	498 497 349 181 164 43 57 28 - 1 1 1 22 28 491 22 493 352 28 491 22 493 352 493 352 466	1 239 709 1 250 1	585 243 501 288 75 193 244 214 273 273 289 317 295 91 74 74	133 317 220 101 101 27 43 43 43 43 43 43 43 43 43 43 43 43 43	422 422 422 788 94 90 97 7 7 7 7 7 7 835 416 958 449 947 77 179 179 179 179 179 179 179 179 179	1555 155 1111 446 464 179 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	155 155 151 146 46 46 47 47 17 17 175 175 175 175 175 175 177 178 178 178 179 179 179 179 179 179 179 179 179 179	175 175 175 174 174 174 175 175 175 175 176 176 176 176 176 176 176 176 176 176	
Y TYPE BY PRESENCE OF OWN CHEADEN Fundam In children water 18 years In children water 18 years Identical-major benefits Identical-major major major benefits Identical-major major major major benefits Identical-major major major major major benefits Identical-major major m	11 21 21	863 473 1 183 439 355 579 199 110 285	1 246 327 2 109 1 643 721 857 152 53 195	191 191 131 67 64 33 23 23 4 536 342 846 441 278 742	725 318 6 7 7 7 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	498 497 149 181 164 53 57 28 -1 1 988 469 1 026 471 223 473 152 20 246	568 568 402 177 165 98 56 12 1706 1509 728 335 672 532 672	585 243 501 266 95 193 264 130 273	133 317 230 101 92 43 43 11 16 8 31 11 5 5 8 439 992 436 439 422 441 471	422 422 288 94 90 57 40 7 	1535 1555 1511 148 46 46 46 24 19 1 1 1 233 175 838 233 538 178 225 270	155 155 151 146 46 46 47 47 17 17 175 175 175 175 175 175 177 178 178 178 179 179 179 179 179 179 179 179 179 179	175 175 114 39 33 31 27 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	

US TRACTS

HOUSTON, TEX., SMSA P-19

tible Para General Characteristics of Persons: 1980—Con.

						-) Harms Cour						
Census Tracts	1207 04	::er :::8:01	30f 308 02	:08 03	209	: 0 01	×7	:3 c 7	1 tet	21301	:13 02	::14 02	
	1207 04	.::8 01	:08 02	:08 03	209	2.001	: 0 02	:110	.: 2*	:5.3 01	:13 02	214 01	::14 02
-SE													
"ITEL Portions	254 10 14 13	180	4 822 -407 -133	5 719 56 56 159	751	3 473 136 193 190	1 222			2 951	3 134 27 403	174	2 849
7 14 400	.4	.0	+67	56	38	193	.18	-	91	134	-03	28 40	:25
	- 7	. 20	-62	:32	- 4	71	9			99 212	:65 :33 :480 :519 :115 :93 :421	41	121
10 j4 veors	19	- :4	-62 31	:32 :32 :01 471	20	93	.90			212	480	24	:48
10 44 veors	:8	31	475	471	*4	136	:50		-	+00	115	- 11	321
19 44 V901 10 54 V901 10 54 V901 19 54 V901 19 64 V901	21 55	49	45 8 193 238	518	57	.79	+02		- 2	110	421	15	313
to 14 years	:0	10 140 140 131 131 131 149 18	234	103	20 23 24 57 59 24	29 136 29 29 29 383 54	.90 .52 .50 .58 402	- :		243 200 285 310 27	20	38 12	2 849 73 225 239 221 248 407 321 289 313
nd 4 years	.:3	139 247	1 373 1 178 1 879 173 100	4 012 2 757 372 554	30 522 491	4 271	34 341 206 2033 575			2 158 2 234 878 284 228	198 2 752 2 581 2 027	271 257 233 94 92	2 135 2 006 513 429 360
HOT ONE OVER	169 109 16	147	178	757	491	4 013 3 655 622 704	: 206	-		2 158	5 752 5 581	:57	2 135
reans and over	:09	.96 .4 .39	: 379	372	52 56	. 3 655 A22	7 033		-	878	: 027	:33	513
. Han and over	25		:00	:50			:55		-		98 517		360
**dan	(2.)	:44	:5.4	25.1	24.4	32.5	:8 9			10 3	:5.7	.94	29.9
noer 5 years	45 19 10	1 006	2 545 126 127 131 131 134 101 152 159 107 143 172	2 700 177 182 146 190 121 436 187 167 177 54	381	2 834	1 751	:	-	1 489	1 100	206 2 8 9	1 440 100 118 132 156 28 94 157 150 153
3 9 vees	45	18	227	:82	12	79	38	-		23 39	411	8	118
19 19 vears	12	::	:31	.90	12 10 11 54	253	146			39	:32 :22 :37	.:5	156
10 24 veors		:3	401	+34	54	.96	119		:	226	37		28
10 34 veors	->	*	::2	:37	37	:50	219 55 71	-	-	:05	86 46 115	.5	157
10 A4 vects	45	51	:07	:77	23	360	238		-	55	.09	29	123
to 74 years	-7	21	77	54	23	61 179 98 253 296 292 250 509 360 217	83	:	-	26 205 98 55 74	45 43	27 29 17	103
	. 5	.34	37	. 118	.17	63 2 252 2 150 1 965 470 408	. 4	-		56	198		1 057 993 999 218 193
7 Years and over	346 331 797 57	34 230 585 611 100 83	739	2 022	265 257 232 29	2 150	1 304 1 237 1 151 382	-	-	118 1060 980 158	3 323	143 129 47	993
1 1001 010 010	297	611	130	1 846	232	1 965	1 151	-	-	980	3 004	129	210
2 years and over	4	83	833 739 582 130 290	2 132 2 022 1 846 1379 282	28	408	328		:	134	3 410 3 323 3 004 370 330	41	193
-	26.2	26.1	26.7	26.6	24.4	36.6	31.2		-	31.3	25.3	31.0	29.6
IOUSBIOLD TYPE AND RELATIONSHIP													
Total persons	976 320 225 95 83 148 476	604 444 140 114 239 955	4 622 4 813 1 610 1 201 409 145 645 2 420	5 719 5 705 1 772 1 428 344 306 918 2 863 132	751 751 220 189 31 28 171 343	5 473 5 473 1 761 1 373	3 222 3 222 1 072 903 247 247 472 1 611	:	:	2 951 2 951 951 905 144 138 729 1 238 13	9 136 8 994 3 629 2 404 1 225 1 042 1 943 3 126 276 142	374 129 67 42 39 50	2 860 2 754 724 442 264 242 545 1 177
Verdender	320	604	610	1772	220	761	1 072	-	:	951	3 429	129	726
Vanishing November	95	140	409	344	31	388	269	-	- :	144	225	4	264
Source	148	239	345	918	171	1 057	247	:	- 1	138	943	39	242
Other relatives	476	955	2 420	2 883	343	388 346 1 057 2 549 106	1 611	-	:	1 238	3 126	166	1 177
mane of extraction		82	118	132	17	106	67	:		-	142		
mere of marrianon	12	-	•	14	-	-		-	-	-	-		93
-tons per rousehold	3 05 1 77	3.57	2.99 3.57	1 22	3.41 3.72	3.11	3 O1 3 59	:	:	1 10	111	2.90 3.71	3.43
Persons 66 years and over	19	112 112 71								174	430	70	
Opposition	54	71	269	284	44 28 9 9	537 537 381 180 174 93	133	:	:	104	220	70 55 23 21 7	700
Yorksholder	21	23	100	88	9	180	113	-	-	40	126	23	90
:0040	14	23 20 22	74	81	11	93	85	:	:	39	49	4;	51
Ther relatives	2		183 269 100 93 74 36	433 284 88 84 81 55	,	59	466 333 113 100 85 39	:		174 174 104 40 39 39	113 220 126 125 49 40 4		34
Total of numbers	1	-	:	-	:	:	-		:	:	117	:	773 700 90 84 51
MAY TYPE BY PRESENCE OF OWN CHARMS													
	225	44	1 201	1 438	199	1 273	-			105	2 404		44
h oun children under 18 voors vunder of own children under 18 voors	127 255	274 530	1 201 656 1 734	1 458 784 1 592	112 235	576 1 101	344 747	:	-	430 538	2 404 1 402 2 393	17 19 90	343 744
Married angle builds	148 76 161	239 127 232	***	*18	171		472			729 390 772	1 943 1 998 1 922	30	546
Market erapir families h own children water 18 years runder of own children water 18 years	161	232	332 642	918 476 960	105	1 067 447 579	472 183 394		- 2	772	922	19	546 308 675
Founds beneathful, as bushed present	45 52	194 134 275	289 289 585	127	18 7	347 108 185	277 147 135	:	:	30 49	345 258 401	31 16 39	54 25 52
MTAL STATUS			_					24.3				-	-
Male. 15 years said over	377	427	1 594	1 145	261	2 078	1 044			1 078	1 786	120	1 102
married, except sepances	142	277 255 37	505	1 945 695 990 92 71	178	2 078 698 1 160 71	1 066 177 504 62 57	-	-	257 758 9	3 788 874 2 033	39	318
rated	22	37	69	20	2	71	62	1	-	9	103	3	25
T30	142 166 22 8 19	16	1 994 605 729 69 52	71	;	51 98	57	-	- :	17	315	39 54 3 10	318 433 25 63 63
							96		-				
	341	753	1 679	2 193	272	2 254	1 340	-	-	1 145	1 453	157	1 990
Female, 15 years and over	108	256	528	604	4	541	147	-	-	188	527	42	
merted, except separated	108 158 26 31 28	750 256 255 83 74 85	1 679 528 723 167 243 218	2 193 604 961 162 253 213	272 56 176 8 17	2 256 561 1 117 89 327 192	1 340 347 500 90 244	:	:	1 145 188 755 20 96 56	1 453 527 2 026 145 307 348	157 42 52 12 30 21	1 996 272 600 27 119 72

					**	ston any ipt) roms (ox	univ — con					
ensus Tracts	2249 03*	30	3514	.x1	: x1	: x7	167 1549	:73 99	100 22	100 23	100 24	.301 01	301 02
4													
'rid period	154	:26	: 545	12				10	1_962	472	147	4 972	2 154
g f 14013	11		: 545 : 79 : 17 : 8			-			1 962 446 113 -80 -21 -73		:5	4	374
7 f reon	1	.3	. 3	.:		-			-80	18	.73 .73 .73	دون	:24
19 14 4001 19 19 Walt	15	*	9	10		-	-	5	21	• 5	. 73	-03 -63 -87	:59
10 24 veon	1	i á	454				- 2		. 19	211	591	315	210
N 44 1101	41	:2	23 6		-	-	+	,	162	35 32 33	140	271	210
10 54 YEST	17	.3		5	-			1	228	23	.32	.07	190
19 64 1907	12	34	-0		:		- 2	- 1	228 46 02	16	:32 :01 :06	315 271 422 .07 .23	2 154 274 270 224 259 218 210 210 210 210 218
76 4 9007 9807 980 008 9807 980 008			21	3	-		-		70	15	24	362 167 347	279
THE STATE OF	:36 :2 :3 :0	27 52 45	54 58 53 50 78	10	-			:5	: 441 : 216 : 248	348 97 99 30	24 240 228 230 234 276	362	279 4 044 2 776 2 357 501 438
rears and over	::3	52	:63		-			×	748	:09	: 130	: 547	3 357
Years and over	19	45	:00	.3		* .		3	342	.30	:34	495 228	501
Nes en ove	12.3	3.7		:34		-	-	25.5	10 6	:52			
-	12.3	.5.7	.3 9	. 5.4	-	-	*	.33			:9.7	:3.9	23.5
Female	143	107	1 281	14		-	-	22	1 900	730 38	1 554	1 379	2 878
ar 5 years	3		02 26	3	-	-	-		1 780 209 256 238 247 38 252 95 79 21	:3	1 556 38 56 32 40 45 357	2 379 277 247 27 223 249 257 227 296 21 26	2 878 299 136 105 191 158 451 186 254 139 75
9 14 viai	1	- 3	43	1					:28	: 8	:2	: 7	105
7 19 407	3		7]			-			:47	+0	10	.23	.91
70 24 1901	14		- 40				1	,	58	10	15	57	451
9 44 vigos	.5	i	: 0	0				1	75		51	:27	:86
10 54 VIGIT			21	3	-	-	-		79	13	52	99	254
to 24 years	20	•	21 21 22 8	4 5		-		2	21	17	38 12 55	21	179
to 74 veers			:5	-	-	-	-	-	51	35	35	76	75
nd 4 years	1	3	48	1			-	1	90	24 517	46	100	113
7007 CH PAT	131	83	392	67	:	-	-	21	239	517	141	584	1 863
	131 125 117 19	83 82 80 21	48 892 836 791 111 97	67 63 61 12		:	- 0	21 20	90 239 128 997 174 159	481 444 167 160	141 1097 1000 131 207	1 584 1 491 1 347 296 256	1 863 1 767 1 580 262 251
700 Cd CW	19	21	111	12	:	:	:	1	174	167	731	296	282
All 4 Years Hells and ever Hells and ever Hells and ever	16				-			1					251
=	33.4	38.0	29.5	30.0			-	22.5	21.2	.9.5	28.1	24.4	24.0
CERCLO TYPE AND RELATIONSHIP													
Total parama	158 258 149 106 43 36 91	226 56 74 12	2 545	182 182 59	:	-	. :	21	1 962	1 472 1 358 403 296 107 79 207 574 123	1 242 1 145 245 973 552 447 370 1 265 245 49	4 972 4 999 1 430 1 085 345 240 856 2 403 270	6 154 6 127 1 679 1 302 377 300 1 003 3 171 274
	358	226	2 565	182		:		21	3 948	358	1 145	4 997	6 127
Revisir) proposition	106	74	712	54		-	-	3	808	794	593	085	302
Feedy Immediate State of the s	43	12	2 545 2 565 797 712 85 79 543 1 108 17	54	-	-	-	-	1 962 3 948 996 808 188 145 467 2 320	107	552	345	377
- Data data	36	13	19	.5	-	:	-	-	145	79	147	260	300
ter names	103	76	1 108	73			-		2 320	574	265	2 403	3 171
erelatives	15		17	2	-	-	-		65	74	245	270	274
r of page control		-			-	-		59		103	49	13	27
	3.00			1.00			-					1.47	
TO SEE TOMOREM	2 40 2 83	: 13] 22] 46	1 08 3 24	-	-		7 00	3 96	3 37	2.53	3 47 4 00	3.65 4.21
Name of past and over	24	15	137	11	4.0			1	748	235	397	344	342
	26 26	35	37	11		-		1	248	136	305	363	340
	16	15 23	137 137 71 24 23 40 24 2		-	-		-	162	235 136 89 26 20 24 19	305 212 124 102	363 241 113 104 67 43	340 244 115 108 70 41
Using date	5	,	23		-				5A	20	102	04	108
	9	10	40		-	-	-	1	49	24	46	67	70
V 4000	1	2	24	1	-	-	-	1	22	19	26 21	43	41
• • • • • • • • • • • • • • • • • • • •		-	:	-	-	:	:		248 248 162 61 56 49 22	98		- 1	-
. 0 grap conten	-	-	-	-	-	-	-	-	-	1	2	- 1	3
LY TYPE BY PRESENCE OF OWN CHESTER													
	104	74	712	u					-	784	103	1 085	1 382
non dilibrar under 16 years	106 45 71	74 28 46	450 853	54 30 56	- 0	:	- :		541 1 504	176 411	344 713	1 085 679 1 595	1 362 811 2 113
	71	46	853	56	-	-			504	411	713	1 595	2 113
	91		443	40					447	207	390	454	1 000
me dilitus unior 18 years	91 17 59	75	405 785	48 26 50	:	-	-		310 874	135 326	174 361	571 1 362	643
	59	43		50	-	-	-	4	874	326			
Female bosseleider, as bushead present	12		22	1	:	:	-		285 213	39	239	150	198
Female boundabler, so bushead present	8	2 2	53 36 56		- :	-	:		213 588	61	146 305	90 90	198 121 305
TAL STATUS													
** 15	140	*	***	47		1		55	1 744	546	1 323	1 811	2 228
and coop souths	160 39 92	14	911 195 565 11	13			-	16	532	183 251 22 34 50	535	592	777
arred. except supersted	92	39	545	49 .	-	-	-	31	548	251	443	1 043	225
¥	•	2	0	1	-		-	1	67	22	70	17	32
	23	8	31		-	-		7	1 244 532 548 67 45	50	1 323 535 443 122 70 153	1 811 592 1 043 68 37 71	2 228 777 1 225 65 56 105
				67									
Female, 15 years and over	133 10 92	*	133 656 14 58	.,	-	:	-	16	1 287 413 528 119 128 99	531 117 236 19 117 42	1 170 318 422 110 194	1 436 359 935 63 186 95	1 936 441 1 101 57 183 126
Transfer and the second	92	67	656	8 48 3	-			ī	528	236	422	935	1 101
-	8		58	6 2	:	-	-	-	179	117	194	184	182

	'y meaning (-	infroduction		a or rema	see oppendixe	A GRO DI						
					**	ovston arv ip) Hams La	univ-con					
ensus Tracts	102	. X7	134 01	34 02	205 01	105 02	106	107 01	107 02	300	309 01	109 02	309 03
i E													
*:No nerses	0 054	: 127	. ++3	1704	4 750	4 251	5 119	5 780	4 900	. 431	, 049	3 064	3 110
Ser 3 - FOT3	5 654 00		117	- 14	4 750 54	1 251 256 272	1119 56 70 29 504 380 43 445	- 1	1 900 13	76	- 55	.36	:01
4 -eors	-59	4 4 	4.5	-16	34	- 2	70	-09	- 31	.74	-36	27	53
'0 /4 vears	314	25	43 8 391	5	.03	38	:29	- 8	: ; ;	: 002	:05	311	307
13 J4 1407	151	. 54	:12	14	.63 :67 :78 :37	190	180	.79	-27	372	23	:73	:33
13 44 V90/3	3.0		472	156	437	.53	45	-86	178	:06	49	.53	233
2 64 Years	151 43 88 431 185 184	. 54 . 50 . 5 . 73 . 6	405 472 434 426 293	14 143 156 159 184	400 256 246	38 51 490 305 353 378 38 27	191 140 108	13 18 19 29 29 20 186 197 122	-27 -22 1/8 487 150	- 431 - 74 - 6 - 002 - 372 - 336 - 006 - 399 - 97	355 24 236 305 349 123 344 247 207 382	1 086 :36 :56 :7 :62 :11 :73 :65 :64 :75 :64 :73	3 116 200 53 89 307 533 270 233 130
no 4 years	. 51	4	44	23	39	10	40	:28	39	19	:44	34	1112
rears and over	4 760 4 537 4 139	10 427 293 255	1 385 1 99 2 738 2 725 3 3 2	539 451 182 366	978 973 779 98	763 34 439	247 2776 3541 370	128 4 096 3 922 3 633 553 573	308 308 362 424 359	299 5 62 290	144 4 343 1 159 3 500 121 135	34 486 397 2144 154	2 399
rears and over	4 139	.93	. 738	: 82	: 779	34	3 541	3 533	424	- 960	900	2 144	: 197
reas and over	147	::7	332	57	-04	174	370	:73	-67	52	335	106	2 399 2 334 2 197 240 587
90n	:50	27.3	29 8	:7 8	30.1	21 0	10.4	75.3	27 6	34.1	:6.8	:5.7	31.5
·	3 245	1 091	2 538 79	: 765	2 240	2 326	2 443	3 013	2 716	3 576	1 073	1 427	1 414
ser 5 vecan	20 390 28 273 24 29 01 47 27 27	1 091 39 31 39	79	2 7 45 255	57	58 76 72	2 443	.86 .62 .25 .29 .27 .26 .22 .38 .34 .80	"3	23 76 45 22 290 24 46 273 220 29	135 188 103 148 170 101 151 144 157 144 162	22 22 23 23 23 279 29 78 202 96 53	1 414 154 105
10 14 4907	. 18	.9	218	. 58	88 82 66 71	?2	73	125	**	45	:03	>2	34
12 /4 1000	1 173	: 6	24 23 24 27 236 260 271 92	150 110 110 110 110 110 110 110 110 110	71	.58 .54 .54 .94	110		72 201 205 231 200 280 212 87	190	.48	:32	249 133 128 183 214
10 34 VIOTS	79	**	34	-32	150	.36	130	. >6	:05	-74	:01	:79	:49
10 54 vects	1 17		:36	:42	:31	54	291	.58	:00	:73	:44	78	28
12 04 veors	127	76 77 19	:50	:54	231 237 208 73	94	291 291 272 267	:34	:80	.20	257	02	83
rears and over	1 29	19	92	69	73	31	137	9	37	48	82	53	147
nd 4 years	36	32	71	72	61	56	72	2 179 2 092 1 933 404 353	05	78	119	47	43
rear and over	2 332 2 210 2 028 471 436	907 761 689 198	876 814 688 595 530	983 886 745 515 465	61 681 624 528 496 447	765 694 292 281 235	72 2 081 1 994 1 877 538 484	2 179	55 2 178 2 108 1 960 539 489	78 2 976 2 904 2 286 481 448	2 202 2 112 931 552 509	1 126 1 070 946 213	274 245 171 444 433
462 84 04	2 028	589	588	745	528	292	877	933	960	2 286	931	946	1 171
765 ed 947	471	198	595	515	496	281	538	404	539	481	552	213	44
-	766	28.4	31.7	28.8	31.8	22.4	32.5	27.3	11.2	23.7	27.1	25.1	34.8
USBIOLD TYPE AND REATIONSHIP						4.4			31.4		•••		
Total parsons	. 454	2 127	4 442	5 206	1 730	4 251	5 119	5 780	4 100	7 431 5 751 2 381 1 319 1 062 854 974 1 847 549		3 006	3 110
Controller	6 654 6 608 2 243 1 485 758 607 1 134 2 828 403	2 127 2 122 791 494 295 263 245	4 642 4 624 852 1 075 777 687	5 206 5 206 1 941 1 232 709 613 567 2 465 233	4 250 4 250 1 758 1 000 758 699 442 1 899 151	4 251 3 345 1 289 903 486 448 244 1 727 105	\$ 119 \$ 119 2 074 1 210 844 737 650 2 064 329	5 788 5 680 2 053 1 345 708 569 540 2 630 357 97	4 900 4 665 1 781 1 247 534 438 733 1 954 197 235	5 751	6 049 5 049 2 112 1 408 704 589 1 120 2 570 247	3 086 3 086 1 315 731 584 448 551 961 259	3 110 3 034 1 199 785 414 357 651 1 034 1 50 1 8
Foreign Householder	1 485	496	075	232	1 000	903	1 210	1 345	1 247	1 319	1 408	731	785
Living stone	109	295	177	709	758	484	844	708	534	1 062	704	584	114
ж.	1 134	245	419	567	442	244	650	540	733	974	1 120	551	651
Ther reserves	403	79	2 165 188	2 465	1 899	1 727	2 064	2 630	954	847	2 570	761 759	1 034
re of estatution	1 16	5			-	-	-	97	235		-	-	18
	2.95					886		3		1 680			38
one per former	1 67	52	50	58	1 42	3 45	2 47	2.77	2 62 3 15	2 42 2 14	3 62	2.35	2. 53 3.1 5
Persons 65 years and over	540	246	719									257	
vertoits	549 549 387	267 267 207	719 719 555 348 120 67 75 22	645 645 458 231 215 107 63	602 457 253 241 79 56	305 256 161 156 28 21	548 548 445 211 184 108 70 25	474 407 274 104 96 65 59	627 426 258 63 73 92 65	638 633 449 251 245 128 49	277 277 277 277	257 257 154 59 57 64 29	541
"colondy householder	218	34	348	231	253	161	211	104	83	251	247	59	172
Oute	198		120	215	241	156	184	96	73	245	232	57	14
Ner reserves	218 198 90 73	20,	75	33	56	21	70	59	65	49	77	29	30
n of publica			22	17	10		25	67	201	,	10	٥	574 541 378 172 164 130 30 3 18
n group queriers		1	-		-	-	-	-	-	1	-	-	15
AY TYPE BY PRESENCE OF OWN CHEMEN													
Feder	1 445	496	1 275	1 232	1 000	903 477	1 210	1 345	1 247	1 319	1 406	731	725
meer of own children under 18 years	1 485 528 1 628	265 577	1 35	1 232 661 443	473 1 011	1 043	1 210 536 1 052	1 345 759 1 566	1 247 575 1 022	1 319 586 1 095	759 1 669	731 332 583	785 346 709
Narial majo familio	1 134	245	419			244						351	441
Hersted empts feeding	1 134 577 1 547	245 109 242	182 158	547 258 559	213 445	102 208	265 519	351 709	793 278 481	974 427 827	1 120 633 1 418	351 252 464	451 299 600
rounds beneathabler, as bushand present	240 128 244	216 40 303	355 311 717		453 240 523	508 357 790	459 248 496	381 813	437	245 140 243	107 213	106 63 99	42 81
							476	313	•••				•
TAL STATUS													
Male, 15 years and over	2 470 870 1 312 57 57 174	7-40 274 268 66 57 75	1 529	1 712	1 448 563 494	912 290 76	1 912 238 725 148 82 219	845 721 147	1 642 550 795 92 65	3 353 1 940 1 083 99 45 186	2 187	1 373 541 636 69 16	1 143 305 707 29 39 63
arned, except separated	1 312	268	480	505	494	290	725	721	795	083	1 247	536	707
M	57	57	142 116 161	605 179 103 196	118	76	82	47	92	45	576 247 54 59	16	39
•	174				113	74		52					
female, 15 years and any	2 397 554 1 236 74 329 204	235 267 80 151	1 942 545 469 725 465 738	2 037 594 618 705 365 255	1 713 449 480 178 387 219	1 800	2 128 555 717 169 342	2 246 683 714 234 290	2 208 629 800 176 334 267	3 002 1 411 1 025 84 267 215	2 247 474 1 191 83 303 196	1 132 285 592 52 108 95	256 677 34 227 99
smed, except separated	1 236	267	469	618	480	1 800 880 275 190 231 224	717	714	800	025	1 191	592	677
-	/4	80	225	.705	178	190	59	234	178	84	83	52	34
9	327	131	443	3A5	787	271	142	200			352.6		

					~	NISTON CITY ID) Horms Co.	univ—con					
unsus Tracts	:310	.377	:311 99	312	312 00	313 01	.313 02	21 4 01	214 02	115	1601	:216 02	7ract 317 01
'otel persons	: 131	2 079		7 792	13	5 159	5 432	4 120	: 44	s 102	: 221	493	1 710
₩ 3 veor3	1/2	38 98 98 98 90 90 90 90 90 90 90 90 90 90 90 90 90		127 148 128 125 125 127 127 127 127 127 127 127 127 127	. ~		-4	- 120 - 18 - 192 - 12 - 17 - 17 - 198 - 187 - 151 - 147 - 178 - 17	36 31 32 33 33 37 36 317 38 38 38	133	221 29 26 28 28 28 29 111 118 48	100	1 719 110 42 27 24 320 563 157 90 112
7 veors	:34	38		48		÷31	34 270 37 274 318 388 468 416 481 456 270	-52	. 53	0	:6		27
7 19 veors	176	.98		410	-	-62	.74	471 20	. 93		:08	:3	.24
m 14 years	64	:68		765	4	028	188	>87	36	357	728	190	543
g 44 veers c 54 veers g 64 veers	:30	- 56	-			191	458	551	317	:64	:50	35	57
0 54 veors	461	361		:33	:	392	181	278	118	486	:18	95	112
ng 74 years	376 64 330 349 461 274	:42	-	109	-	152 -62 549 528 491 151 392 198 224	270	52	38	-90 -25 -357 -64 -72 -86 -44 -17	18	192 190 19 15 15 29 20	73
											.3		
	109 4 837 4 554 4 036 125 153	5 657 212 590 275		5 272 4 951	13	3 931 3 744 3 421 825 749	213 1 922 2 781 3 515 205 391	71 : 759 : 773 : 504 : 331 : 278	551 547 332 432	4 633 4 413 4 89 150	: 546	409	538 529 498 233
ean and over	4 554	212		4 951	:9	744	781	: 773	547 132	413	572 422 131 .74	385 111 227 209	527
earl one over	125	175		4 461 787 581	3	325	195	131	+32	350	131	:27	233
- cars and over	:53	340								52			
••	:3 8	.3.7		.43	21.4	26.6	.3.0	25.4	26.7	:9 5	.90	26.9	28.6
Female	3 342	4 680		3 647	17	2 484	2 828	2 244	1 739	1 249 -05 -40 -13 -13	1 456	146	743 43 22 15
7 5 years	130	84		3 647 273 285 278 277		284	2 828 :46 :36 :09	211	108	: 25	34	9	43
7 14 vees	24	195	-	: 8	-	39	:09	:15	55	. 33	17	,	15
1 9 veen	- 33	.10		157	2	:24	162	.14	19	.:3	.00	:5	44
34 veen	30			:47	- 1	453	178	174	:34	42	67	38	270
) 34 years	74	104	:	108	:	231	:13	107	32	25	44	45	43
74 years	:09	109		293	2	224	101	45	62	42 55 99 53 215	:01	53	55
sais and over	1 342 197 130 24 53 33 100 299 294 109	4 880 :84 541 :95 :30 :34 :35 :42 464 :109 :250 :35	-	148 147 151 108 193 183 124	:	2 484 211 89 224 212 453 231 173 224 230 153	152 178 141 113 101 174 193	2 246 211 75 215 214 215 274 207 231 45 81	1 739 108 53 26 29 27 234 32 54 52 56 52 56 58	215	1 456 04 13 17 00 100 107 134 44 101 83	26 88 94 45 93 94 94 94	270 61 43 55 45
44											37		
927 20 00 00	2 243	3 144		2 442	17	968 1 877 1 715	2 116	1 593	261	2 520	1 168	130	443
1875 6H3 0HF	2 102	2 928 2 648	-	2 442 2 297 2 074	15	877	2 052	493	214	2 422	1 138	122	458
en en ovr	2 243 2 102 1 863 343 309	249 3 144 2 928 2 648 519 454	:	2 442 2 297 2 074 436 377	2	497	95 2 116 2 052 1 921 654 573	74 1 593 1 493 1 356 185 158	74 261 214 104 243 215	2 520 2 422 2 252 555 508	138 1067 182 169	130 132 744 143	443 458 443 108 87
161 64 64					2 2		573						
•	23.5	23.5	-	24.7	21.5	27.4	30.5	26.4	27.3	31.4	28.9	25.6	28.4
SENOLD TYPE AND RELATIONSHIP													
Total surveys	7 121	10.000			-								1 719 1 611 900 360 304 263 144 74 34
and the second s	7 125	10 679 10 065 2 718 2 173 545 471 1 714	:	7 792 7 780 2 152 1 716 436 349 1 349 3 919 360		5 359 5 258 1 894 1 262 632 508 1 040 2 090 234	5 432 5 432 1 847 1 346 481 1 003 2 265 317	4 320 4 320 1 376 1 095 281 236 705 2 120	3 444 3 650 9 314 903 411 339 737 7440	5 818 2 111	1 221 2 998 1 414 642 772 642 171 970 243 131	1 408 439 387 130 239 214 112 59 79 233 421	411
(and be and the	2 057	2 718		2 152	-	1 894	847	376	1 314	2 111	1 414	389	***
feeterily towarder	543	545		436		432	481	281	411	***	772	259	228
Living done	425	471	-	349	-	508	386	234	339	548	642	214	428
V 14514	7 125 2 057 1 514 543 425 1 188 3 511 369	2 310		3 919	:	2 090	2 265	2 120	1 440	548 548 913 2 541 253 127 157	970	59	243
vienes	369	315	-	360	-	234	317	119	159	253	243	79	146
n grap author		14	-	12	13	101	-	-	14	57	72	521	34
1 per household	1 46	3.70 4.24		3 62	- :	2.78	2.94	1 14 1 58	: 78 3.41	2.76 3.37	2 12 3 09	2 32	1.79
1 per 10mm	4 10	4 24		4 07	-	3.48	3.39	3.58	3.41	1.37	3.09	2.32	2.58
Person 45 years and over	440	+94	-	551	-	422	726	226	287	41	241	189	174
	794	455		369		417	726	126	197	307	120	107	95
orlandy householder	148	186	-	134	-	207	204	49	93	161	241 166 120 71 63 18	62	55
4	87	131	- :	102	-	142	151	45	61	75	18	33	26
7 miles	440 294 148 141 87 50	996 455 188 179 131	:	551 551 369 134 128 102 71	-	422 417 207 197 142 49	726 726 484 204 183 151 73	226 226 139 49 45 48 35	287 287 197 93 87 61 27	455 307 161 154 75 65	21	147 107 62 61 33	174 131 95 55 52 26
of residence	-				-	13			2	115	75	26	43
u dama drauser		-	-		-	1	-	-		91	-	16	-
Y TYPE BY PRESENCE OF OWN CHEADEN													
	1.514	2 172		714		1 940	1 944		-	1 449	449	198	***
un children under 18 years	1 514 969 2 276	2 173 1 375 3 341	:	714 034 2 501		1 242 450 1 429	1 344 579 1 429	1 095 667 1 317	479 1 002	1 443 757 1 411	314 547	130 22 32	128 128
our of own children under 18 years			-			1 429	1 429	1 317	1 002				
Married courts families	1 186	1 714		1 349	-	1 000	1 003	795	737	913	371	112	204
on children unser 18 years	916	1 714 1 161 2 858	:	901 2 205	:	1 000 549 1 216	1 003 522 1 159	705 426 859	402 830	913 443 901	173 121	112 17 25	394 112 161
	227			241									
rounds beautholder, as bushasis present on chia's n under 18 years	302	195 166 360	- :	116 262		142 89	192 134 236	300 202 394	55 67	288 564	127 208	11	13 16
ar at own children under 18 years	302	360		262	-	184	236	394	167	564	208	7	16
AL STATUS													
Made, 15 man and arm	2 667	3 415		2 897	14	1 995	1 254	1 413	1 400	2 161	1 492	581	877
	893	1 165		2 897 977	16	1 995 627 1 150 41	546	483	450	2 161 825 1 011	693	135	384
4	94	154	:	53		1 150	1 097	738	311	101	102	23	20
	2 667 893 1 515 94 56	3 615 1 165 2 025 154 109		53 51 107	-	135	1 854 546 1 097 50 37	1 413 483 738 65 28	1 409 450 811 38 26 84	55	673 467 102 63	381 335 154 23 16 53	277 384 387 20 20 20
					-		124						•
Female, 15 years and over	2 311	3 263		2 511 552 1 447 85 274 133	17	2 000 411 1 106 45 276 162	2 137 387 1 070 84 388 208	1 645 440 740 93	1 282 214 782 32 141	2 571 791 988 166 154 272	1 192 380 399 100 154	517 170 13 70	207 334 14 41 67
	1 111	1 885		1 447	-	1 106	1 070	740	782	938	399	170	334
Ted. except separated													
Tel. scopt souther	1 313 105 241 134	3 263 742 1 885 110 340 183		274	- :	45	.84	93	32	166	100	13	14

			e introduction		ns of ferms	usion any p		unry—Con					_
Census Tracts	:273 02	:::3 03°	::-1 0 X	-00 25	400 26	401 01	-01 02	1402 01	- WT 02	×1 403	-04 01	-04 02	:405 01
.GE													
ind servers	, 444	: 132		1 150	> 874	: 324	: 472	5 829	4 074	757	: 469	1 475	4 1411 221 521 301 2141 5471
: F : +0/5	22 33 35	- 72		.,	130	- ::			4 076	+5		1 675 35 31	221 /
* 4	33			43	.7	12	: 8	40 3 157 131	37	6	: 7	11	701
'0 (4 veor)	:5	37		73	45 93	:07		:57	- 59	.74	32	170	5421
	:07	:3		:37	393	46	:43	: 068	194	: :43	:42	126	2211
13 44 vers 12 54 vers 15 64 vers	907 129 192 485 14	74		01	187 161	.52	57	431	115	- 59	86	194	478 I
'0 64 vegrs	485	:2		38	561	:81	203	-09	:54	1.79	55	307	3121
ears and over	-5	127 120 121 121 121 121 121		13 20 237 21 27 38 20	164	.62 .99 .81 .37	57 19 203 59 24	43 43 431 409 430 132	194 149 115 254 21	3757 45 24 36 30 30 30 30 30 30 30 30 30 30	22 481 242 347 86 55	170 126 494 302 307 220 214	221 428 286 312 330 228
ing 4 years	- 200	. 33		252 240 203 292 265	276 4 531 4 239 3 840 015	181 126 1079 134 278	26	376 282 344 257	559 575 335 445	45 409 347 766 64	534 506 187 72	35 266 209 3089 571	3 549 1 3 549 1 3 349 1 900 1 741
rean did over	966 966 90	152 162		740	4 239	26	722	: 382	575	147	506	209	540
rears and over	: 786	: 52		:03	3 840	: 079	: 542	344	335	: 766	: 187	3 089	3 340 1
. ears and over	:99	.4		:65	198	278	: 311 : 722 : 542 : 81 : 35		:90		:50	515	741
•••	3.0	25.4		35 6	:47	12.3	18.0	21.4	:7 6	10 2	.75	31.6	30.61
Female	4 597	1 556 34 35		472	3 591	1 139	1 545 25 21 21	: 435	1 431	2 420	1 181	1 786 53 76	1 863 1
7 7 Yest	136	75		24	172	5	21	30	5	2	14	-6	25 1
7 4 years 7 14 years 7 14 years	3	od .		10 14 17 17 17 17 17 17 17 17 17 17 17 17 17	72 244 70	*2	21	23	5	:5		30	95 1 24 1 418 1 51 125 1 75 1 238 1
'3 24 years		. d		:5	.33	50	31 327 33 33 33 06 115	13 11 12 15 137 102 141 130	- 11	:06	:31	:47	2421
10 34 veors	. 27	-85		:2	138 311 313	35 135	. 33	: 15	25	120	211	196	4181
10 54 vegs	24	:3		13	311	52	23	:02	20	76	-5	119	25 1
10 64 veons	:21	-85 37 33 57	1.4	31	113	62 64 77 47	06	:41	22	203		147 196 202 119 157 153 147	1751
Heart and over	104 121 121 14	11	118	-6	259	47	*0		25 26 20 22 21 38	20 20 31 36 203 74	15 15 15 15 15 15	47	238
and 4 years	113	28 291 258 157		391 381 347 163	2 442 2 305 2 119	1 091 1 075 1 047 1 98	56 220 179 1090 257 232	2 404 2 368 2 268 527 587	39 414 380 275 275 241	27 2 459 2 426 2 226 406 364	102 1025 1025 185	579 559 497 375 347	13 648 615 530 540 513
5 years and over	3 426 3 218 2 947 217 173	258		381	2 462 2 305 2 119	075	179	2 368 2 368 2 268	380	2 424	009	5.59	615
21 years and over	2 947	157		367	2 119	1 047	1 090	2 268	275	2 226	025	1 497	1 530
22 years and over	173	54		151	516 552	164	237	527	2/5	364	147	347	513
*****	28.9	25.8		41.3	26.8	33.9	28.2	32.3	29.4	29.0	79.3	31.9	33.4
CUSENOLD TYPE AND RELATIONSHIP													
Total parsons	1 444	1 332	1	1 150	. 874	2 234 2 052	3 472	5 829	4 076	6 757	2 400	1 475	4 141
· households	9 444 9 444 1 469 2 382 1 087 579 2 125 3 554 296	3 332 3 332 1 827 763 1 064 878 577 584 244		1 190 1 005 513 162 331 286 138 280 74	6 874 5 734 2 231 1 393 838 749 627 3 580 296 1 38	2 234 2 052 1 406 374 1 032 918 305 211 130 272	3 472 3 464 1 487 637 850 596 454 1 078	5 829 5 819 3 457 1 044 2 413 1 970 769 868 725	4 676 4 028 2 170 550 1 520 1 083 440 761 557	4 757 5 547 4 130 932 3 198 2 447 692 678	2 669 2 664 429 255 932 307 296 412	3 478 3 584 1 983 731 1 252 1 021 593 657 351	4 141 2 343 810 1 533 1 279 407 787
Former householder	2 382	763		162	393	374	639	1 044	450	932	429	731	810
Yantaraty householder	1 087	1 064	1.4.4	331	838	1 032	550	2 413	520	3 196	255	252	1 233
0000	2 125	577		138	627	305	454	769	440	692	307	593	607
Other resolves	1 554	584		280	3 580	211	1 078	848	761	678	296	457	787
mate of estitution	.70			110	138	272	441	/25	**	2			~
mate of institution. Ther in group quarters		-				-	i	10	48	208		91	-
-Tions per romain	1 72	82 : 65	**	3 30	1 02	2 38	2.33	2.57	. 86 2.85	: 47	2.41	1.81 2.71	2.72
Person 45 years and over						211							
PoureMoles	213 213	53 36 24 24	114	145 108 71	733	210 58 05 03 31	273 212 133 123 41 34	742 762 569 353 335 140 38	320 235 140 127 46 25	246 220 204 76 51	228 154 108 102 35 21	434	658 504 335 326 112 34
Vordendy households	61	24		71	183	05	133	153	140	220	106	174	335
Uving done	61 59 37	24		69	156	103	123	335	127	204	102	164	326
Other regimes	55	3	***	10	<u>م</u>	19	34	38	25	51	21	13	34
YORKING		-	11.9	24 10 3	751 733 580 383 354 66 63 24	2	6	15		13	6	434 306 176 164 84 33	
W. e group quarters	-		***	**		-	.:	-	2	7	-		-
MAY TYPE BY PRESENCE OF OWN CHARGE													
	2 382	743		182	1 393	374	439	1 044	456	733	429	731	510
h own chidren under 18 years	2 382 1 489 2 791	763 359 526		72 183	1 393 857 2 201	374 54 96	317 667	1 044 324 469	233 372	722 727 349	125 167	781 245 418	210 200 500
h own children under 18 years	2 125 1 318 2 525	577 224 331		138 59 152	378 378	308 39 72	236 527	760 222 335	151 258	157	367 79	193 193 343	200 154
										253			
Founds besoebabler, so beaband present in own chidren under 13 years under, of own chidren under 18 years	187 141 219	136 110 158		29	431 037	14 23	120	96 117	50 101	1 53 50 85	15 18 48	95 39 58	141 72 122
lumbs, of own children under 18 years	219	158		. 2	037	23	102	117	101	85	48	58	122
RITAL STATUS													1
Made, 15 years and ever	3 723	1 534 619 604 58	124	237 181 30	2 158 875 755 204 149 175	1 114 580 326 38 20 150	1 611 780 568 56 27	: 107	2 254	3 959 2 512 782 88 60 517	1 437	1 762 813 631 33 28 197	2 985 957 676 64 44 262
*	2 175	619		237	875	580	780	453	299	2 512	834	813	957
roll	243 2 175 56 21	58		30	204	38	56	39	76	88	42	23	44
MMI	21 228	247	0.630	72	149	20	180	53 851 89 53 343	2 254 1 299 513 76 44 322	50	834 347 42 17	28	242
						.30							
Female, 15 years and over	1 547 573	1 309	***	376	2 541	1 096	1 228	2 412	1 434	1 042	1 104	529	414
Femals, 15 years and over	2 161	1 309 375 596		81 156	2 541 780 731	1 000 443 311	340 509	2 412 784 808	1 434 472 486	2 443 1 042 739	433 325	529 629	416
Female, 15 years and over	3 547 573 2 161 06 140 307	1 309 375 596 23 46 259	***	81 154 16 96 47	2 541 780 731 260 525 245	1 000 443 311 29 94 221	340 509 32 171	2 412 784 808 77 332 411	1 434 472 486 57 165	2 443 1 042 739 54 228 400	1 104 433 325 21	529 529 529 36 184 213	1 643 416 639 48 326 234

-34 HOUSTON, TEX., SMSA

CENSUS TRACTS

					+0	ouston any ipt) norms cou	univ — con					
ses Tracts	:X1	450	'X1 '451 02"	(0)	502	503 01	103 02	:x1 :04	505 01	505 02	:06 01	° ∞r 506.02	05 07 0
Tabé parteta		13		27	2 074	. 344	500	1 230	137	4 219	1 588	: 443	4 25
5 4007			-	-	.06	7.6	174		137	1 219 		5 943 75 72 92	4 20 21 27 24 83 39 35 34
9 years					:27	.75	- 53	30	: 5	: 14		92	30
14 years	*				:02	- 39		:33	7.5	-19	.73		27
24 years				1	71	174	3	159	52 52 52 58 50	-18	-68	:49	34
34 years		100	-	:	. 19	20	- 22	27	72	:31	:13	434	3.
54 700'1		100	-	5	78	48	>45	277	38	119	:45	457	3
64 YEST	-		-		79	542	22	:30	50	157	:46	450	3
1 A WEST 1 1 Years 1 1 1 1 1 1 1 1 1				5	2076 227 227 220 202 21 249 59 28 79	20 22 22 48 42 35 37 36 37 48 42 35 37	509 119 153 188 18 113 172 129 129 125 125 125 125 125	2730 23 20 30 33 29 222 277 277 270 30 65 22	:3	183	1 588 	454 454 63 457 450 443 457	3
4.000	-	1144			76	290 4 728 4 436 2 974 369	241 489 211 2743 593 594	38	+2	14	8	29	1
4 years			-	26	76 371 106 182 335 292	4 728	1 489	234 234 20 274 404	030 791 719 74	: 061 : 889 : 599 : 603	340 742 501	29 ± 810 ± 670 ± 371	3 2
w			-	26	106	1 436	1 211	20	210	. 589	501	1 670	3 0
	-			• •	335	349	593	+04	74	:03	:37		3 2 3 0 2 9 8
an es our	-	110	-	3	292	751	594	344	52	521	+66	310	
	-		-	45 5	:47	24.4	14 5	25.5	:3.1	:69	:79	10.1	31
				15	1 071	1 578	3 071	1 484	340	1 143	1 771	1 005	2 1
5 years			-	. 1	106	143	279	1 484 59 59 47 18 53 207 17 29 26 93	59 47 37 17	1 143 72 81	82 25	1 035 83 67 48 ::0	2 1
years		1.00		~	92	352	.92	59	47	31	?5	67	- 1
14 years					22	48	16	. 8	17	55	41	::0	-
24 vegra					35	:73	. 9	53	32	74	.30	114	1
34 years					48	35	33	:07	38	:58	.56	:38	3
4 west			-	1	104	778	06	79	10	78	21	27	1
64 70073			-	1	07	305	: 52	26	53	42	58	254	2
74 1987			-	5	06 92 01 02 35 48 90 04 07 85	3 528 343 352 368 348 323 325 313 378 305 324 39	33 06 06 62 91	93	32 38 31 40 53 49 37	36 78 42 49 97	21 58 50	278 278 227 256 291 323	2
54 vers		10.0	-										
4 years	-	111	-		36	2 407 2 271 2 060 538 475	105 2 124 2 004 1 805 406 150	72 987 940 858 216 198	503 483 445 111	378 378 307 168 315	1 407 360 245 350 314	2 504 2 428 2 270 746 678	1 6
R 60 64	- 1		-	14	36 746 714 652 214 182	2 407	2 124	987	503	378	1407	2 504	1 6
				13	452	2 040	805	858	45	1 168	245	2 428 2 270	1 5
m ad est	-			7	214	538	406	216	111	315	350	744	5
m ed ear	-		-			475				283			
<u> </u>				54.8	27.7	25.8	25.3	24.8	27.6	26.7	28.7	31.9	12
TYPE AND RELATIONSHIP													
3													
The parent	:	13	-	27	2 674 2 055 697 428 269 235 1 83	7 046 7 018 2 060 1 526 534 436 1 065 3 582 311	6 427 1 703 1 337 346 243 963 3 334 427 51	3 230 3 051 905 624 281 223 409 544 193	1 337 337 502 308 194 140 240 463	4 219 4 007 1 220 837 383 298 548 1 982 257	3 588 3 588 508 651 657 528 635	5 948 5 858 2 557 1 413 1 144 921 1 107 1 820 374	4 30 4 19 1 45 1 05 97 50 84 1 53
	-			"	697	7 040	1 703	905	502	220	508	5 858 2 557	1 4
The best of the second of the	-		-	7	428	1 526	1 337	624	308	337	651	1 413	1 00
	-		-	2 2	269	534	366	281	194	383	657	1 144	9
				1	233	1 045	263	409	240	34	435	1 107	
	-		-	17	1 074	3 582	3 334	544	443	982	1 176	820	1 5
4	-		-	-	101	311	427	193	112	257	269	374	14
# manage			-	-	19	28	51	179	- :	212	-	23	
	- 45					3.41	3.77	3.37					
				1 00	2.95	4 05	4 21	4 13	2.66	3 28	2.38	2.29 3.07	2.5
Forms 45 years and over											415		
				,	243	611	443	244	132	410	415	853	66
	-		-	5	243 235 174 123 112	433 230 220 97	303	264 195 96 90 16 24	132 59 45 41 23	433 410 290 138 127 57 52	415 306 174 166 72 30 7	629	24
Infanty tourstator	-		-	5 2	123	230	126	96	45	38	174	366	24
				2	112	220	83	70	23	57	72	152	1
	-		-	2	26	72	67	24	16	52	30	43	'
				-	26 18	•	463 303 126 109 83 67 10	11	4	11	7	853 627 348 350 152 63	
b 700 quarters			:	-		- :	16	1	- :	23	- 2	*/	
										-			
TYPE BY PESSING OF OWN CHEMIN													
	-	5 2	-	1	438	1 526	1 337	434	300	637	851	1 413	1 00
ter of our children unter 18 years			- E	:	243 621	1 536 933 2 240	1 337 790 1 908	368 924	146 298	435 1 061	851 389 711	593 1110	1 05 47 96
	-	***	-	-	621								
Martel auto tento	-	2	-	1	183	1 065	163	409	240	548	425	1 167	M
dibu atr if you	-	2	:		110	1 065 681 1 739	963 619 1 546	261 084	123 253	348 320 793	293 545	455 872	96 38 61
		1 * *			765				133	/43			
Amade bossetstiler, as instead present	-	:		5	215	158	267	153	49	215	154	233	19
Female benediable, as bedond present		-			129 348	158 216 441	247 143 306	153 88 205	43	244	154 81 138	110	19
			-				.00	.03	-				
TAL STATUS													
Male, 12 years and over			_	19	440	2 201	2 454	1 774	422	1 717	1 452	2 347	1 54
			-	12 8 3	273	876	759	460	536 182 284 9	501	487	817	- 4
	-	***	-	3	223	1 248	1 217	553	284	707	733	198	91
erial, except separated			- 1	ī	52	62	106	93		39	44	54	
Miles, except separated					273 223 52 52 49	2 391 876 1 248 62 62 143	2 455 959 1 217 106 62 91	1 276 460 553 93 56	50	601 707 139 78 192	487 733 46 40	2 347 817 1 198 54 50 218	1 56 44 91 4
arial, encys separated	-				4.5	-						1000	
d		***		2.31	400				2002				
Finals, 15 years and over				14	772		2 184	1 009	507	1 425	1 493	2 537	1 68
Simula, 15 years and over			:	14	772 227 211		2 184 548	1 009 242 453	507 98 259	1 425 394 626	1 423 288 579	2 537 574 1 168	1 64 31 87
Amenda, 15 years and over			i	14 2 - 6 2	772 227 211 68 179 67	2 645 588 1 165 138 134 240	2 184 548 1 106 115 278 137	1 009 242 453 79 155 80	507 98 259 25 78 47	1 425 394 626 78 207 120	1 423 288 579 49 209 198	2 537 574 1 168 67 439 289	1 667 317 37 32 14

US TRACTS


HOUSTON, TEX., SMSA P-43

Table P-1 General Characteristics of Persons: 1980—Con.

	- or meaning or	SYMBON MA	• inmoduction	For detwent	ons or terms s					-			
Consus Tracts					-0	outton any of							
Carsos Trucis	3507 02	50 6	50 9 01	509 02	579 03	3c7 1510	1511	112	513	314 01	514 02	251 5.0 1	3515 0
468													
"ofel persons	5 187 	58 54 477 35	: 118	1 155	5 079 - 70 - 39	4 776	> 610	1 581 11 A	1 402	2 776	: 192	4 913	2.78
13 V V6013	1.3	34	118 179 277 200 277 299 252 281 271 234 207	:56	439	-05 -04 -38	23	-08 -02 3	25 26 27 27 29	.50 .81	192 30 34 38 38 39 40 37 91 83 56	4 913 155 128 173 123 123 124 1940 502 419 475 491 1234	1
79 19 years	-33	35	37	54	112	- 35 - 35	:8	30	::7	36	:16	23	3
10 /4 viors	181	43	52	:41	193	:03	.90 .18 .21 .23 .77	:36	27	-60 :66	:40	240	31
10 34 veors	113 142 181 1459 181 502 143 150	43 43 487	.81	.54 .41 .47 .79 .110 .30 .15	406 112 107 193 130 175 105 141 121	152 147 518 174 295	: 24	35 36 36 36 37 39	:75	30 36 36 36 50 31 37 77 77	37	502	
5 to 64 vegas	502		34	:30	-05	518	318	521	.78	.77	83	475	7
15 years and over	:50	537	:07	09	.91	:95	109 143	579	.75 .43 .78 .58	96	50	:34	2 785 2 34 34 34 35 36 36 36 37 30
3 and 4 years	75	216	21	233	81	1 500	107 1 977 1 972 1 590 162	30 001 808 425 542	569 479 199 227	31	51	3 909 3 787 3 539 976 872	2 271 2 190 2 075 142 211
s veers and over	75 3 834 3 566 3 371 825 42	583 543 256 538	272 273 273 293 484 429	273 273 2115 723 444 400	4 670 4 467 4 138 305	58 500 3 313 3 043 022 710	1 972	5 001 5 808	479	300 598 471 525 562	573 486 139 198 162	3 787	2 190 2 190 2 075
Warn and over	3 371	1 256	184	723	4 138	022	1 590	542	27	: 471	339	3 539	2 075
S Wall and over					175								
**************************************	28 2	25.2	3.0	26.1	31.3	29.4	29.0	30.0	:7 5	:8.0	25.7	30.6	28.0
Female	2 556	7 444	1 547	1 542	1 176	2 540	3 361 262 231 218	3 944 317 319 322 79 89 33 35 89	1 721	1 68 24 31 57	1 104	2 414	1 266
to 9 years	20	.63	44	116	209	83	:31	:19	22	24	39	74	3
) to 14 years	212	:70	30		.64	:08	:45	79	56	57	39 22 10	62	
:0 to 24 veers	:38	:75	45	50	:50	235	152	:89	33	. 8		276	30
5 to 44 veors	121	:31	34	47	.54	20	0	:35	49	38	23	221	C
5 to 54 years	277	:34	62	56	+03	185	139	358	57	58	00	216	
nder 3 vienn	2 556 231 99 87 212 238 30 21 246 277 95	.63 228 .70 .75 .403 .31 .76 .74 .48	1 547 33 44 10 30 45 245 34 48 62 29 97	1 542 39 16 44 86 50 99 47 71 56	244 209 214 34 250 402 254 288 403 382 96	2 548 98 83 97 208 235 321 99 276 285 253 85	246 152 23 20 252 239 258 230	424	1 721 44 22 26 56 56 33 273 49 16 57 59 57	18 206 38 58 68 174	95 93 90 90 41	2 414 160 174 22 162 176 177 221 216 258 263 165	1 264 00 00 00 00 00 00 00 00 00 00 00 00 00
one 4 years								110					1000 945 900 134 132
ane 4 vects 5 vects and over 8 vects and over 11 years and over 20 vects and over 22 vects and over	1 895 1 817 1 677 504 460	583 763 602 348 307	149 107 021 288 259	50 1 131 1 060 966 247 220	78 2 469 2 367 2 198 800 721	921 835 707 577 512	2 608 2 495 2 335 755 693	3 134 3 031 2 846 1 036 958	36 275 144 401 367	430 377 261 380 341	791 742 670 149	1 933 1 874 1 746 991 533	1 00
Ages and over	1 677	1 602	021	766	2 198	707	2 335	2 846	1 144	261	670	74	90
	460	348	259	247	721	577	755	958	167	340	152	571	12
· · · · · · · · · · · · · · · · · · ·	29.5	25.9	29.0	27.9	33.3	32.3	30.3	31.8	29.4	29.3	26.5	12.4	77.2
OUSBIOLD TYPE AND REATIONSHIP													
Total parassa	5 187	5 539	3 118	3 155	. 679	4 776	10	7 581	3 402	1 776	2 192	4 913	2 70
* headath	5 187 5 187 1 848 1 210 - 638 505 967 2 069 303	5 530 5 536 1 684 1 306 378 124 948 2 695 209	3 118 3 118 1 072 785 287 252 632	3 155 3 155 949 737 232 200 489	6 679 5 079 2 181 1 633 548 487 1 340 2 393 145	4 776 4 776 1 722 1 142 580 535 628 2 293	6 810 2 512 1 706 806 650 1 347 2 613 338	7 581 7 581 3 351 1 748 1 603 1 354 1 378 2 383 469	3 462 3 006 1 063 734 349 292 578 1 221 126 115 279	3 776 3 776 1 384 889 415 411 638 1 557	2 192 2 192 739 498 241 196 303 1 018	4 913 4 658 2 072 1 173 899 739 894 1 404 284 45	2 766 2 756 1 356 513 646 706 402 777 217 217
Foreign Inscendenter	1 210	306	785	737	1 633	142	706	748	734	809	416	1 173	511
Verifiedly householder	505	124	287 252	232	548	580	806	154	792	411	196	739	70
Senso	967	948	632	489	1 340	620	347	378	578	438	103	***	4
Other relatives	303	209	331	86	145	2 293	338	2 343	126	197	132	284	21
majo of namenon	:	3		-	-	-	-	-	115	-		45	2
Mar. in group 448-4	7.81		2 91	3.76	1 79	2.77	2.71	2 24		2.73		2 34	2.0
Visits our family	2 81 3 51	1.79	2.91 3.50	1.85	2.79 1.30	2.77 3.56	1 32	2.26	2.78 3.45	2.73 3.47	2.97 3.45	2.34 1.13	2.00 1.30
Person 45 years and ever	593 193	450	158	334	722	749	952	1 228	499	475	225 164 69 67 37 21	725	150 116 50 50 50 70
- Cappair	593 593 417 213 203 113 51	450 310 120 115 85	150 240 115 115 112 72 15 3	324 324 216 71 67 69 34	932 932 900 245 237 238 85	769 556 245 231 132 67	952 952 963 304 292 200 71	228 228 948 535 608 187 68 25	393 287 151 140 69 28 9	473 475 133 164 154 94 11	164	724 473 223 204 144 57	11
Norderes haventeller	213	120	115	71	245	245	304	335	151	164	67	723	7
Special	113	85	72	69	230	132	200	187	69	94	37	14	
Other relatives	12		35	34	85	67	71	25	28	17	3	57	
mate of nestation			-	-	:		-	-	97	-	-	1	
AMELY TYPE BY PRESENCE OF OWN CHEMIS													
	1 210	1 306	785	733	1 433	1 142	1 786	1 748	734		490	1 172	510
Name of the order is years	1 210 591 1 326	744 1 654	785 400 829	737 368 804	1 433 715 1 430	1 142 496 1 070	1 786 792 1 595	1 748 771 1 526	734 344 795	422 932	254 527	1 172 451 967	518 231 514
								1 378					
'th our children under 18 years	967 481 1 082	566 284	338 703	255 566	1 360 610 769	255 541	1 347 639 1 318	615	578 280 568	312 716	151 333	346 770	125
Female bosobility, as bestead preser	182 95 217	242 50 317	111	197 104 120	270 87 137	431	741	274	117	196 93 187	152 95 83	194 88 176	11 12
	217	317	50	20	137	216 477	27 236	236	54 100	87	83	176	70
AMITAL STATUS			54										_
Made, 15 years and over	1 982	2 667 750 1 790 71	1 133 325 692 30 32 73	1 182 469 540 59 40 74	2 225 568 1 437 43 42 145	1 617 576 585 107 104 145	2 437 819 1 486 92 65	2 912	240	1 291 472 697 56 45	287 377 40 32 68	1 999 663 1 019 56 47 204	1 29 54 45 4 2
w married, except reported	1 104	1 790	192	540	437	585	484	506	526	597	377	1 019	4
grand	650 1 104 50 47 131	60	30 12	40	43	104	92	506 83 97	459 526 33 60 82	45	32	47	
		60 86					175	269				204	1,
Y08							2 450	3 184	1 359		100	1 958	1 9
Female, 15 years and over	1 939	1 723		10.0						***			
Famala, 15 years and over	1 939 344 1 027	429	207	314 535	455	492	470	463	336 630	326 685	338	947	ä
Female, 15 years and error	1 939 344 1 027 80 285 201	1 923 429 1 022 101 241 140	1 186 207 666 28 183 96	1 143 314 535 76 149 89	2 509 455 420 64 396 172	1 942 492 678 167 395 230	2 450 470 432 76 430 242	3 186 540 1 463 97 568 318	1 359 336 630 35 250	326 685 91 207	202 338 60 123 85	1 958 439 947 53 313 206	30

-44 HOUSTON, TEX., SMSA

CENSUS TRACTS



RECORD OF COMMUNICATION	(Record of Item Checked E X Phone CallDiscussion ConferenceOther(Specif	Field Trip
TO: Dr. Herbert McKee Occupational Health		Date: 1/9/89
City of Houston Health Dept/Engineering (713) 640-4399	Kelly Bowles, FIT Geologi	Time: 2:25 pm
SUBJECT: Lead Products	Facility Site and Buffalo Bay	you/Houston Ship Channel
SUMMARY OF COMMUNICATION	N	
Q: Has there been any re	emedial action taken at Lead E	Products facility site?
A: There hasn't been any	complete remedial action. T	The company itself is
making an attempt to	control runoff. There hasn't	t been any removal.
We are trying to get	approval to implement a progr	ram to recover the
lead from the contami	inated soil.	
Q: Do you have an estima	ate of the amount of hazardous	s material buried onsite?
A: We have no record of	the amount. We have data sho	owing the levels of
contamination, but no	quantity data.	
Q: Surface runoff from i	Lead Products feeds into Buffa	alo Bayou. Do you
know what Buffalo Bay	you is used for down stream fr	rom the site?
A: Buffalo Bayou is used	d for navigation and by indust	tries along the channel
for once through cool	ling water. There is no consu	umptive use and it is
not used for drinking	y water.	
CONCLUSIONS, ACTION TAKE	EN OR REQUIRED	
INFORMATION COPIES		

EPA FORM 1300-6 (7-72)
Replaces EPA HQ Form 5300-3 which may be used until Supply is Exhausted.

REFERENCE 11

RECORD OF - COMMUNICATION	(Record of Item Checked Below) X Phone CallDiscussionFiel ConferenceOther(Specify)	d Trip
TO: Julie Massey, Ecological Services U.S. Fish & Wildlife Service.	Kelly Bowles. FIT Geologist	Date: 1/9/89 Time: 2:10 pm
SUBJECT: Sensitive Env	ironments along Buffalo Bayou	1
SUMMARY OF COMMUNICATIO	N	
Q: Are there any critic	al habitats of Endangered Species or	other sensitive
environments along B	uffalo Bayou in the City of Houston?	
A: No. There are no fed	erally designated critical habaitats	for endangered
species along Buffal	o Bayou. The edges of the bayou are	fairly
industrialized, so t	here are no federally designated sen	sitive
environments along t	he banks.	
CONCLUSIONS, ACTION TAK	EN OR REQUIRED	
INFORMATION COPIES		
TO:		

EPA FORM 1300-6 (7-72) Replaces EPA HQ Form 5300-3 which may be used until Supply is Exhausted.

ECOLOGY YEN FORMENT, INC.

THARACTERISTICS OF THE POPULATION


Number of Inhabitants

TEXAS

REFERENCE 12

HA 113.71 1980

130 1 -45



U.S. Department of Commerce BUREAU OF THE CENSUS



VOLUME 1
CHARACTERISTICS OF THE POPULATION

CHAPTER A

Number of Inhabitants

PART 45

TEXAS

PC80-1-A45

Issued March 1982



Director

U.S. Depaitment of Commerce
Malcolm Baldrige, Secretary
Joseph R. Wright, Jr.,
Deputy Secretary
Robert G. Dederick,
Assistant Secretary for
Economic Affairs
BUREAU OF THE CENSUS
Bruce Chapman,

Data Index

This index provides a summary listing of the tables in which the particular data are presented. For a listing of the individual tables and their page numbers, see page 1.

The State						T	able
Earliest Census to 1980				 	 		1
Size of Place				 	 		7
Urban and Rural: 1930 to 1980			٠.	 	 	٠.	8
Counties							
Land Area and Population				 	 		
Urban and Rural				 	 		3
County Subdivisions				 	 	٠.	4
Places							
All Places					 		5
Incorporated Places of 5,000 or	Mor	е			 	٠.	6
Inside and Outside SMSA's							
Urban and Rural				 	 		9
Size of Place				 	 		10
SMSA's							
Component Parts				 	 		11
Type of Residence		٠.,		 			12
SCSA's							
Component Parts				 	 C ()	* :*:	11
Urbanized Areas							
Component Parts				 	 		13

ible 2. Land Area and Population: 1930 to 1980

	:40 6	o orec						Fooulation				
				30		Percent d	nange					
inties		-		-		270	960 (
	-augre	consters i	- mber	- ne	outre (790	270 İ	370	750	340	740	9
+ State	252 017	: 6 623	1 229 191	4.3	2101	27.1	691	111 198 655	1 579 677	: 74	- 414 824	824 7
ricon men mon mon mon mon mon mon mon mon mon mo	177	. 739 !	.3 381	15.6	381	18 1 18 5 30 0 50 2 26 2 5 2	-131	27 789 0 372 19 349	:9 162	11 875	17 092 277 12 201	14 6
M	121 127 129 107	888 089 725 350 356 354 598 141	1 123 14 172 1 260	39	107	10.0	-229	0 372 19 349	3 450	875 902 16 032 2 252 5 816 2 215 10 048 4 663 1 572 4 410	2 201	14 64 77 27 80 2 21 9 64 3 35 5 65 18 84 5 18 3 78
G9		726	1 250 256 294 15 055 1 712	V3 9	261	÷0 2	27 1	3 902 5 759	. 009	4 252	469 599 495 9 275 7 384	27 80 2 21 9 64
4	107	350	766	30	211	.6 2	-5 7	895	3 110	2 816	495	7 3
mond	1 213	154	35 055	10 A	281	34.0	-3 7 1	8 696	8 828	10 048	9 275 7 384	3 32
010	120	198	15 055	20 A	041	34 0 18 2	341	3 831 3 487	3 777	4 663	7 384	18 84
	156 127 173	053	3 158	3.0	0 4 1 8 3 5	-36	22.0	8 696 3 831 9 487 4 747	966 8 828 3 777 9 090 3 892	572	5 318 4 234	18 84 5 18 3 78
***************************************	1	2 053 [084	3.9	1	49 2		4 /4/	3 592	4 410		3 /4
0	195	2 318 1	4 726 4 919 3 030 57 889 98 800 4 681	27.6	0 7 2 2 1 4 57 8 305 9 2 5 0 4 5 2	42 9	2 2 -11 4 -4 3 12.3 20 9 -2 5 -17 5 14 9 42 1	297 5 221 22 737 124 483 830 460 3 567 388 0 966 58 909 108 312	6 925 5 893 23 755 24 097 587 151 3 657 5 076 5 809 5 9 971 6 204	9 622 5 875 8 174 73 824	755	23 86 7 41 15 72 50 02 292 53 3 84 1 50 15 75 48 56 23 05
	2 80 055 48 20 99 991	233 280 732 232 848 330 561 2 307	25 030 57 889 58 800 4 681 859 3 401 75 301 69 587	37		-5 8 14 5 26 8	-114	22 727	27 755	3 174	A 481	15.72
	055	732	57 889	49 7	57 8 1	76.8	12.3	124 483 830 460	23 755 74 097 587 151	73 824	6 481 44 863 138 176	50 CC
	:48	232 1	-98 800	29 6 49 7 92 3	305.9	191	20.91	830 460	587 151	:00 460	138 176	792 5
	1 4	848	4 681	9 6	2.5 (31 2 -3 3 22 2 9 3	-251	3 567	3 657	3 824 300 460 3 780 166 836 51 966 46 549	6 481 44 863 338 176 4 264 3 761 50 208 27 069	3 8
•	200	. 330	359	10	3.41	-33	-175	10 944	10 809	874	5 761	15 7
•	991	3 307	15 301	44.5	32.6		401	A 909	19 971	21 966	50 208	48 5
4	407	3 644 1	59 587	3.6 34.5 20.5	46.5	56.6	42.1	08 312	6 204	40 549	27 069	23 0
	1				74.4				₩ 895		1/ 077	
	198 5 169 197	524 5 977 2 298 439	F3 588 573 2 579	59 2	014	51 4	29 1 20 9 -21 9	57 978 1 780 2 794 3 005	14 895	3 370	5 478	21 8 6 5 5 5 9 26 3 3 1 3 5 3 3 1 2 7
•	1 .47	298	579	: 9	1.1.1	-7.7	-21 9	794	5 434 1 577 5 609 14 728	1 528	4 056	5 5
	1 742	439	428	3.9	351	5.3		3 005	5 609	3 195	3 362	5 9
	12	. 424 1	33 057	15.3	361	27.7	401	25 877	:4 728	.3 607	:5 924	:6 3
m	100	24 1 231 1 275 1	2 313	3.4	7.1	23.1	-1051		1 177	3 000	1 334	7 6
	1	575	803	12.2	0.9	35.9	23 3	1 420 21 178	763	2 150	74 893	31 1
	40	199	428 33 057 2 313 2 803 22 637 7 574 0 992	43 3 36 2	40	51 4 -2 7 -7 7 5 3 27 7 23.1 55.9 11 6 9 8	7.5	17 831	6 592	18 390 1 309 1 528 2 195 28 607 3 000 0 356 9 222 9 687	5 911	5 3
·	199	113 399 329	0 992	36.2	67 40 47	34.0	-05 -05 -33 -33 -35	3 205	265 222 6 592 929	₹ 087	26 977 5 478 4 056 5 362 25 924 3 334 0 771 24 893 5 911	12 7
								146 516	161 000			
n	905	2 345	209 727 9 275 6 672 29 430 10 556 18 538 38 127	231.7	89.4 17.7 2.8 12.1	15.9	-71	40 368	7 849 7 781 23 496 8 923 10 379 33 120 8 421 8 351	3 740 6 852	10 285	10.0
	224	2 202	4 473	45.7 7.2 31.4 11.7 30.1	2.01	2.4	-18.3 2.7	4 158	7 781	A 852	0 624	7 7
••••••	917	2 476	79 430	11 4	121	21.9	2.7	74 133	23 496	26 732	33 496	30 0
	399	2 329	0 556	11.7	451	1.6	16.5	10 394	3 923	26 732 5 417 7 871	4 631	47
	616	1 596	19.538	30.1	11.6	52.1	17.4	12 187	10 379	7 871	7 511	5 7
*	1 052	2 725	38 127	36.2	14.0	19 1	-3.4	32 008	33 120	38 694	43 970	4
	707	831	5 950 9 582		3.8	5.2	-21.6	5 605	8 421	2 894	12 524	14 5
13	203 924 937 899 616 1 052 707 1 085 775	2 345 525 2 392 2 426 2 329 1 596 2 725 1 831 2 811 2 006	4 825	36.2 9 8 8 8 5 2	11.6 14.0 1.8 3.4 2.4	16 52.1 19 1 5 2 18 6 -9 4	-3.4 -21.6 -3.3 -17.0	140 368 8 005 5 358 24 133 10 394 12 187 32 008 6 605 8 079 5 326	6 417	38 694 12 123 9 896 5 928	83 202 10 285 5 624 33 496 4 631 7 511 43 970 12 149 12 524 3 735	77 5 10 0 7 7 7 30 0 4 7 5 7 43 1 16 0 14 5
			-									
	908 1 277 851 909 964 555 930 992 993 1 057	2 352	3 196 10 439 144 576 4 648 18 823 36 446 12 617 2 915 27 656	3 5 8 2 169 9 5 1 19 5 65.7 13.6 2.9	14	3.5 116.0 -2.3 6.7 50.8 6.0 -0.7 17.8 60.8	-14 0 -17 4 62 2 -24 2	3 087 10 288 66 920 4 755 17 638 24 165 11 898 2 937 23 471 35 311	3 589 12 458 41 247 6 276 18 463 19 844 11 865 3 672 22 560 23 961	4 045 15 503 41 692 9 139 17 576 16 357 15 516 5 078 22 146	4 590 20 571 47 190 10 331 17 812 12 321 19 245 5 192 24 909 20 226	5 2 23 6 46 1 19 1 11 9 18 4 7 6 24 1
	277	3 308 2 205 2 154	0 439	5.2	3.2	1140	-17.4	10 288	41 247	41 492	47 190	44 1
	900	7 154	4 448	5 1	201	-2.3	-74 2	4 755	6 276	9 139	10 331	14 4
m	764	2 498	8 823	19.5	7.5	6.7	45	17 638	18 463	17 576	17 812	19 1
•	555	438	36 446	65.7	25.3	50.8	21.0	24 165	6 276 18 463 19 844 11 865	16 357	12 321	11 9
O9	930	2 409	12 617	13.6	3.2 65.6 2.0 7.5 25.3 5.2	6.0	0.3	11 698	11 865	15 516	9 245	18.4
0	397	2 570	2 915	2.9	111	-0.7	-20.0	2 937	3 672	3 0/8	34 900	24 1
gwerth	1 057	3 308 2 205 2 354 2 498 1 438 2 409 2 570 2 312 2 737	27 656 56 767	31.0 53.7	20.7	17.8	21 8 0.3 -20.0 4.0 47.4	23 471	22 560 23 961	14 284	20 226	19 9
	103/	2 /3/	30 /0/				4/.4					
	895	2 319 1	2 947	3.3	23	10.3 18.6 -2.5 -3.3	-23.8	3 204 4 172 3 885 9 085	4 207	5 099	7 079	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	782	268 268 2327	4 600 4 608 3 859	5 9	231	10.3	-112	4 172	4 699	3 965	2 841	2 2
m	7 806	268	4 608	1 6	061	18.6	-77	3 885	4 209	3 481	2 044	11.0
	1 815	2 327	8 859	0.9	181	-2.5	-12.2	3 429	2 794	825	2 841 2 809 0 046	1.2
in .	895 182 2 806 398 3 815 1 505 880 903 1 497	3 899	3 315	43	0.6 3.8 0.3	8 A	-4.4	3 429 6 012 1 327 695	5 302	5 099 3 965 3 981 9 582 8 825 7 540 9 14 799 9 113 9 111	5 494	325 6 32 5 31 5 32 5 33 5
	380	2 279	556 390 6 184 21 165	768.6	AR2 9 1	17.2	39.5	6 012 1 327 695	951 527	9 113 9 111	398 564	325 6
·	>03	138	6 184	17.9	5.9	-2.5	-13.5	6 604	19 185	9 113	15 367	13 5
n	1 497	3 899 2 279 138 3 878 720	21 165	1768.6 17.9 14.1	5.5 5.7	8 6 17 2 -2 5 11 4 -1 8	-23.8 -11.2 -7.7 -12.2 22.7 -4.6 39.5 -13.5 44.1 -15.9	6 604 18 999 4 927	4 207 4 699 4 209 0 347 2 794 5 302 951 527 19 185 13 187 5 860	9 111	7 079 2 841 2 809 0 046 1 653 5 494 378 564 15 367 6 056 12 858	325 3 5 3
	278	720	4 839	7.4	5.7	-1.8	-15.9	4 927	5 860	8 964		
	911	2 159	143 126	157.1	60.7	39 2	50 4	75 433	47 432	41 365	33 658 24 935 7 847 8 542 7 467 20 565 30 345 15 051 2 933 47 733	32 I 27 8 8 8 8 8 12 1 24 1 3 9 2 7
	910	2 358	8 903	20.8	80	-53	59.5 -9.8 -24.7 -10.5 -18.2 -12.5 -7.3	75 633 18 660 3 737 9 039	20 683	22 973	24 935	27 4
·	907	2 348	3 539	20.8 3.9 8.7	1.5	-53	-24.7	3 737	4 963	7 177	7 847	
	307	386	367	8.7	3.4	25 8 11 9	-10.5	9 039	0 095	0 654	5 542	10 5
*****	729	406	4 075	44	271	11.9	- 82	3 641 11 722	17 200	15 443	20 545	12 1
•	924	7 394	4 075 12 517 19 480	7.0 21.1	2.1	5.8	-123	8 092	9 526	23 942	30 345	34
*	903	2 340 1	15 374	27 8	49.3	24.5	18	97 660	20 995	42 102	15 051	3 9
	911 910 907 1 307 929 1 795 924 903 2 120 939	2 359 2 358 2 348 3 386 2 406 4 649 2 394 2 340 5 492 2 432	143 126 18 903 3 539 11 367 4 075 12 517 19 480 115 374 2 033 59 743	. 0	0.4	-3.5	-9 1 7.5	75 633 18 660 3 737 9 039 3 641 11 722 18 092 92 660 2 107 46 638	47 432 20 683 4 963 0 095 4 449 13 398 19 526 90 995 2 317 43 395	41 365 22 973 7 177 10 654 5 216 15 643 23 942 42 102 2 908 45 645	2 933	2.7
	939	2 432	59 743	63.6	8.1 49.3 0.4 24.6	24.5 -3.5 28.1	7.5	46 638	43 395	45 645	47 733	23 9
	1 014	2 421	.70 000					100 00:	214 070	94 968 18 434 25 724 31 253 24 176 11 023 0 535 4 216 31 056	11 047	131 9
	1 004	2 626 2 796 1 995 2 318	279 899 22 560 27 946 24 24 26 637 2 834 2 158 30 846	473.3 20.9 23.3 27.1	82.7 8.1 9.0 10.5 7.7 2.5 3.8 1.2 57.7	33.6 24.4 3.7 7.0 6.7 -7.1	14.4	359 291	314 070	8 434	20 760	20 8
·····	770	295	7 946	23.3	201	3.7	-18 4	7 300	21 243	26 724	35 984	38 7
	895	2 318 1	24 20	27.1	10.5	70	-18.6 -4.9 -13.4	22 705	23 880	31 253	41 064	41 1
	950	2 460 1	16 637	9.8	7.7	6.7	-13.4	17 650	20 384	24 176	29 246	30 7
	997	2 322	5 57	5 6	2.5	-71	-193	0 "44	7 865	11 023	2 932	13
	1 080 770 895 995 997 992 703 876	2 570	7 834 2 158 130 846	79	3.5	-110	-10.7	11 044	2 369	0 535	0 659	12.4
	1 703	821	7 158		121	-7.4	-29.2	2 211	3 125	4 216	12 943	20 1
<u>d.</u>	294	2 460 2 322 2 570 821 2 268 762	30 846	23.4	90	150.1 30.3	-29 2 29 1 3.7	359 291 18 141 17 300 22 705 17 650 6 744 11 044 2 211 52 314 5 291	314 070 16 236 21 263 23 880 20 384 7 865 12 369 3 125 40 527 5 101	31 056 5 257	131 067 20 760 35 984 41 064 29 246 12 932 10 659 5 237 32 963 8 378	131 : 20 : 38 : 41 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30
***************************************	1		. 573						2 101			2001
	888	2 300	4 830 3 785 3 150	6 7 2 2 8 7	5.4	33.4 23.5 13.4 15.4 0.9	-11.2	11 116	12 525 10 112 12 267 140 364 6 611 10 048 1 118 5 429 17 845 31 535	15 696 10 357 8 909 113 066 5 281 10 520 1 089 6 219 21 164	21 138	22 5
	1 133	2 934	3 785	2.2	6.4 4.7 3.4 189.7	23.5	-5 5 21 0	11 116 11 159 11 593	10 112	10 357	9 207 8 136 81 173	? :
	504	3 895	3 150	491.1	3.4	13.4	-5 5	11 593	12 267	8 909	81 173	4
×	995	2 317	1114	491 1	89.7	0.4	-20.0	169 812	40 364	5 281	5 678	3 5
3	1 061	2 300 2 934 3 895 1 033 2 317 2 749 2 332	1 532	2.8	23	28.2	-20.0	0 563	10 048	10 520	5 678 10 670 1 193	11 0
•	888 1 133 1 504 399 895 1 061 900 859	2 332	3 532 304 5 193	14	0.4	12.0	-20.0 5.0 3.3 -10.3 -8.2 -14.5	5 289 10 553 1 155 4 869 16 375 26 949	1 118	1 089	9 207 8 136 81 173 5 678 10 670 1 193 8 798 26 075	1 2
***************************************	859	2 224 1	5 193	6.0	2.3	6.7	-103	4 869	5 429	6 219	8 798	22 5 9 4 2 8 64 4 5 5 11 0 1 2 10 0 28 3 22 0
		2 744	16 887	15.8	4.1	3.1	-8.2	A 375	17 845	21 164	26 075 23 911	28 3
1	768	. /03										
	1 068	2 765 2 385	16 883 25 386	28.6	6.1	28 2 12 9 6.7 3 1 -2.1	-145	26 949	31 535	24 728	23 911	22 0

8 TEXAS

NUMBER OF INHABITANTS

Table 2. Land Area and Population: 1930 to 1980—Con.

r			nned of each censu	n For meaning	g of symbols							
	740 lon	d area		100		Percent o		coulation				
Counties		-		380 M	- M 1		750.1					
	:uare :-es	cometers :	· moer	Supre 	Juare :	:40	370 F	770	760	750	:40	730
ю	110	270 L	-9 487 1 580	.54.4	43.7	F 1	- 4 1	929 355	1 436 2 709 3 017	1) 258 5 135	3 027 760 5 596 3 813 2 117	5 778 12 642
		:47	-5 70 8	1.5	131	2.2	- 7 2	2 554 4 137	. 9 017	. 392	:5 596	2 642 38 925 30 189 6 966 3 523 3 548 4 532 3 936
od	105 116 116 121 168 198	. 504 i . 270 i . 55 i		1	- 4			3 015	16 798 322	330	2 117	6 766
omiton	-36	55 1	194		3.3 /	: 1		98	- 488	: 560	3 303	6 966 3 523 3 548
ometon onstord ordenion	271	385	1 209	17	5 1	-0.3 35.8 35.8	79 79 18 401	351 795 19 996 141 912	- 488 - 208 - 275	202 212 2535	3 303 2 783 9 073 5 875	4 532
orden	398	326	3 368 20 721	45 3 189 6		35 8	:18:	.7 996	.4 629 243 158	9 535	5 875	4 532 3 936
ons	*34	- 492	1 409 547	39 6	36.4	:83	10 1 1	141 912		106 701	-28 961	159 328
ormson	908	35 5	12 265	£7 6	72 2 1	43 3	7	-4 841 : 782	15 594 2 171 174	17 745	900 873	48 937 2 185 6 669 4 915 4 637 30 583 77 004 43 036 9 298 6 779
ornev	462	786 333 757	1 987		131	-3 3	28.1 -23.8 18.7		174	713 736 7840		6 669
ON	278 203	757	-0 594 304		33.1 35.1 39.7 00.1	10 9	18.7	512 7 642 1 084 15 466 81 535 12 596 10 396	2 974		5 749	4 915
emond	203	338	304	±8 O	23	12.0	-3 2 1	3 084	3 185 3 786	1 123	4 170 31 822	10 543
dolgo	569	4 064 1	.83 229	30.5	2971	500	21.5 21.5	31 535	30 904	90 446	36 059	77 004
4	-58	: 508	183 229 15 024 13 230	:5 9	0.01	100	-45	22 596	.3 650	00 446 1 282 10 407	31 822 36 059 38 355 2 693	43 036
ockley	258 569 568 508 425	301 4 064 508 351	42 506 33 229 35 024 23 230	80 5 25 9 25 6 41 7	611	178.2	-45 -67 170	3 368	30 904 33 650 340 443	287	0 074	6 779
												39.410
cours	139	97	25 247 22 299 13 142 2 728	32 O 8 1	34	1 9	-78	7 966	3 594 9 376 40 139	3 490 2 825 5 722	30 274 31 137 20 990	30 017
ousion	-01	234 1	13 142	35 €	4 2 1	- 23	-181	7 855 17 796 2 392	40 139	15 722	10 990	12 888
rudsperm	4 566	234 927 76 257	2 728 5 248	15 8	25.4	- 2 1 4 0 5 2	-28 4	17 948	9 399	4 29 6 42 731	±8 793	49 016
oftherson	340	1 257 1	.5 304	5 2	7.1		-1901	: 443	1 419	580	7 069 763	4 848
YON	252	174	186	1	2.5	29.5	5 !	21 443 070 0711	33	23 490 22 825 25 722 4 298 22 731 580 590	206	2 049 2 04A
caxason	- 20 - 344	182	1 352	: 3	511	2.4	-19 0 -19 0 -2 5 -2 5 -2 5 -2 5 -2 5	2 975	4 040 2 100	2 916	2 206 1 720 7 491	29 410 30 017 32 888 3 728 49 016 4 848 2 049 9 046 10 980 7 064
GSDBF	344 721	386	30 781	13.4	291	24.7	1.7	:4 692				7 064
ett Davis	2 258	847	547	2.7	2.3	. 3	-35	527	382 345 659	2 090	2 375	1 800
erf Davis erforson im Hogg im Wells	937 136 867 731 931	2428 2 943 2 245 892 2 410	250 938 5 168 36 498	257 8	03 4	11.0	0.3 -7.3	146 402 1 654 13 032 15 769 16 106 13 462 32 392	45 659	95 083	2 375 45 329 5 449 20 239 30 384 23 378 19 248 38 308 5 080	33 391
m West	867	2 245	36 498	45 42.1 92.5 18.5	631	10.5	31 8	23 032	34 548 34 720 19 299	27 991	20 239	13 456
	731	892	57 649	92.5	35.8	47 8	31.8 1	45 769	34 720	31 390	30 384	33 317
comes	931	2 410	67 649 17 268 13 593 39 015	8.5	35.8 7.2 7.0 19.1	47 8 7 2 1 0	-16 5 -10 2 8 2	3 442	4 995	17 139	19 248	23 316
Coulimon	788	951 2 042 717	39 015	18.1	19.1	20.4	32	32 392	29 931	31 170	38 300	40 905
(aufman	753 788 663 1 389	3 598	10 635 543	16.0	0.2	20.4 52.7 -19.9	-23.3	3 462 32 392 5 964 578	3 022 34 548 34 720 9 299 14 995 29 931 5 889 884	2 090 95 083 5 389 27 991 31 390 22 147 17 139 31 170 5 423 532	5 080 700	33 391 4 919 13 456 33 317 24 233 23 316 40 905 4 970
	878 1 107 1 250 914	2 275 2 867	145	26.0 3.3 0.5	0.5 10.0 1.3 0.2 0.6 15.1 2.4 17.7	-20 2 47 9 4 1	-17 0 5.8 -1 0 -27.5 -18.2 10.4 -24.0 5.3	19 454	5 800	4 022	3 413 11 650	3 851 10 151 4 119 1 193 3 960 12 451 11 346 46 529 17 452 8 677
	250	3 237	4 063	3.3	13	4.1	-10	3 904	3 943	4 619	5 064	4 119
inj	914	2 867 3 237 2 367 3 519	28 780 4 063 425 2 279	0.5	0.2	-8 4	-27.5	464	640	870	1 066	1 193
Contact Contac	359	3 519	2 279 13 358	39.1	0.6	3.6	-18.2	2 006 33 166 5 972	30 052	21 991	13 344	12 451
	853 845 919	2 209	5 329	63	2.4	13.6 0.6 -10.8	-24.0	3 904 464 2 006 33 166 5 972	6 800 3 943 640 2 452 30 052 7 857	10 082	10 090	11 348
and	919	2 381	42 156	45.9	17.7	169	5.3	36 062 17 770	34 234 21 896	20 015	11 650 5 064 1 066 4 533 13 344 10 090 50 425 17 606 9 167	17 452
arner	1 013	2 381 2 623 850	18 669 2 005	6.3 45.9 18.4 16.8	6.5	28.8	-10	9 323	34 234 21 896 9 418	2 249 14 022 4 619 870 2 668 21 991 10 082 43 033 20 015 9 929	9 167	8 677
. ***			5 514			100	-16.0			7 485	8 003	8 228 27 550 13 390 19 898 19 868 39 497 4 512 8 956 5 538 195
7/900	1 517	2 515	9 004	3 6 9 6 7 4 3 9	7 6 5 7 3 4	0.1	-:131	5 014 17 903	5 972 20 174 3 949 9 951 31 595	7 485 22 159 10 144 12 024 26 729 25 251 3 658 9 054 5 377 227	8 003 25 485 12 751 17 733	27 550
7/0CO	631	2 793	2 952	7.4	571	36.1 7.8		7 903 9 048 3 738	3 949	0 144	17 751	3 390
	631 1 078 1 174 231	3 040	9 004 9 952 9 94 47 088	40.1	15.5	42.6	45	13 014	31 595	76 729	24 541	9 868
Mestone	*31	2 410 1	10 224 1 766	40.1 21.7	841		-11 3	'A 100	20 413	25 251	24 541 13 781	39 497
mestone .cscome .ve Oak	933 1 057 939	2 417	3 766 9 606	40	16	80	2.3	3 486	3 406	7 054	9 799	8 954
lone	939	2 417 2 737 2 432 737	0 144	12.8	3.5	43 4	-10.1 -12.2 4.5 -11.3 -14.6 33.2 -27.4	3 486 5 697 5 979	3 406 7 846 5 240 226	5 377	24 541 33 781 3 764 9 799 5 996 285	5 538
oving	671	737	91	0.1	0.1	-44 5	-27 4	164		227		195
ettect	900	2 331	211 651	235.2	90.8	18.0	147	79 295 9 107	S6 271 10 914 8 815 S0 091 116 6 749 8 049 5 068 3 780		51 782 11 931 13 208 101 898 1 374 12 029 11 457 5 556 5 378 20 066	
ubbock	- 2	2 300	8 605 8 735 70 755	27	90.8 17 3.1	-5 5	-166 -28 -17 -19	9 671	0 914	01 048 11 030 1 701 30 194 1 187 7 996 10 172 5 541 4 945	11 931	39 104 12 372 13 883
AcCullech	1 071	2 669	8 735 70 755	8.2	3.1	15.7	-17	8 571 47 553	50 091	30 194	101 898	98 682
Action	1 163	2 669	789	165.6	94.0 0.3 8.7	15 7 -27 9	-19	095	1116	1 187	374	98 682 351 2 227
lodison	473	224	10 649	22.5 26.9	8.7	38.4	401	7 693	6 749	10 172	11 457	10 371
Agrin	385	2 367	0 360 4 684	5.1	2.0	38 4 21 6 -1 9 9 7	5 8 -5 8	147 553 1 095 7 693 8 517 4 774	5 068	5 541	5 556	5 785
lamen	934	2 367 2 418 2 919	3 663	19	130	9.7	-11.2	4 774 3 356 27 913	8 049 5 068 3 780 25 744	4 945	5 378	39 104 12 372 13 863 98 482 1 351 12 227 10 371 5 785 5 511 17 478
atagaraa		7 919	37 828	33.6		35.5				41 337	.0 000	
ovenck	1 287 1 331 902 902	3 333	31 398	24.4	67	73.5	24.7	18 093 20 249	14 508 18 904 2 964 57 717	2 292 7 013 4 175	10 071 16 106 4 521 11 721 33 120 7 951 12 477	6 120 13 989 4 447 8 005 37 915
leding	331	2 137 2 335	23 164	17.4	67	44	-:07	20 249	2 944	4 175	4 521	4 447
udond	*02	2 335	31 398 23 164 2 346 82 636 22 732	2 6 91 6 22 3		-11 3 25 3 13 5	-3 4	65 433	57 717	25 785	11 721	8 005
Addand	1 019 748 912	2 639 938 2 363 2 403	22 732	22.3	8 6 2 3 3 8 7 2	13 5	-:001	20 249 2 646 65 433 20 028 4 212	22 263 4 467 11 255 4 893	25 785 23 585 5 999 14 357 17 070	7 951	37 915
ids	212	2 363	9 088	00	1.8	5.3 0.2	-571 -1941 291	4 0/3	1 255	4 357	2 477	8 293 14 183 19 159
lon10que	928	2 403	7 410	8.8	72	13.6	29	5 326	4 893	7 070	20 442 23 055	9 159
intredi	928 1047 905	2 343	31 398 23 164 2 346 82 636 82 636 22 732 4 477 9 088 7 410 28 487 5 575	18 8 22 7 8 3	47.4	13 6 59 7 17 9	34 4	4 060	76 839 4 773	24 504 3 349	4 40.	8 293 14 183 19 159 14 588 1 555
		1			200						9 810	10.000
	256	563	4 629	57.1	22.1	8 8	-2.1	2 310	2 870	9 433	4 994	0 028
torns		. +63	950 46 786	2 0 49 8	9.2	28.7	-24 1 29 7 -9 5 12 4	26 362 31 150 11 657	28 045 34 423 3 372	3 963 30 326 39 916	4 994 35 392 51 308	30 290
Aothery	330	2 433 1			12.4	13.4	-951	31 150	34 423	19 916	51 308	40 507
laction	330	2 433 2 767	15 323	33.1	12.8	1.0		11	13 335	0	13 700	12 524
laction	939 935	2 483 2 483 2 433 2 767 2 422 7 369	35 323	14.2	5.5	13.7	12.4	5 220	8 963	9 808	13 700	12 524
condoctives cond	939 968 935 915 847	2 433 2 767 2 422 2 369 2 195	35 323	33.1 4.2 19.0 316.7	5.5	-10 5 28 7 13 4 13 7 7 0 12 9	-14.5 -14.5 7.2	15 220 237 544	221 573	9 808 15 471	13 700 17 309 92 661	12 524 19 323 51 779
Achtey	939 935 915 847	2 195 I	35 323	33.1 14.2 19.0 316.7	7 3 122 2 4 0	13.7 7.0 12.9 -1.2	12.4 -14.5 7.2 3.5	11 657 15 220 237 544 9 704	221 573	9 808 15 471	13 700 17 309 92 661 4 213	12 524 19 323 51 779 5 224
Achtey	939 935 915 847	2 195 I	35 323	316.7 0.4	7 3 122 2 4 0	4.7	12.4 -14.5 7.2 3.5 17.1 17.9	11 657 15 220 237 544 9 704 2 258 71 170	3 372 8 963 221 573 9 380 1 928 60 357	10 832 19 808 165 471 5 024 1 672 40 567	13 700 17 309 92 661	10 028 6 812 30 290 50 507 12 524 19 323 51 779 5 224 1 404 15 149
Aorms	939 968 935 915 847 919 1 485 362	2 195 2 195 2 380 3 846 938	35 323 13 254 17 359 268 215 9 588 2 283 83 838	316.7 10.4 15 231.6	22 2 40 0 6 89 4	-i 2 i 1 17.8	7 2 3 5 17 1 17 9	237 544 9 704 2 258 71 170	9 963 721 573 9 390 1 928 50 357	10 832 19 808 165 471 5 024 1 672 40 567	13 700 17 309 92 661 4 213 1 385 17 382	12 144
Actiey Googloches Grayto Gewton Gloch Gloc	939 935 915 847	2 195 I	35 323	316.7 0.4	7 3 122 2 4 0	- 2	12.4 -14.5 7.2 3.5 17.1 17.9 41.2 -5.8	11 657 15 220 237 544 9 704 2 258 71 170 28 962 15 894	221 573 9 380 1 928	9 808 15 471	13 700 17 309 92 661 4 213	12 524 19 323 51 779 5 224 1 404 15 149 17 576 24 063 18 759

NUMBER OF INHABITANTS

TEXAS 45-

tole 2. Land Area and Population: 1930 to 1980—con.

	:40 (04	d ored						Englished				
				:80		2 er cent d	nange					
ounties					in 1	270	140 (
	3504	cometers (\umber	: ouare	cometer :	190	270 1	270	940	250	340	930
		: 291 1	238	.,			: 71	3 509	- 583	: 787	: 890	5 869
*	: 95	7 371 1	4 619	3.5	. 8 !	- 3	501	748	257	: 539	3 185	
*	161	336	34 407 39 637	30	227	:68	-217	4 457 20 511	5 580	194	4 265	7 555 46 080 0 154
	3 957	200)	88			3.3	- 31	= 842	460	354	0 925	0 154
100	+3	529 1	4 839	1.0	151	29.0	25 4 1	752	: 993	3 266 3 774	134	7 114
-201	2.7	376	15 062	31.9	31 6 1	39.3	:391	3 885	23 913	3 774	997	7 071
ogan	73	039	4 135	1.5	4 1	27.7	- 44	239	782	127	7 420	3 028 2 197
7 AVE	054	306	0 101	5 3	5 9 1	19 3 27 7 22 7 12 6	-3 2 -3 8	4 298	5 582	21 851	29 769	30 923
~~	: 626	5 802	5 801	5 O	2.3	-44	-031	15 526	7 644	745	3 006	5 407
1/00	275	997	2 289	2.0	471	-2 2 22 8	-13.5	7 494	0 975	0 113	0 383	7 691
certs	215	237	87	7.0	351		- 001	767	6 157	9 908	75 710	77 240
terrison	364 28	332	4 653	3.5	43 8 1	106 2	- 091	4 389	5 878	2 156	7 051	27 240 7 658 21 821 32 484 11 998 12 471
res	356	734 1	872	1.2	4.3	-19	-1941	7 046 12 108	5 016	4 771	8 903	21 821
×	232	: 415	41 382	7 9		21.3		34 102	36 421 302	42 348	0 896	32 484
Augustne	486	258	3 702	7.9	591	3 3	- 6	958	722	1 568 1 837	2 471	2 471
- Augustine	524 572	482	3 785	5 8	3.5	70 6	391	5 702	5 153	172	2 056	9 711
Patricio	593	795	58 013	13.7	32.3	72.7	501	47 288	45 021	15 642	38 871 012	23 836 0 273
×000	309	3 391	5 204 2 820	3.5	281	23.8	32	540 277	5 381 7 791	852	1 083	3 144
PCT#	200	332	9 192	20.2	181		-22.6	5 760	30 369	2 852 2 779	3 083 545	3 166 2 188 5 695
CY	215	369	715	4.3	7	7 9	- 571	3 323	990		5 211	5 695
DV	-91	390	13 084	.7 2	111	7.3	-3.91	2 472	20 479	3 479	29 235	28 627 2 314 53 123
/man	332	. 390	174			- 32	10 4 1	3 557	2 605 36 350	4 701	59 090	1 314
-erves	38	. 415	4 154	27.7	321	12.2	341		2 577		3 071	3 016
7	726	488 3 175	27 266	17 7 22 1 22 2	361	540	131	7 707	7 137	3 948	3 312	409
pnens	394	2 315	7 926	11.1	431	18.0	-531	3 414	3 885	10 597	2 356	6 560
ning	923	2 390 1	206	1 3	0.51	14 2	-1031	2 397	1 177	282	5 589	1 431
**************************************	925	2 396	2 406	2.6	101	0.4	-20.6	2 397	3 017	3 679	5 589 3 977	3 667
ton	455	3 768	5 130 7 723 860 880	3.5	421	51.6	-15.1	3 175	3 738 10 607	3 746 8 249	6 528	7 343
sher	902 868	2 336 2 248 2 375	BAO 880	991 8	383.0	20.3	32.9	10 373 715 587 97 853	538 495	361 253	225 521	197 553
w	917	2 375	110 932	121.0	03	13.4	-3.2	97 853	101 078	63 370	44 147	41 023
4	2 357	5 105 1	1 595	0.7	03	-17.8	-25.4	1 940	2 600	361 253 63 370 3 189 13 107	2 952	2 440
xaumorion	912	2 296	14 581 2 053	16.5	0.9	3.3	-13.3	· 14 118	16 286 2 767	3 618	11 160 4 275	16 560 1 431 5 667 2 807 7 343 197 553 41 023 2 660 8 663 5 253
						-09						
i Green	1 515	3 923	21 442 84 784	52.0	20.1	19 3	-0.5	16 702 71 047	16 785	17 302 58 929	19 228 39 302 111 053	16 003 36 003 77 777 13 637 11 648 22 297 5 968 12 945 14 924 32 315
1 Green	989	2 562	419 573	424.2	163.8	420	39.3	295 516	212 136	140 980	111 053	n m
**************************************	692	2 562 791	9 450	13.7	5.31	23.9	121	7 628	64 630 212 136 7 539	10 040	13 705	13 437
f	922	2 389	16 223 28 595	17.6	6.8	30.7	16.4	12 417	10 666	11 292	13 705 11 948 26 178	11 448
¥	587	3 220	4 619	48.7	18.8	36.3	-24.7	20 976	6 239	20 822 5 307	4 297	5 944
n	1 564 3 150	4 052	22 441	14.3	5.5	29.4	3.2	17 348	16 814	16 015	4 297 13 246 15 453	12 945
Verde	3 150	4 052 8 158	35 910	114	441	30.7	12.3	27 471	24 461 19 091	16 635 22 593	15 453	14 924
Zandt	855	2 214	31 426	36.8	14.2	41.8	16.0	22 155	19 091	22 593	31 155	
yno	887	2 297	58 807	77.6	30.0	28.0	15.7	53 766	46 475	31 241	23 741	20 048 18 528 10 014
٣	786	2 036	41 789	53.2	20.5	51.0	28.9	27 680 4 285	21 475	20 163	19 868	10 014
£	936	331	9 798	18.5	49	38.6	-12.7	3 019	2 071	346	9 575	4 599
1	510	SAO	21 998	16.7	139	16.7	-16	9 842	9 145	20 542	25 387	4 599 25 394 42 128 29 681 15 555
nungran	3 363 1 086 905	580 I	21 998 99 258	16.1	11.41	36.2	2.5	18 842 72 859	54 791	56 141	45 916	42 128
700	1 086	2 814	40 242	37.1	431	9.6	-3.7	36 729	38 152	36 077	36 158 12 411	29 681
nar	905	2 343	7 137	7 9	77.1	10.9	-190	120 563	7 947	98 493	73 604	74 416
yrger	947	2 453	15 931	6.8	5.5	3.8	-13.5	120 563 15 355	17 748	20 552	20 474	24 579
	589	526	17 495	29.7	11.5	12.4	-22.5	15 570	20 084	20 920	13 230	10 499
imson	1 137	2 944 1	76 521	57 3	26.0	105.1	5.5	17 305	35 044	38 853	41 698 17 066	17 606
•	207	2 089 1	9 944	20.8	26.0	28.5	5.5	12 041	13 267	4 672	17 066	17 606
*	840	2 175		11.8	461	3.2	-29 4	9 640	13 652	10 064	19 074	44 146 17 606 6 784 19 178
	902	2 337	26 575 24 697	29.5 15.8	114	35.0	15.7	9 687	17 012 17 653	21 308	24 360	24 183
1	840 902 689 800	2 072	8 299	10.4	13.8	13.0	-3.6	9 640 19 687 18 589 7 344 15 400	1 032	4 339	24 360 5 354	1 263
2	919	2 380 1	19 083	* s	8.01	23.9	-10.7	15 400	8 032 17 254	16 810	9 004	20 128 2 867
10	999	2 587 1	5 628	0.4	2.61	52.3	-091	4 352	4 393	4 405	3 916	2 867 10 349
0	1 298	3 363 1	11 566	3.0	3.5 1	2.6	-:04	11 370	12 696	11 201	11 603	10 347



United States Department of the Interior

EOLOGICAL SURVEY

WATER RESOURCES DIVISION 2320 LaBranch St., Rm. 1112 Houston, Texas 77004

January 12, 1989

Kelly Bowles Ecology and Environment Suite 1400 1509 Main St. Dallas, TX 75201

Dear Ms. Bowles:

Enclosed are tables of available daily mean discharge data at U.S.G.S. gaging station 08073700, Buffalo Bayou at Piney Point, TX.

Sincerely

J. C. Fisher

Supervisory Hydrologist Houston Subdistrict, WRD

JCF/bdp Enclosures





STATION NUMBER 3070700 SUFFALO BAVOU AT FINEY POINT, TO STREAM
. LATITUDE 274448 LIGHTUDE 3750124 CRAINAGE AREA 317 00 JATUM
. LATITUDE 374448 LIGHTUDE 3750124 CRAINAGE AREA 317 00 JATUM

DISCHARGE, JUBIC FEET PEP SECOND, WATER KEAR OCTOBER 1987 TO b MEAN TALUES - v ·UV DEC -ALI EEE MAF APR 1144 . -= 5 E :35 : 4= -3 :07 :20 -3 :05 57E = 5 = : 0 e54 :2 e 55 : 3 -63 : 42 e 50 :46 e79 e46 :8 e60 e59 e95 e 58 e89 e55 e83 e52 e48 e78 e74 άũ e72 e48 :81 ----------AL 83. c 1.1 71.8

YR 1987 TOTAL 116681 MEAN 320 MAX 1890 MIN 80 ACHFT 231400 YR 1988 TOTAL 39408 MEAN 162 MAX 1290 MIN 46 ACHFT 117800

Estametec

≟PR	11A 1	MUL	UUL	∴UG	SEP
153	:17	24	عَد	108	e 5
117	270	ع د	57	197	71
38	576	779	53	284	79
275	572	103	110	233	e 1
733	547	107	167	180	51
707	260	252	124	155	59
576	93	533	90	140	57
635	74	300	82	150	52
483	72	114	81	119	52
315	70	69	75	318	51
102	66	60	71	507	49
76	71	55	67	399	71
71	57	56	53	306	72
00	55	56	50	140	56
63	54	57	68	104	74
e79	65	. 59	58	89	67
92	64	59	57	79	91
82	61	57	57	79	113
70	58	55	170	125	76
e60	60	87	97	126	57
e59	283	173	127	118	54
e 58	303	114	133	96	51
e55	120	93	112	97	50
e52	82	76	102	89	51
e48	67	197	87	72	50
246	60	83	96	45	54
e4E	58	72	98	60	52
55	54	78	120	58	51
700	.62	71	103	139	54
447	64	65	93	127	280
	65		53	91	
6521	4800	4006	2825	4850	2116
217	155	134	91.1	156	70.5
733	676	779	170	507	280
46	54	55	53	58	49
12930	7520	7950	5600	9620	4200

RECORD OF COMMUNICATION	(Record of Item Checked Belo _X_Phone CallDiscussionFConferenceOther(Specify)	
TO: Henery Flemming Technician ACOE Galveston District	From: Brian Boerner, FIT Chemist	Date: 1/10/89
(409) 766-3076	Die Lalens	Time: 1243
SUBJECT: Flood Plains	of Houston	
SUMMARY OF COMMUNICATION	N	
Area around 800 N. Vela	asco is in zone C, which is out of	the floodplain.
Info. from FIRM; Map H	Panel # 480296-0125-6, September 2	7, 1985.
Map being sent to FIT of	office (see attachment).	
	The second secon	
CONCLUSIONS, ACTION TAK	KEN OR REQUIRED	

EPA FORM 1300-6 (7-72) Replaces EPA HQ Form 5300-3 which may be used until Supply is Exhausted.

RECORD OF COMMUNICATION	(Record of Item Checked Below) X_Phone CallDiscussionField Trip ConferenceOther(Specify)						
TO: Eddie Elliott TWC Deer Park, TX	Frances Verhalen, fullit	Date: 1/3/89					
(713) 479-5981	FIT Environmental Scientist	Time: 3:45pm					
SUBJECT: TWC Regulatory History of Lead Products Company							
SUMMARY OF COMMUNICATION							
Lead Products Co., Inc., Childs Trucking Equipment Co., and KNUZ Radio							
Tower sites are consider	red to be one site by the TWC. The	site is listed					
as Lead Products Co., Inc.							
Lead Products is a curre	ently active recycler of lead. The	lead is made					
into pipes from tire wei	ights. Previously, lead was obtained	d from cracking					
batteries. The battery cases were allegedly buried from approximately							
1935 to 1975 in a pit with approximate dimensions of 150 by 100 by 20 feet							
on the Lead Products and former Child's Trucking Equipment Co. properties.							
A portion of the property is now owned by the City of Houston and was							
used for trash incinerat	tion by the city at one time.						
No official litigation a	against the site by the TWC or the c	ity has begun.					
The Lead Products owners	s have begun negotiations with the c	ity and TWC and					
are currently collecting	g soil samples for analysis. Tona Va	ca (713) 520-9030					
from ERT (now ENSR Construction) is the project officer for the current							
sample collection.							
CONCLUSIONS, ACTION TAKEN OR REQUIRED							
INFORMATION COPIES TO:							

EPA FORM 1300-6 (7-72) Replaces EPA HQ Form 5300-3 which may be used until Supply is Exhausted.